
EX·LIBRIS
FRANK·PAYNE

This is the fourth issue (editio)
of the First Pharmacopeia of the
Royal College of Physicians, which
was first published 1618. also again
in the same year; and again in 1627.
All these issues are extremely rare, and
this is the only copy of any of them
which I have known to occur for sale.
They are in the Library of the Coll. Phys:—
see Munk's. Roll Coll Phys. III. 371. J.F.P.

The engraved title is from the original
copperplate, with date altered and
words quarta editio inserted



Pharmacopoeia Londinensis,

IN QVA
MEDICAMENTA
ANTIQVA ET NOVA
vsitatissima, sedulò collec-
ta, accuratissime examinata,
quotidianâ experientia
confirmata descri-
buntur.

Diligenter reuisa, denuo recusa, emendatior, auctior.
Quarta Editio
Opera Medicorum Collegij
LONDINENSIS.
Ex *Serenissimi* REGIS *mandato*
Cum R.M. Priuilegio.

LONDON
Printed for IOHN MARRIOTT and are
to be sould at his shop in Fleetstreete
in St Dunstons: 1632. Churchyarde

SERENISSIMO

PRINCIPI IACOBO

MAGNAE BRITANNIAE, FRANCIÆ, HIBERNIÆ, &c.

REGI, Collegium Medicorum LONDINENSIVM

ὑγιαίνειν, καὶ εὐπράττειν.

NVMINIS cum hominibus commercium, facilemque ad ſuperos aditum denotatura antiquitas; (licet ſub obſcura incertæ noctis nebula titubans, non inſagaci tamen acumine) Deorum ſimulachra ſub humana ſpecie variis inſignita titulis templis intulit: mutiſque ſtatuis diuinos decreuit honores, & aſsignauit ſacrificia quibus vel pacarentur, vel conciliarentur ſuperi, inferi, medioxymi. Principum plurimos cœlitibus aſsidere voluit, eorum memoriam venerata, & nihil minus quàm ſummum in ſublunaria impe-

 rium

rium attribuens illorum æternitati, quos vt potentiæ ſuæ vicarios dum vitali fruerentur aurâ Iupiter conſtituerat, ſic res in publicum bonum præclarè geſtæ, atque in ſubditos paternæ curæ iuncta liberalis comitas; dignos præſtiterant, qui Deorum immortalium ſocij haberentur. Nos qui reducto velo & diſcuſſa caligine certiora nunc veri numinis beneficio figimus veſtigia, vt cœlum juſtis precibus peruium, & *D. O. M.* ad pia vota facilem experimur: ſic te Principem noſtrum, (REX SERENISSIME) Reipublicæ Chriſtianæ, Regnorum inprimis tuorum bono terris datum, erga pios proboſque omnes flexibilem ac benignum, in tuos tenero & plus quàm paterno affectu propenſum cernimus, agnoſcimus, atque omnibus obſequij, officiorum, ſeruitij ritibus, quos omnipotens Regibus huiuſce mundi Diis aſsignauit, purè ſanctèque colendum pronunciamus. Tam aptus natus es ad bona, ad iuſta, ad auguſta, vt ab hac deflectere ſemita nec fas tibi ſit, nec ſi velles datum; tantus eſt naturæ tuæ candor, quæ virtutibus regiis ab incunabulis imbuta, nec nouo chromate tingi, nec veterem formam poteſt deponere! Sic Arcton aſpicit magnetico ſpiritu mobile redditum ferrum, & quantumvis detorqueas ad punctum redit. Quid attulerit compendij toti Chriſtiano orbi inſigne illud pacis ſtudium, quo in mutuam perniciem ruentes principum potentiſsimorum animos blando amicitiæ glutine fœliciter ferruminaſti: Quid tuis populis æquitas, quæ in cæteris tui ſimilibus mediocris, in te ſumma, tanquam in ſuæ actiuitatis ſphæra, triumphat;

Quid

Quid veræ Ecclesiæ paſtoralis ille amor quo gregem Saluatoris proſequutus, ſchiſmata tollere citra ambitioſum faſtum quotidie ſtudes, alij loquantur quorum penna nomen tuum poſteritati non fucato ſtylo tradere audacter ſatagit, materiæ vbertate diffluens, colorum quibus obumbrari ſi non deturpari ſolet memoria principum non indiga. Nos quibus MAIESTATI tuæ deuincti nodis viuamus explicemus libere, & viuenti Domino ea perſoluamus vota, quæ Ioui noſtro (juuans quippe tu nobis pater) debentur. Vniuerſalis ille recti bonique amor efficit, vt dum næuos Rempublicam fœdantes ſedulis perluſtras oculis, Regiam aciem in Medicinæ caſtra deflexeris. Quot abs te iſtic conſpectæ Lacunæ, quot hiatus? quot à via regia, quam veri Hygieias antiſtites calcant, aberrantia diuerticula monentibus primariis noſtrum benigniter notare dignatus es? Exinde factum, vt eodem momento cum errorum notitia, tot defectuum reſarciendorum irrequieta cupido animum tuum inceſſerit. *In actione conſiſtit virtus*, quæ dum in motu eſt viget, ſitu obſita quiete elangueſcit: in te Domine motu indeſinenti, veluti primum mobile, ad ſe omnes animi tui facultates æternum rapit. *Rectum norma eſt ſui & obliqui*. Propterea juſſiſti (REX OPTIME) vt ab iis quos cæteris prælucere in Medicina facienda æquum eſt, ſumerentur faciendorum exordia. Collegium noſtrum Medicum ab *Henrico Octauo, &c.* immunitatibus & priuilegiis donatum, tu Muſarum omnium parens authoritate cumulare voluiſti, ne quid deeſſet ad honoris culmen, ne-ue

 relin-

relinqueretur lapis aliquis offendiculi. Ita poteſtate abs te conceſſa inſigniti Medicinæ proceres, in repurgando Augiæ ſtabulo, atque admittendis veris Aſclepiadis, eliminandis iis qui Laruati ſaltem perſonam Medicorum induunt, toti ſunt. Immortales tibi ſint gratiæ (SERENISSIME PRINCEPS) quod vel querelis noſtris, vel petitionibus, faciles quotidie aures accommodes, nec à nobis exoptatum quidquam hactenus, vnde ſchola noſtra paſſa ſit repulſam. Sui ſemper ſimilis virtus cubíco ſitu mutationum neſcia ſubſiſtit. Hac freti fiducia, dum tua capeſsimus juſſa, atque in replendis lacunis & reparando vallo verſamur, id Senatui noſtro viſum eſt, artifici cuique ad ſcitum perfectumque opus producendum, neceſſaria eſſe idonea inſtrumenta, quæ urgente neceſsitate ex penu, vt tela ex armamentario, depromantur. Siqua in re anceps fluctuatio, ea certe in re medica eſt admodum periculoſa, in cuius praxi, quantum homini datum eſt, ſtatuenda ſunt certa remedia, quæ (*Deorum manus* à veteribus dicta) languentibus ægris tutò ab artis peritis adminiſtrentur. Quilibet Medicus in antiquorum ſcriptis vulgatas habet remediorum formulas; ſed eas abinuicem vt plurimùm diſcrepantes: ita vt in hac varietate tyronum mentes dubiæ (veluti in triuio) conſilij inopes conſiſtant, Pharmacopœiorum opera incertitudine parum fida (ipſis etiam inuitis) reddatur. Placuit itaq; Medicorum Collegio *Londinenſi* (cujus tu REX munificentiſsime tutelaris Deus es) tam antiqua quàm noua pharmaca neceſſaria in vnum conſarcinare volumen, atque donum hoc leuidenſe tuis

imponere

imponere aris; vel potiùs te non ſinente tantum, ſed etiam jubente, Auguſtæ Maieſtati tuæ offerre ſupellectilem, quâ ſubditorum tuorum corpora in poſterum à peſtifera morborum lue ſarta tectaque præſeruentur. Fœtus iſti gneſij, ſi propitiam exporrigas frontem, Solis tui perferent radios, qui ſpurios occæcare ſolent. Fac igitur, vt pro tibi innato more ſalutarem fauoris tui auram opus hoc ſentiat, cui (ſupplices petimus) vt liberum per regnorum tuorum limites indicas & neceſſarium commeatum. Vt veritas vna eſt, ſic certa ſit eius notitia. Vitæ ſubditorum tuorum intereſt, vt Medici quid præſcripturi ſint, Pharmocopœi quid in vſum paratum habituri, compertum habeant. Vacillationis pœna non minoris quam ipſius vitæ jactura conſtat. Tu qui iuris legumque fautor es, capitis tuorum tutor eſſe velis. Edicto cautum ſit, ne alia vtantur ij (quorum non minus fœliciter quam juſtè habenas regis) Pharmacopœiâ, quæ non *Londinenſis* ſolùm, ſed ex vſu (ſi placet) Anglica in poſterum indigitetur. Sic fiet, vt à tritico ſecernantur paleæ, & agyrtæ, atque circulatores (quibus æquitas tua te reddit infenſiſsimum) à genuinis dignoſcantur. Sic tu Iupiter eris Liberator: Sic acceptam tibi feret ſanitatem tua Reſpublica: Sic denique dum ſummi inter humanas res boni Promotor & Conſeruator eris, eius, cuius in terris locum obtines, imitatorem te prodes verum, & quamdiù durabit Vniuerſi machina, memoriæ hominum heroicæ tuæ virtutes obuerſabuntur, ſicut tui pars melior viuet, tandem aliquando tradita æternitati: Quod vt ſerò contingat, imo

vt nulli noſtrum id videre contingat; ſed vt diutiſſime Mundo, patriæ, tuis, ſubditis, ſingulis noſtrum te incolumem ſeruet *D. O. M.* ex animo optant & precantur

Maieſtatis tuæ

Humillimi Clientes & fideliſſimi Subditi *Socij Collegij Medicorum* Londinensis.

Candido

Candido Lectori.

PLurimum te ſaluere *iubet, quæ maximè* ſaluum *te fecit Medicina; & quo meliùs adhuc ſaluti tuæ conſulat, nouam conſtruxit officinam pharmaceuticam, quam non inſtruxit modò locupletiſsima remediorum ſalubrium ſupellectile, verùm & curam ſuſcepit, vt illa ſine fraude fidelius, ſine errore tutiùs in ſalutem tuam componantur. Sed, opus inquis, quo non eſt opus. Cum præter veteres recentioréſque plurimos vix aliqua ſit tranſmarina Ciuitas aut Academia, celebrior, quæ iſtam non abundè Spartam ornauerit. Verum id forſan. At cedò, ſi tot iſti veteribus non acquieuerint* Meſue, Myrepſo, Alexandrino, *& aliis; ſed ſuum voluerint ſinguli Antidotàrium; Romani ſuum, ſuum Veneti, Florentini ſuum, ſuum Bergomenſes, Auguſtani ſuum, & quos tacemus reliqui; quidni & Londinenſes ſuum? velut veſtem propriam, cuius non tanta laus eſt, quòd ſit ſplendida, quam quòd propria, non tam ſi è biſſo ſit aut purpura, ſed ſi Anglis corporibus adaptata: præterea nos tanta varietate non inſtrui, ſed diſtrahi magis cõtingit; iſta* inopes nos Copia fecit; *& morbus ille, cui modò occurrimus, totus eſt ex plenitudine. Quo vaſta magis eſt ſilua, pluréſque ſemitæ, facilius per inuia, deuia dum vagantur, aberrant viatores. Quo mare ſpacioſius, eo magis eſt opus Cynoſura: qua deſtituti diù apud nos Pharmacopœi variis fluctibus iactari, & mille modis diſtrahi videbantur, dum vnus iſto, iſte alio medicandi tramite incederet, vnus ad Cordum, alius ad Fernelium, ad Auguſtanos alius, ad ſuum forſan alius ſpeculum ſe componeret; idemque remedium tot haberet Ideas, quot officinas: quod malum cum indies magis graſſaretur, non ſine ſummo tam Medicorum, quam ægrorum diſpendio, volumus hoc opuſculo, velut iacta Anchora, ſic fluctuantem Pharmaceiam ſtabilire, eamque certis limitibus, & Cancellis coercere, dum vnam, & vnicam componendi legem & methodum non docemus modò, ſed imponimus & imperamus, à qua non liceat, vel latum (vt aiunt) vnguem aberrare, vt vno velut filo ducti, tum Medici, tum Pharmacopœi, iſti in præſcribendo certiùs, hi in componendo rectiùs progrediantur & vnanimes conueniant.*

Necnon alia adhuc grauior eſt peſtis, ad quam opus Antidotario; aliorum videlicet ſumma fraus & impóſtura, qui lucelli gratia, & ſordido aucupio fæces quaſdam viliſsimas, & ſpurciſsimas ſordes ſub Pharmacorum nomine & titulo venditant; imò quæ

nobis

nobis in pretio sunt maximo, Theriacam, Mithridatium, & Alkermes, aliaq; plurima adulterant; vt remedia non deueniāt, sed venena, nec in solatium ægris, sed perniciem. Qui sceleratissimi homicidæ, etsi flagello potius aut furca, quàm Censura hac nostrâ coerceri debuerint; erunt tamen forsan (pro more Anglo) saluādi beneficio libelli, *& cū ipsis miselli ægri, quorum vitæ & sanitati (isto velut sacro codice) consuluimus. Fœlix cōsilium & salutare; cuius tamen gloriam & laudem nobis ipsis non arripimus; sed (vt fateamur quod res est) eius caput altius, eius diuinior origo;* A Ioue principium; *à nostro inquam Augustissimo & (quod rarius) literatissimo, & (quod gratius) salutis publicæ vigilantissimo* REGE IACOBO, *qui vt pacem in orbe Christiano, vnionem in orbe Britanno, cōformitatem in orbe Ecclesiastico studuit semper & feliciter stabiliuit; ità nostrū Orbem Apollinarem sphæramq; medicam dignatus est lustrare suo lumine, legesq; salutares nobis condere pro cōcordia medica certaq; medendi symphonia, vt sicut anteà animarum, sic & corporum saluti; anteà subditorum dignitati, modo illorum vitæ & sanitati consuleret: vt de illo verum sit, quod de Sole Regius vates cecinit*, nihil est secretum à calore eius; *nihil ab eius cura seclusum aut immune; & insculptū videatur diuinâ manu idem pectori ipsius, quod nummo,* Salus populi suprema Lex. *Cum enim Pharmacopœis Londinensib. nouas libertates & priuilegia noua indulserit literis suis (vt appellantur) patentibus, hoc vnum inseri, & exprimi inprimis voluit, vt cum Antidotarium istud prodiret in lucem, ad illud velut sacrū canonem religiosè se astringerent: Legibúsque ferendis à Senatu medico obtemperarent. Cui verè Regio mandato æquum nobis erat morem gerere; fecimúsq; tādem vt in lucem prodeat Pharmacopœia Londinensis, apparatu nec sordido nec superbo, nec remediorum paupertate indiga, nec eorum mole aut tumens aut ambitiosa. In qua etsi doctam Antiquorum canitiem veneramur, eorundémq; remedia prima velut acie collocauimus, non tamen recentioris Chymiæ noua subsidia reiicimus aut aspernamur, sed illis locū & angulum à tergo concessimus, vt famulentur dogmaticæ Medicinæ; & velut manus auxiliares inseruiant. Neq; verò tam superstitiosè incessimus Antiquorum vestigiis, vt nihil ex nostro penu nouum apportemus; non enim quæ hic descripta, transcripta sunt omnia, aut mercibus solis transmarinis, & exoticis officinam nostram instruximus, sed quædam adiecimus noua & nostra, quæ crebro vsu probata nunc primum in lucem prodeunt publicam; quædam etiam in antiquis formulis immutauimus, saluo tamen authoris sensu & nomine, non tam nouitatis studio quàm necessitate coacti, præsertim vbi non occurrunt, quæ præscribuntur simplicia, in quorū locum alia suffecimus, quæ facultatum cognatione simillima videbantur: Paritérque fecimus in modo pilulas componendi, quæ si antiquo more cum succis aut aquis in massam redigantur, citò siccitatē nimiam vel sitū contrahāt, ideoq; Syrupis accommodatis pro diuturniori custodia vtendum voluimus. Cùm verò in plurimis authoribus quædam penitus relinqui soleant artificum iudicio, potissimū in mellis & sacchari mensura, sub duabus litterulis* q. s. *vel voculis* quantum satis; *vndè eiusdem pharmaci non eadem apud omnes consistentia, nec facultas eadem; nos de libero artificum arbitrio potestatem omnem in posterum ademimus, & in eandē rem quosdam è Pharmacopœis ipsis in hoc artificio versatissimis adhibuimus in conciliū, quorum ope & opera de certo cōponendi modo, certaq; mensura conuenimus, & dosin designauimus cui nec addant illi, nec adimant. Deniq; cum in plerisque Antidotariis, tum priscis tū recentioribus, vsus & facultas cuiusq; remedij exprimatur, vndè tam inscij, quam impij Circumforanei & agyrtæ, ex hac pharetra seipsos muniant ad praxin medicinæ, nostrosq; gladios insani homunciones in Reipublicæ perniciem arripiāt, ideò de remedij viribus nihil adiecimus: solis enim doctis hæc scribimus & Apollinis alumnis, ad vulgi*

non

non intellectum, sed salutem. De ordine quo omnia disposuimus, rationem non opus est reddere; simplicia compositis; interna, externis; liquida solidioribus præmisimus; in suas classes singula digessimus, vnde nullo negotio depromi, in vsumq; & praxin referri possint. Habes (Amice Lector) quid fecerimus, & cur fecerimus; Opus quale in fabulis Pandora; in illam Dij omnes; in hoc Collegæ omnes sua symbola contulerunt, sub auspiciis dignissimi Præsidis, quo non modò Consule aut Præside, sed cuius consilio & auxilio & indefesso studio, tectum modò & fastigium huic tanto operi imponitur, quod ante annos aliquot inceptum condi, sed inceptum, cuius non cœptæ surgebant turres, *vt Poeta lusit. Quale iam aut quantulumcumque sit, Amice Lector, tuo bono & publico fore commodum speramus & vouemus; quod si & palato tuo arrideat, vtere, & Vale.*

à Collegio Londinensi septimo die Decembr. anno 1618.

Abriefe of his MAIESTIES Royall Proclamation *Commanding all Apothecaries of this Realme to follow* this PHARMACOPOEIA lately compiled by the Colledge of Physitians of LONDON.

WHereas by our especiall commandement there hath beene of late compiled in the Latine tongue by the Colledge of Physitians of London a booke entituled *Pharmacopœia Londinensis*, *&c.* And whereas through the great care and industrie of the said Colledge, the foresaid *Pharmacopœia Londin.* is now perfected, and is a work greatly tending to the publique good of our Subiects, and wee minding that all falshood, differences, varieties, and incertainties in making or composing of Medicines, and distilling of Oiles, or Waters, hereafter be vtterly taken away and abolished: And that in the time to come the manner and forme præscribed by the said booke should be generally and solely practised by Apothecaries in their compositions of Medicines, and distillation of waters for al such things as are therein named and præscribed: Wee therefore desirous in all things to prouide for the common good of our Subiects, and intending to settle and establish the generall vse of the said booke in this Realme of ENGLAND, doe hereby signifie and declare our Royal will and pleasure to be, & hereby straightly require, charge, and command all and singular Apothecaries, within this our Realme of ENGLAND, or the Dominions thereof, that they and euery of them, immediately after the said *Pharmacopœia Londin.* shall be printed and published, doe not compound, or make any Medicine, or medicinable receipt, or præscription; or distill any Oile, or Waters, or other extractions that are or shal be in the said *Pharmacopœia Londin.* mentioned and named after the waies or meanes præscribed or directed, by any other bookes or Dispensatories whatsoeuer, but after the onely manner and forme that hereby is, or shall be directed, præscribed, and set downe by the said booke, and according to the weights and measures that are or shall be therein limited, and not otherwise, &c: vpon paine of our high displeasure, & to incurre such penalties and punishment as may be inflicted vpon offenders herein for their contempt or neglect of this our Royall commandement. Willing and commanding also hereby all Maiors, Sheriffes, Iustices of peace, Constables, &c. to be aiding and assisting. Giuen at our Palace of Whitehall 26. Aprill in the 16. yeere of our raigne of England, France, and Ireland, and of Scotland the 51. 1618.

THe Kings most excellent Maiesty hath not only commanded the publishing of this booke, but hath farther beene graciously pleased to grant ful & sole priuiledge vnto Iohn Marriot of London Stationer (and Printer of this worke) his Executors, Administrators, Deputies, and Assignes for 21. yeeres next ensuing, to imprint, or cause to be imprinted, and to sell, assigne, and dispose, to his and their best benefit and auaile, this booke, and bookes, as well in the Latine as English tongue, as also in any other language or tongue whatsoeuer; Straightly prohibiting any other during the said time, to imprint or cause to be imprinted, to import, vtter, or sell, or cause to be imported from any the parts beyond the seas, vttered, or sold, the said booke or bookes, or any part thereof within any of his Maiesties Realmes and Dominions (without the speciall licence and consent of the said Iohn Marriot, his Executors, Administrators, Deputies, and Assignes, first had and obtained in that behalfe) vpon paine of his Maiesties high displeasure, and to forfeit fiue pounds of lawfull English mony for euery such booke or bookes, or any part or parts thereof imprinted, imported, vttered, or sold contrary to the true meaning of this priuiledge, beside the forfaiture of every such booke or bookes, &c. as more at large appeareth by his Maiesties letters patents dated the twentieth of March in the fifteenth yeere of his Maiesties reigne of ENGLAND, France, and Ireland, and of SCOTLAND the fifthieth. 1618.

NOMINA D. D. COLLEGARVM SOCIETATIS MEDICORVM LONDINENSIVM HODIE VIVENTIVM.

HENRICVS ATKINS Doct. Med. Regius Medicus Ordinarius, & Collegij Medicorum Londinensium Præsidens.

THEODORVS DE MAYERNE Medicinæ Doctor, Regiarum Majestatum Medicus primarius.

IOHANNES CRAIG. } Regij Medici Ordinarij. } 7. ex 8. Electis.
GVLIELMVS PADDY Eques. } Regij Medici Ordinarij.
THOMAS FREAR.
THOMAS MOVNDEFORDE.
MARCVS RIDLEY.
EDWARDVS LISTER.
RICHARDVS PALMER.

IOHANNES CRAIG iunior, Principi Carolo Archiater.

IOHANNES ARGENT.

EDWARDVS IORDEN.

IOHANNES GIFFORD.

FRANCISCVS HERRING.

MATTHAEVS GWYNN, Regius Med. ad Turrim.

MATTHAEVS LISTER. Eques

GVLIELMVS HARVEY, Med. Reg. iuratus.

GVLIELMVS CLEMENT.

SIMEON FOX.

LEONARDVS POE, Med. Regius ad familiam.

ROBERTVS FLVDD.

RICHARDVS ANDREWES.

THOMAS PATTISON.

THEODORVS GOVLSTON.

IOHANNES COLLINS.

SIMON BASKERVILE. Eques

THOMAS WINESTON.

EDMVNDVS WILSON.

GEORGIVS ROGERS.

IOHANNES RAVEN, Med. Regineus iuratus.

PAVLVS DE LAVNE.

ELEAZAR HOBSON.

OTTVELLVS MEVERELL.

ALEXANDER RAMSEY.

PONDERA.

GRanum intelligimus signatum illud nostrorum nummariorum, quorũ viginti scrupulum constituunt.
Scrupuli tres drachmam.
Drachmæ octo vnciam.
Vnciæ duodecim libram.

Granum cuius signum gr.j.
Scrupulus cuius signum ℈.
Drachma cuius signum ʒ.
Vncia cuius signum ℥.
Libra cuius signum. lib.

MENSVRÆ.

MEnsuras apud nos vsitatissimas hic paucis subiecimus: reliquas minus vsitatas ideoque magis inutiles consultò omisimus.

Cochlearium nostrum in Syrupis continet vnciam dimidiam, in aquis distillatis drachmas tres.
Cyathus vnciam vnam semis.
Hemina (quam Cotylam appellant) vncias nouem.
Libra vncias duodecim.
Sextarius vncias octodecim.
Congius Sextarios sex.

CATALOGVS SIMPLICIVM AD PHARMACOPOEIAN CONDVCENTIVM.

RADICES.

A

Acanthi, Brancæ Vrsinæ.

Acori, { Veri, peregrini, Calami odorati offic. Vulgaris, Pseudoacori, Gladioli lutei. Liliorum palustrium.

Allij, Scorodi.

Alcannæ, Ligustri.

Althææ, Ibisci, Bismaluæ.

Angelicæ, Sancti Spiritus.

Anchusæ, Buglossi rubri,

Anthoræ, Antithoræ, Napellis Mosis, Aconiti salutiferi.

Apij, { Satiui, Petroselini. Vulgaris, Eleoselini.

Aristolochiæ { Longæ, Rotundæ. Clematis, tenuis, farmentitæ.

Artianæ, Cyclamanis, Panis porcini, Rapi vel vmbilici terræ, Testidunariæ.

Arthanitæ.

Arundinis { Vallatoriæ. Saccharinæ.

Ari, Serpentariæ, Barbæ Aaronis, Pedis vituli.

Asclepiadis, vincetoxici, hyrūdinariæ.

Asari, Baccharis, Nardi Rusticæ.

Asparagi, hortensis, syluestris, Currudæ.

Asphodeli veri, { Hastæ Regiæ, i. Asphod. fœ. Albuci, i. Asph. maris

B

Bardanæ, Lappæ maioris, Personariæ, areij Diasc.

Behen { Albi, Polemonij. Rubri, } pro his. { Caryophyllatæ. Tormentillæ.

Bellidis, Symphyti minimi.
Betæ nigræ, albæ, rubræ.
Bistortæ, serpentariæ maris Britanicæ.
Borraginis.
Bryoniæ, Vitis albæ.
Bryoniæ nigræ.
Buglossi vtriusque.
Bulbi vomitorij.

C

Calami Aromatici, exotici, i. acori veri.
Capparum.
Caryophyllatæ, Benedictæ, Oculi leporis.
Caulium.
Centaurij Maioris, falso Rhapontici.
Cepæ, Crommij.
Chamæleontis { Albi, Carlinæ, Cardopatij. / Nigri, / Pancarpi.
Chelidonij { Maioris } Hirundiniæ maioris, / Minoris } Ficariæ, Scrophulariæ.
Cinæ, Chinæ.
Cichorij.
Colchici, Bulbi agrestis.
Consolidæ { Maioris, / Minoris,
Costi vtriusque.
Cucumeris agrestis, Asinini, Erratici.
Cynaræ, Scolymi, Cardui altilis.
Cynoglossæ, Lycopseos, Linguæ caninæ.
Cucumæ, terræ meritæ, cyperi sudici.
Cyperi vtriusque, { longi, Romani / rotundi.

D

Dauci.
Dentariæ maior: Squamariæ, Orobandis rad. dentata.
Dictamni vulgaris, Polemonij, Fraxinellæ.
Doronici,

Dracontij veri, Dracunculi.

E

Ebuli, Chamæactes.
Echij albi, Campanicæ.
Ellebori / Veratri { albi / nigri { Cōsiliginis vulgaris, Melāpodij, Ectomi, Entani.
Enulæ Campanæ, Helenij.
Endiuiæ hortensis, Intybi, Scariolæ.
Eringij, Centum capitum.
Esulæ { maioris, } Characiæ. / minoris, } Tithymali Caparissiæ, cupressinæ.

F

Filicis, Pterios, Bletri.
Filipendulæ, Oenanthes.
Fœniculi, Marathri.
Fraxini.

G

Galangæ { maioris / minoris } Exoticæ, Cyperi Babylo.
Gentianæ, Aloes Gallicæ.
Glycyrrhizæ, Liquiritiæ. Rad. Dulcis.
Graminis, i. Graminis Canini.

H

Hermodactyli veri,
Hyacynthi.

I

Iridis { nostræ seu vulgaris, cæruleæ, Lilij cœlestis. / Florentinæ, Illyricæ,
Imperatoriæ, Magistrantiæ, Laserpitij Gallici. Astrantiæ.
Isatidis, Glasti.

L

Labri veneris, Dipsaci.
Lactucæ.
Lauri.
Lapathij acuti, Oxylapathi.
Leuistici, Sirnij Diosc.
Lilij albi, Rosæ Iunonis, Crinanthemi.

M

Maluæ.
Mandragoræ, Anthropomorphi.

Mechoa-

CORTICES.

B

Berber, Oxyacanthæ.

C

Caſiæ ligneæ, Syringis, Xylocaſiæ.
Capparis, rad.
Caſtanearum,
Cinnamomi, Canellæ.
Citri, mali medici.

E

Ebuli rad.
Enulæ.
Eſulæ rad. Tithymali.

F

Fabarum.
Fœniculi rad.
Fraxini rad.

G

Granatorum, Malicoriũ.
Guaiaci lign. Ind. Sancti.

I

Iuglandium virid.

L

Lauri.
Limonnm.

M

Mandragoræ rad.
Myrobalanorum,
Macis, qui Cortex Moſchatæ nucis
Maceris, qui ligni cuiuſdam cortex craſſus, flaueſcens, valde amarus & aſtringens.

P

Petroſelini rad.
Prunellis ſylueſtris.
Pinearum Putamina.

Q

Quercus arboris.

R

Raphani.

S

Suberis.
Rad. Sambucij, & caudicis
Cort. medius Tamaricis.

T

Tilliæ.
Thuris.

V

Vlmi.

LIGNA ET EORVM SCOBES.

A

Agallochus, i. Lignum Aloes,
Aſpalathus.

B

Breſilium.
Buxus.

C

Cypreſſus.

E

Ebenum.

G

Guaiacum, Sanctum Ind.

I

Iuniperinum.

N

Nephriticum.

R

Rhodium.

S

Santalum { Album. / Rubrum. / Citrinum, Moſchatellinũ. }
Saſſafras.

T

Tamariſci.

X

Xylobalſamum.

HERBÆ ET EARVM FOLIA.

A

Abrotonum { mas, / fœmina. }
Abſinthiũ { Pōticũ { latifoliũ, vulgare. / tenuifoliũ { Galẽ / Rom } } / Seriphium, marinum, / Santonicum. }
Abugiliſſa, i. Anchuſa maior.

Aceto-

Acetosa sine Oxalis.
*Acanthus vera.
Adianthum { album, { Ruta muraria, Saluia vitæ. | nigrum, { Polytr. Diosc. Capill. vener.
Adianthũ aureum, Polytricũ aureum, Muscus capillaris.
Agrimonia, i. Eupatorium Græcorum.
Ageratum, i. Eupatorium Mesuës.
Agnus Castus, Vitex Piper Eunuchorum,
Alleluia siue Luiula, Acedula, Acetosella, trifolium acetosum, oxys Pl.
Alcea.
Allium.
Althæa, Ibiscus, Bismalua, Maluauiscus.
Alsine, Morsus Gallinæ.
Alchimilla, Pes leonis, Stellaria.
Alcanna, Ligustrum.
Amaracus, maiorana.
Angelica.
Anagallis { mas. | fœmina.
Anethum.
Apium, Herba Leonis.
Aparine.
Aspergula odorata.
Aquilegia.
Argentina, Potentilla, Anserina.
Artanita, i. Ciclamen.
Aristolochia { longa, Mascula. | rotunda, malum terræ.
Arthemisia, Mater herbarum.
Asparagus.
Asarum, Baccharis, Nardus rustica.
Atriplex, Olus aureum.
Auricula muris maior, pulmonaria gallica.
Attractylis hirsuta.

B

Balsamita, mentha corimbifera, Costus hortorum.
Barba Iouis, Sedum maius.
Bardana, Lapathum, Personatia.
Beta { alba. | nigra. | rubea.
Benedicta Caryophyllata.
Betonica { vulgaris. | Pauli est Veronica mas. | Coronaria, Caryophyllus hortensis, Herba Tunica.
Bellis, herba Margarita.
Blitum.
Borrago.
Bonus Henricus, Tota bona.
Botrys.
Branca vrsina, Acanthus Germanica.
Bryonia, { Vitis alba. | Vitis nigra.
Bursa Pastoris, Sanguinalis.
Buglossum.
Bugula.
Buphthalmum, Cotula non fœtida.
Buxus.

C

Calamintha { Montana. | Palustris.
Calendula, Caltha, Solsequium, Verrucaria.
Callitricum, Adianthon.
Caprifolium.
Carduncellus, Erigeron, Senecio.
Carduus { B. Mariæ lacteus. | Benedictus.
Carlina.
Corallina, Muscus marinus.
Cassutha siue Cuscuta, podagra lini.
Caryophyllata, Benedicta.
Catuputia minor, Lathyris.
Cattaria, Nepeta.
Cauda equina, Hippuris, Equisetum.
Caulis, Brassica { hortensis. | syluestris.
Centaurium { maius, Rhaponticum. (ga. | minus, Fel terræ, febrifuga.
Centinodium, Corrigiola, Poligonum mas.
Cerefolium { vulgare. | Myrrhis.
Cæpæa, Anagallis aquatica, Becabunga.

Ceterach, i. Scolopendrion, Aſplenon.
Chamæpitys, Ajuga, Iua arthritica, Thus terræ.
Chamædrys, vera, vulgaris, Calamandrina, Quercula, Triſſago, Teucrium cæruleum.
Chamæmelum { ſatiuum. / ſylueſtre.
Chelidonium vtrumque.
Cinara, Carduus Eſculentus, Artichocus.
Cichorium, Intybum Sylueſtre, Chondrilla.
Cicuta.
Clematis Daphnoides, vinca peruinca.
Corona Virginea, Viola mortuorũ.
Conſolida { Major, i. Symphytũ majus. / Media, i. Bugula. / Minima, i. Bellis. / Rubra, i. Virga aurea. / Regalis, i. Delphinium. / Sarracenica ſolidago.
Coronopus.
Coronaria, Centunculus, Gnaphalium.
Cruciata.
Craſſula, Faba inuerſa,
Crithamus, Herba S. Petri, Creta Marina. Fœniculum marinum.
Cucumis Aſininus.
Cyanus { maior. / minor.
Cynogloſſum, ſeu lingua Canis.
Cypreſſus, Chamæcypariſſus, Abrotonfœm.

D

Dictamnus Cretenſis.
Dipſacus, { ſatiu. alb. / ſylu. purpur.

E

Ebulus, Chamæacte, Sambucus, pumila, aruenſis.
Echium, Viperina.
Elatine, veronica fœmina.
Empetron, Calcifraga, perforipetra, Millegranum, Herniaria.
Endiuia, ſatiua intybus.
Enula Campana.
Epithymum, Epithymum Cretenſe.
Eruca.
Eupatorium, { Græc. Agrimonia. / Meſ. Ageratum. / Auicen. Canabium.
Euphragia, Euphroſyne, herba Ophthalmica.

F

Filix fœmina.
Filicula, Polypodium.
Filipendula.
Folium Malabathri.
Fœniculum, Marathrum.
Fragaria.
Fraxinus { Lingua auis, Paſſerina, Bubula. / Sorbus aucuparia. Ornus.
Fumaria, Capnos.

G

Galega, Ruta capraria.
Galion.
Gentiana.
Geniſta, Spartion.
Geranium { Robertinum. / Columbinum. / Acus Moſchata. / Gingidium.
Gramen, Agroſtis.
Gratiola.

H

Haſtula regia, Aſphodelus.
Hepatica, Lichen.
Hedera { Arborea. Corona terræ. / Terreſtris Chamæciſſus.
Herba Camphorata.
Moſchata.
Paralyſis, primula veris.
Paris, Aconitum ſalutiferum, Monococcos.
Roberti, Gratia Dei.
Venti, i. Anemone.
Hermaria, millegranum.
Helxine, Parietaria, perdicium.
Hippogloſſum.
Hippolapathum.

Hippo-

Hippofelinon olus Atrum.
Horminũ fatiuum, Syluestre, Sclarea.
Hydropiper maculofum.
Hyffopus, Alhaffe. Arabum hyffopus.
Hyofcyamus, Herba Apollinaris, Altercum, Faba fuilla.
Hypericon, Perforata, Fuga Dæmonis.
{ Hypoglottis, Laurus Alexandrina.
{ Hypogloffum, Lingua Pagana, Bonifacia, Biflingua, Vuularia.

I

Iberis Cardamantice, Lepidium Campeftre.
Inguinalis, Bubonium, After Atticus.
Iris Germanica, Illyrica, Florẽtina, Lufitanica, Lutea, Cærulea, Syluestris.
Ifatis, Glaftum.
Iua arthetica, Mofchata.
Iuncus odoratus.

L

Labrum, lauacrum Veneris, Dipfacus Fullonum Carduus.
Lactuca, Satiua, Syluestris.
Lagopus, Herba leporina.
Lauendula.
Laureola, Daphnoides, Chamælea Germanica.
Lappa minor, Xanthium.
Laurus.
Lentifcus.
Lens paluftris.
Lepidium piperitis.
Leuifticum, Ligufticum.
Libanotis coronaria Rofmarinus.
Linaria, Ofyris.
Linum B. Mariæ.
Lilium Conuallium, Rofa Iunonis.
Lingua Ceruina, Phyllitis.
Limonium.
Lotus vrbana, Trifolium ceruinum.
Lupulus Salictarius.
Lychnitis coronaria.

M

Macis.
Magiftrantia, Imperatoria, Oftrucium.
Malua, Satiua, Crifpa.
Majorana, Amaracus, Sampfuchum.
Mandragora.
Marrubium, Prafium { album, nigrum, fœtidum.
Marum verum.
Matricaria, Parthenium.
Matryfylua, Periclymenon, herba Cordialis.
Matturella, i. Valeriana maior, Phu vtrumque.
Melilotus, Corona regia.
Meliffa, fiue Meliffophyllum, Citrago.
Mentha { Satiua, Crifpa, Rubea. Aquatica, Sifymbrium.
Menthaftrum, Mentha equina.
Mercurialis, mas, fœmina, Linozoftis.
Mezereon, Chamælæa, Oleaftellus.
Millefolium, Stratiores.
Mufcus, Vfnea.
Myrtus, Myrtilli.

N

Nardus Indica, Spica Nard. Exotic.
Nafturtium { aquaticum, Cardamine, Sifymbrium. album, Thlafpi. hortenfe, Creffio.
Nicotiana, Tobacco, Sana fancta. Herba Reginæ, Legati, Petum.
Nummularia, Centumorbia.
Nymphæa, Nenuphar.

O

Ocimum, Bafilicon { vulgare. citratum.
Oleæ folia.
Ononis, Aratri remora, Refta bouis.
Ophiogloffon, Lingulaca, Lancea Chrifti.
Origanum, Vulgare, Creticum, Onitis, Panaceum.
Oxylapathum, Rumex acutus.

P

Papauer { album, nigrum, rubrum, Rhæas, erraticum.
Parietaria, herba Perdicalis, Vitriola, Vrceolaris.

Paſtinaca.
Perſicaria non maculata.
Perfoliata.
Pentaphyllum, quinque folium.
Petroſelinum, Selinon.
Pes Columbinus, Geranium alterum.
Perſicorum folia.
Pimpinella.
Piloſella, Muris auricula.
Pithyuſa.
Plantago, Arnogloſſum, Septineruia, Quinqueneruia.
Polium, Campeſtre, Marinum, Montanum, Creticum.
Polygonum, Sanguinaria, Centumnodia.
Polytrichum offic. Trichomanes.
Portulaca Satiua, Porcellana.
Porrum.
Primula veris, Bellis minor, herba Sancti Petri aut Pauli.
Prunella, Symphytum minus, herba Anthonij.
Pulegium, Ceruinū, Regale, Glechon, Apoleium.
Pulmonaria { Impetiginaria, arborea. / Symphytū maculoſum.
Pulicaria, i. Conyza.
Pyrus ſylueſtris.
Pyrola, Pyrifolia, Tintinnabulū terræ.

Q

Quercus folia.

R

Ranunculus, Batrachiū, Apium riſus.
Raparum folia.
Roſmarinum coronarium.
Roſa Solis.
Roſa alba, rubra, Damaſcena pallida.
Rumex, Lapathum.
Rubus Idæus, pumilus.
Ruta hortenſis, Rhyte, Sylueſtris Harmel.
Ruta muraria, Saluia vitæ, adiantum album.

S

Sabina, Barathrum.
Saluia maior, Minor, Romana. Sylueſtris, Boſci ſaluia.
Salicis folia.
Sampſucum, maiorana.
Sanicula, Diapenſia, Ferraria minor.
Sarponaria { vulgaris. / Strutin & radicula Plinij.
Satureia, Cunila, Thymbra ſatiua, Ioſeple.
Saxifragia alba.
Scabioſa, herba Apoſtematica.
Scariola.
Schœnanthos, Iuncus odoratus, Paſtus Cameleorum.
Scordium verum, non Sylueſtre, Scorodotis.
Scrophularia, Caſtrangula, Millemorbia.
Sedum ſeu ſemperuiuum { Maius, { Arboreſcus, / Vulgare. } Minus, { Vermicularis / Illecebra. }
Senna Orientalis, Ægyptia, Alexandrina, Florentina, Italica, Prouincialis, Syriaca.
Serpyllum.
Sigillum Solomonis, Polygonatum.
Smyrnium.
Solanum, Vua lupina, Morella.
Soldauella, Marina Braſſica.
Sonchus. { leuis { Cicerbita, / Lactucella, / lacterion. } asper }
Sophia Chirurg.
Spinachia, Olus Hiſpanicum.
Spina alba, Arabica, Bedeguar.
Spica Vulgaris, Romana, Celtica, Saliunca Plinij.
Stœbe.
Stœchas { Arabicum, / Citrinum, heliochryſum.
Succiſa ſiue morſus Diaboli.
Suchaha, Spina Ægyptiaca,
Symphytum { Maius, vulgare. / Medium, bugula. / Maculoſū, pulmonaria. / Petræum, prunella.

T

Tanacetum, Athanaſia.

Taraxa-

FLORES.

Liguſtri, Alcannæ,
Lilij albi,
Lilij Conuallium, Verni.
Lupulorum.

M

Maioranæ, Sampſuchi.
Maluæ, vtriuſque Roſæ Hiemalis, Autumnalis.
Meliloti.
Meliſſæ, Meliſſophylli, Citrariæ.

N

Narciſſi, albi, lutei.
Nucum iuglandium, Nucamenta.
Nymphææ vtriuſque, Nenupharis, Claui Veneris, Lilij paluſtris.

O

Origani.
Othonnæ, Caryophylli Indici.

P

Papaueris { nigri. albi. rubri.
Perſicorum.
Periclymemi, Matriſyluæ.
Pæoniæ.
Populi oculi, ſeu gemmæ.
Primulæ veris, Paralyſis, Verbaſculi odorati.
Prunellæ, Agricoccimelææ.
Prunorum ſylueſtrium.

R

Roſæ { albæ. rubræ. Damaſcenæ pallidæ.
Roriſmarini, ſiue Anthos.

S

Saluiæ.
Saliuncæ, Nardi Celticæ.
Sambacis, Iaſmini.
Sambuci.
Scabioſæ.
Schœnanthûs, Iunci odorati.
Siliginis.
Spicæ hortulanæ.
Stœchados, Arabici, Citrini.

T

Tamariſci.
Tanaceti.
Thapſi barbati, Verbaſci.
Tiliæ.
Tunicæ, Caryophylli hortulani.
Tuſſilaginis, Farfaræ.

V

Vetonicæ.
Violæ purpureæ { Purpureæ, Martiæ. Matronalis.
Vrticæ mortuæ, Lamij.

FRVCTVS ET GERMINA.

A

Agreſta.
Alkekengi, Halicacabi, Ceraſa Iudæorum, hyemis, terræ.
Amygdala { Amara. dulcia.
Amoris poma.
Anacardi.
Arantia, mala aurea.
Auellana, Nux Pontica, Præneſtina.

B

Balanus Myrepſica, Glans Vnguentaria, Been Vtrumque, Serapionis.
Baccæ { Herbæ Paridis. Iuniperi, Grana Turdorum: Lauri.
Berberis, Oxyacanthæ Gal. Baccæ Creſpini. Matth.

C

Cappares maiores, minores.
Caricæ, Ficus aridæ, paſſæ.
Caryophyllum.
Carpobalſamũ, fructus, grana Balſami.
Caſſia fiſtularis, Siliqua Ægyptiaca.
Caſtanea, Glans Sardiana.
Ceraſum { Rubrum, dulce. Nigrum, acidum.
Citrium malum, Medicum.
Cicer { Rubeum, Venereum. Candidum, Columbinum. Nigrum, Arietinum.
Colocynthis, Cucurbitæ ſylueſtris.
Corna.

Coni

SEMINA SIVE GRANA.

A

Acini, Punici ſemina.
Agni caſti, ſiue Viticis, Salicis marinæ.
Althææ, Biſmaluæ.
Ammeos vulgaris, veri Cumini regij Alexandrini.
Amomi veri.
Anethi.
Angelicæ.
Anguriæ.
Aniſi, Cymini dulcis.
Anthoræ, ſemen Roſarum.
Apij ſatiui, criſpi.
Aquilegiæ, Aquilinæ.
Aſparagi, Corrudæ.
Atriplicis, Chryſolachani.
Aurantiorum.
Auenæ.

B

Bardanæ, Perſonatitiæ.
Berberis, Oxyacanthæ.
Bombacis, Xyli.
Bulbi, Cepæ.

C

Cannabis.
Cardui benedicti, & Mariæ.
Cardamomi { majoris. / minoris.
Carpobalſami.
Carthami, Cnici.
Carui, Careos.
Caulis, Braſſicæ.
Ceparum, Crommij.
Ceraſorum.
Cerefolij.
Cicutæ.
Citri.
Citruli.
Coriandri, Corij.
Colocynthidos.
Crithmi.
Cubebæ.
Cuſcutæ.
Cucumeris domeſtici, ſylueſtris.
Cucurbitæ, camerariæ.
Cymini, hort. ſylu.
Cydoniorum, Cotoneorum.

D

Dauci { noſtri. / cretici.

E

Ebuli.
Endiuiæ, Intybi, Cichorij.
Erucæ.
Eryſimi, Irionis.
Erui ſeu Orobi.

F

Fabarum.
Fœniculi.
Fœnugræci, Ægocerotis, Siliculæ, Trifolij Græci.
Fraxini, linguæ auis, Orneogloſſi.
Fumariæ, Capni.

G

Garyophyllatæ.
Geniſtæ.
Granum Gnidium, i. Thymelæa.
Granũ Solis, perperã pro milio Soler.
Granum Paradiſi.

H

Harmel, i. Rutæ ſylueſtris.
Hederæ.
Hippoſelini.
Hordei, eiuſque farina.
Hyoſcyami, Alterci, vtriuſque.
Hyperici, Perforatæ.
Hyſſopi.

L

Lactucę.
Lapathi acuti, Oxylapathi.
Lathyridis, Cataputiæ minoris, Eſulæ vulpinæ.
Laureolæ.
Lentes, Lenticulę.
Leuiſtici, Liguſtici.
Lini.
Lithoſpermi, Milij Solis.
Lolij.
Loti Vrbanæ, ſatiuę.
Lupini.

M

Maluę.
Mandragoræ.
Maioranæ, Amaraci.

Magi-

Magiſtrantiæ, Oſtrutij.
Melonum.
Melopeponum.
Meſpilorum.
Mezerei.
Milij.

N

Napi, Buniadis.
Naſturtij.
Nigellæ, Gith.

O

Ocimi ſeu Baſilici Caryophyllati.
Oleris atri, Petroſelini Alexandrini, hippoſelini.
Oryzæ, Hordei Galatici.
Oſſa Dactylorum.

P

Papaueris { albi. nigri.
Panici.
Paſtinacæ ſylueſtris, Banciæ, & ſatiuæ, Carotis, Staphylini.
Petroſelini { Vulgaris. Macedonici.
Perfoliatæ.
Piper { album. longum. nigrum.
Pimpinellæ, Bipinellæ, Pampinulæ.
Piſa.
Plantaginis.
Porri capitati.
Portulacæ, Porcellanæ.
Pœoniæ.
Pſyllij, Pulicariæ.

R

Rapi, Gongyles.
Raphani, Radiculæ.
Rhois culinariæ ſiue Sumach.
Ricini, Cataputiæ maioris, manus Chriſti, Granum regium.
Roſarum.
Rutæ hortenſis, Pegani.

S

Saxifragiæ.
Scariolæ, Seriolæ.
Semen Sanctum, Santonicum, contra vermes.
Seſami veri, vulgaris.
Seſeleos, vel Sileris Montani Maſſilienſis.
Sinapeos.
Siliquaſtri, Capſici, Piperis Indici.
Solani ſatiui.
Staphydiſagriæ, Vuæ ſylu. Pediculariæ, Piper Marinum.

T

Thlaſpios.
Trifolij bituminoſi, odorati, Aſphaltitis.
Tritici, cuius farina volatilis.

V

Vicia.
Violarum.
Vrticæ vulgaris, Romanæ.
Vuarum acini, gigartæ.

Z

Zeæ, Speltæ.

LACHRYMÆ, LIQVORES, GVMMI, RESINÆ.

A

Abietina oleoſa.
Ammoniacum, Tranſma.
Arabicum, Gummi ex Acacia Ægypti ſpina.
Animæ gummi.
Aſa { fœtida, Stercus Diaboli, recrementum Laſerpitij. Dulcis, ſiue Benzoin.

B

Bdellium.
Balſamum { è Peru, Indicum. Iudaicum.

C

Camphora, Caphura.
Caranna.
Cedria Pix, Alkitron.
Ceraſorum.

Elemi, Oleæ Æthiopicæ lachryma.
Euphorbium.

G

Galbanum.
Gum. Amygdalarum.
Iuniperi, Sandaracha Arabum, Vernix.
Hederæ.

L

Laccæ, Cancamum.
Labdanum:
Laserpitium.
Larignea resina.
Lentiscina, Masticheb.
Lycium, Crocolytos.

M

Mastiche.
Myrrha, Arboris Arabicæ.

O

Olibanum, Thus masculum.
Opium, lacryma Papaueris nigri.
Opobalsamum, Balsamum Iudaicum.
Opopanax, Panacis Heraclei liquor.

P

Pini resina.
Pix liquida, sicca, naualis, Zopissa.
Picebitumen.
Pissanthum, Liquidæ picis flos.
Prunorum.

R

Resina Cypria.

S

Sagapenum, Serapinum.
Sarcocolla, Carniglutium.
Sanguis Draconis.
Scammonium & Diacrydium.
Styrax { Calamitis. Ruber, verus, ad suffitum, qui cortex est. Liquidus, noster, Myrrha stacte, cuius fæces, comphitæ. }
Strobilina Resina.

T

Tacamahacha.
Terebinthina.
Thus, Olibanum.
Thuris Manna, i. puluis, cōcussu elisius.
Tragacanthum.

V

Vitium Lachrymæ.

SVCCI.

A

Absinthij succus, in vesica inspissatus.
Acacia, vel succus Prunellorum syluestrium.
Acetum.
Acetositas Citri.
Agresta, Omphacium.
Aloe { Hepatica. Soccotrina. }
Amylum.
Amurca.
Apij succus.
Arantiorum.

E

Elaterium, è Cucumere agresti.
Eupatorij.

F

Fæx vini.
Fæcula Brioniæ.

G

Gersa serpentaria.
Glaucium, succus Papaueris corniculati, flore rubro.
Glycyrrhizæ succus.
Grani tinctorij succus.

H

Hypocistis.

M

Manna vel Tereniabin, Mel aëreum.
Meconium, Maslach, opium offic.

O

Oleum { recens. vetus. Omphacinum. }

S

Saccharum vel Zucharum, è canna.
Saccharum candum, Tabarzet.

T

Tartarum.

V

Vinum.
Viscus Aucupum. Concussu Elisus.

E PLAN-

E PLANTIS NATA.

A

Agaricus, Fungus laricis.

B

Bedeguaris, ſpongia quercini generis.

C

Calices glandium, Capulæ glandium.

E

Epithymum.

F

Farina volatilis.
Furfur.

M

Muſcus.

V

Viſcus quercinus.

ANIMALIA.

A

Aſelli, Millepedes.

B

Bombyces.
Buccinæ.

C

Capones.
Cantharides.
Cancri fluuiatiles.
Catuli.
Catus ſenex, emaſculatus.
Cicadæ.
Cygnorum pulli.

E

Erinaceus.

F

Formicæ.

G

Galerita aſſa.

H

Hirundines.
Hirundines, Sanguiſugæ.

L

Limaces terreſtres, Cochleæ.
Lutra.
Lumbrici, ſeu vermes terreſtres, Inteſtina terræ.

M

Meli, Taxi.
Motacillæ.

P

Paſſer, troglodytes.
Purpuræ.

R

Ranæ virides.

S

Scorpiones terreſtres, triti, vſti.

T

Talpæ.
Teſtitudines.
Tincæ, piſcium medici.
Tineæ.

V

Viperæ, Tyri.
Vulpes.

ANIMALIVM PARTES EXCREMENTA, ET EX IIS DESVMPTA.

Caro viperina.
Calcaneus { Cerui. / Leporis.
Cornu { Cerui, Simplex, Vſtum. / Vnicorni, Monocerotis. / Rhinocerotis, Capræ.
Cerebrum { Leporis. / Paſſerum.
Caogulum leporis, &c.
Os è corde Cerui.
Os cruris bouis.
Cranium humanum, in eo os triquetrum.
Os, & teſta Sepiæ.
Ebur, ſiue dens Elephantis, ex quo fit Spodium.
Dens Apri. Fibri.
Blatta Byzãtia, Vnguis odoratus, Con-

chula Indica.
Pulmo Vulpis, Agni, Suis, Vrſi.

Hepar { Anatum. / Aprinum. / Aſininum. / Lupi, eiuſque Inteſtina.

Adeps { Anatis, Ardeæ, Arietis, Cameli, Canis, Caponis, Capri, Caſtoris, Cuniculi, Equi, Anſeris, Gallinæ, Hominis, Leonis, Leporis, Lucij, Muris montani, Pardi, Serpentum, Tauri, Taxi, Timalli, Vrſi.

Axungia Porci.
Pinguedo vituli, Vulturis, Vulpis.
Seuum Hircinum, Caprinum, Ceruinum, Bouinum, Ouinum, Vaccinum, Taxinum.
Medulla bouis, ouis, Agni, cerui, canis, capræ, cruris vaccæ, tauri, vituli.
Fel taurinū, vaccinum, Accipitris, Milui, Caprinum, Suillum, leporinum.
Caſeus recens, vetus.
Caſtoreum, teſtes fibrorum.

Lapis { ex felle bouis. / è capite Carpionis, Percarum.

Mandibula Lucij piſcis.
Mel.
Mel virgineum.
Oui teſta excluſi pulli.
Aqua lactis.
Perna, Coxa Porcina.
Talus ſuillus.
Pili Leporis.

Stercus { Humanū, lupinum, murium, ouillum, caprinum, columbinum, equinum, gallinaceum, hirundinum, vaccinum, Caninum ſiue album Græcum.

Pelliculæ ſtomach. Gallinæ.
Spolium ſerpentis, Senecta anguium.
Saliua.
Sudor.
Nidus hirundinum.
Propolis, in alueorum foribus, & rimis, cereum.

Butyrū vaccinum, ſalis expers, ſalſum.
Ichthyocolla, Gluten piſcium.
Lac aſinæ, capreæ, mulieris, ouis, vaccę.
Lapis Bezoar Orientalis, Occidentalis.
Moſchus.
Zibethum.
Mumia ſepulchrorum, Piſſaphaltum.
Ouum gallinaceum, formicarum.

Sanguis { Hircinus, Humanus, Anſerinus, Caninus, Caprinus, Ceruinus, Columbinus, Leporis, Perdicis, Veſpertilionum, Suis, Taxi, tauri, teſtudinis.

Serum lactis.

Sperma { Ranarum. / Ceti.

Teſtes { Galli. / Equini.

Cera { alba, Citrina, / rubea, flaua, } factitia.

Oeſypus, lanæ ſuccidæ pinguitudo.
Oculi Cancri, Lapides Gammarorum.
Sericum crudum. / Seta è bombice.
Virga Ceruina, Taurina.
Vngula Alces, Aſini, Capræ, Porci.
Vrina hominis, Apri, Capri, Canis, Tauri.

MARINA.

A

Ambra griſea odorata.
Aqua & arena maris.

B

Bitumen Iudaicum, Aſphaltus.
Buccinarum teſta.

C

Carabe vel Cacabre, i. Succinum, Electrum nig. Gagates, Ambra citrina.
Cancrorum, gammarorum teſta.
Ciconia teſta.
Concha venerea.
Corallina.
Cochlearum teſta.

Corallium { album / rubrum } frutex ſaxeus.

Dactyli.

D

Dactyli.
Dentalis.

E

Entalis.

F

Flos ſalis, Maris, Sperma Cœti.

H

Halcionium, ſpuma & pila Maris.

L

Lapis ſpongiæ, Spongites.

M

Margarita ſolida, perforata, vnio.
Mater Perlarum.
Mitulorum teſta.
Muria.

N

Naphtha, genus liquidi Bituminis, Petroleum.

P

Pumex.
Purpura.

S

Spongia, fungus maris.
Succinum album, citrinum, nigrum vt prius.

T

Tellina.

V

Vmbilicus marinus.

SALES.

- Sal Gemmæ, foſſilis, Cryſtallinus, Indus, Ammoniacus, Armeniacus, Niger, communis, Factitius, Petræ, Marinus, Alkali, &c.
- Nitrum, Sal nitri.
- Aphronitrum.
- Spuma ſalis, è ſpuma Maris.
- Borax vel Baurach, Tincar.
- Chryſocolla factitia è nitro foſſili.
- Terra viridis.

METALLICA MINERALIA, ET LAPIDES.

A

Æs, i. æs Vſtum.
Æris ſquama, batitura decutita.
Æris flos, rubigo æris, ærugo.
Ærugo raſilis, i. vide æris.
Ætites, Lapis Aquilæ.
Alabaſtrites.
Alabaſtrum.
Alana terrea, Tripolis vulgò.
Alectorius, lapis Gallinaceus.

Alumen
- Natiuum
  - Liquidum.
  - Rotundum.
  - Sciſſile, plumoſum, capillare.
- Factitium.
  - Vulgare rupeũ, ex lapide cãdido. Alumẽ rochæ.
  - Catinum, ex cineribus Sodæ.
  - Squamoſum, ex lapide ſpeculiari, Scariolæ.
  - Fæcum, ex fæcibus vini.
  - Zucharinum, ex rupeo aqua roſaceâ, ſaccharo & oui albumine.

Amiantus, ſeu Amianthus, linum viuum, amentum, pilus Salamandræ.
Ampelitis terra.
Amethiſtus, violacei coloris gem.
Antimonium, Stibium, Stimmi.
Antimonij vitrum.
Argentum { foliatum. / Scobs argenti.
Argentum viuum, hydrargyrus, Mercurius.
Argentum viuum { præcipitatum. / Sublimatum.
Armenius lapis, ſeu Armenus.
Arſenicum, Arrhenicum, i. album ſublimatum, cryſtallinum.

Auri-

Auripigmentum,i. Arſenicum luteum.
Argilla.
Aſterius gem.
Aurum foliatum,obrizum.

B

Berillus.
Bolus Armenus, gleba Orientalis.
Bufonis lapis.

C

Cadmia natiua, lapis Calaminaris.
Cadmia fornicaria, botrytis, tutia,offic. ex fauilla calaminaris natiuæ.
Calx,viua,extincta.
Ceruſſa.
Calcanthum, vitriolum, atramentũ ſutoriũ,copparoſa,
- alba.
- viridis.
- cærulea ſiue Rom.

Chalcitis,atramentum rubrum.
Chalybs, ſtomoma ferri.
Chryſolithus.
Chryſopaſius.
Cotes.
Creta
- argentea, alba.
- viridis, cærulea, rubra.

Cryſtallus.
Cinnabaris
- minium natiuum.
- factitia ex ſulphure & argento viuo.

D

Diaphryges,fex ęris ſubſidens quod bis toſtum.

F

Ferrum, ferri ſcoria, ſquama, rubigo.

G

Granatus,Carbũculus Charcedonicus.
Gagathes,obſidianus lapis,carbo petrę
Gypſum.

H

Hæmatites, lapis Sanguinarius.
Hyacinthus.

I

Iaſpis.

L

Lazuli, lapis Cyaneus.
Lapis
- Lyncis, Aſius, Arabicus.
- Belemnites, Lyncirius.
- Iudaicus.

Lythargyrũ colore
- auri, Chryſitis.
- argẽti, Argyrites.

M

Magnes, Sideritis, Herculeus lapis.
Marchaſita, Pyrites, Zeg nigrum Arabum.
Marmor.
Melanteria.
Miniũ
- natiuum, cinnabaris naturalis.
- factitiũ
  - ex ceruſſa, Sandix.
  - ex plumbo calcinato,
  - minium vulgare.

Myſi, attramentum luteum.

N

Nephriticus lapis.

O

Ochra lutea, lutum Montanum.
Ophites, marmor Serpentinum.
Onix, lapis Onychinus.
Opalus.

P

Plumbum
- albũ, argentariũ, ſtannum.
- nigrum, vulgare.

Plumbago,Molybdæna,Galena,Lapis Plumbarius.
Pompholyx ſiue Tutia Arabum,Nihili album.

R

Rubinus lapis, Pyropus, Carbunculus.
Rubrica fabrilis, ſynopica.
Realgar. Arſenicum rubrum.

S

Sapphyrus, Cyanos.
Stannum.
Sardinus lapis, Sarda,Corneolus.
Smaragdus.
Selenites, Specularis lapis.
Spodium, Nil griſeum.
Sulphur
- natiuum, viuum.
- factitium, vulg.

Flores ſulph.
Sory, Atramentum metallicum, griſeum.
Smyris, Smeryllus.

T

Terra
- Sigillata,Lemnia ſacra, Sphragis.
- Samia,Salinuſia,Chia, melita.
- Sileſiaca, Stringenſis, Solis Axungia.

Thra-

Thracius lapis. Chimolia.
Tartarum, fæx vini.
Talchum.
Topaſius lapis.
Turcoſius, Feruzegi Meſues.
Teſtæ fornaceæ.

Plura iiſdem ſimplicibus nomina, ſæpe condonamus, & diuerſa quandoque ſpecierum indiuidua diſtinguendo ſupponimus. Succedanea antiballomena in claſſes redigere minimè placuit, ne vel in ſubſtitutis audaculi, viliora & ſpuria, pro magis pretioſis & legitimis arripiant: hæc enim (quo decet) ſuo ſemper loco ſubiecimus. Simplicium capita ſic recenſuimus, vt ſub his recenſita enumeraſſe ſufficiat. Hæc ſi aduertant, dictum ſatis.

NVNCV-

NVNCVPATIONVM QVARVNDAM COMMVNIVM INTERPRETATIO.

QVINQVE FLORES CORDIALES.

Rosarum.
Violarum.
Borraginis.
Buglossi.
Anthos, vel Melissæ.

QVINQVE HERBÆ EMOLLIENTES.

Althæa.
Malua.
Beta, Brancha vrsina, Acanthus.
Mercurialis.
Violaria. Parietaria.

QVATVOR SEMINA CALIDA MAIORA, CARMINATIVA.

Anisi.
Fœniculi.
Carui.
Cumini.

QVATVOR SEMINA CALIDA MINORA.

Ammeos.
Amomi.
Apij, Latifolij, crispi, satiui.
Dauci, Pimpinellæ vulgaris.

QVATVOR SEMINA FRIGIDA MAIORA.

Cucurbitæ.
Cucumeris.
Citruli.
Melonum.

QVATVOR SEMINA FRIGIDA MINORA.

Endiuiæ, Angustifolii. } Intybi.
Cichorij, Latifolij. }
Lactucæ.
Portulacæ.

QVINQVE RADICES COMMVNES APERITIVÆ, DIVRETICÆ, MAIORES.

Apij.
Asparagi.
Fœniculi.
Petroselini.
Rusci.

RADICES DVÆ.

Fœniculi.
Petroselini.

QVINQVE RADICES APERIENTES MINORES.

Graminis, i. Canini vulgaris.
Eryngii.
Capparis.

Ononidis.
Rubiæ.

QVINQVE HERBÆ CAPILLARES.

Adianthũ { nigrum, ſeu Capillus Veneris. / album, ſeu Ruta muraria. } Saluiæ vitæ.
Polytricon aureum.
Trichomanes.
Aſpenium, Ceterach. Scolopendrium.

QVATVOR AQVÆ PLEVRITICÆ.

Cardui B. Mariæ.
Taraxaconis.
Cardui Benedicti.
Scabioſæ.

FLORES COMMVNES CALIDI.

Chamæmeli.
Meliloti.
Ireos, ſeu Lilij.

TRIA OLEA STOMACHICA.

Abſinthij.
Cydoniorum.
Maſtichinum.

QVATVOR VNGVENTA CALIDA.

Agrippæ.
Althææ.
Aregon.
Martiatum.

QVATVOR VNGVENTA FRIGIDA.

Album Caphuratum.
Populeon.
Refrigerans Galeni.
Roſatum Meſuæ.

QVATVOR VNGVENTA CHIRVRGIS AD MANVM.

Baſilicon, digerit, maturat.
Viride Apoſtolorum, mundificat.
Aureum, incarnat.
Album, cicatrizat.

FRAGMENTA PRETIOSA.

Sapphyri, Syrtitæ.
Granati, Carbunculi Charcedonici.
Smaragdi.
Hyacinthi, Chryſolithi, Amethiſti.
Sardæ ſeu Corneoli, Sardini.
Rubini, Pyropi.
Margaritarum, Vnionum.

AQVÆ

AQVÆ SIMPLICIORES DISTILLANDAE, QVÆ VSVI, ET SVNT IN VSV.

Aqua Abrotoni.
Absinthij vtriusque.
Acac. prunell. syluest. Flor.
Acetosæ seu Oxalidis.
Acetosellæ seu Luiulæ.
Adianthi.
Agrimoniæ.
Alchimellæ.
Alkekengi, Halicacabi.
Altheæ.
Alsines.
Anagalidis.
Anethi.
Angelicæ.
Anguriæ, Melopeponum.
Anthemidis.
Apij.
Aquilegiæ.
Arnoglossi.
Aranciοr: Flor.
Ari.

Aqua Artemisiæ.
Asari rad.
Asparag.
Auriculæ Muris.
Barbæ hirci, Scurzoneræ.
Bardanæ.
Basilici.
Berber.
Betonicæ.
Betulæ arb.
Borraginis.
Brassicæ.
Brioniæ.
Buglossi.
Bursæ pastoris.
Calami aromatici.
Calaminthæ vtriusque.
Calendulæ.
Capillorum Veneris.
Caprifolij florum.

Aqua Cardui Benedicti.
Centaurij.
Centinodiæ, siue Polygoni.
Ceparum.
Cerasorum nigrorum.
Cerefolij.
Chamæmeli.
Chamæpityos, Iuæ arthe-(ticæ.
Chelidonij.
Cichorij.
Citri Pomorum.
Citrulorum.
Cochleariæ.
Cochlearum.
Consolidæ maioris.
Corticum Iuglandium.
Crassulæ.
Cucurbitæ.
Cuscutæ.
Cynoglossi.
Cytoniorum.
Dentis Leonis.
Ebuli.
Endiuiæ.
Enulæ.
Eupatorij.
Euphragiæ.
Farfaræ seu Tussilaginis.
Florum Rorismarini.
Cyani.
Fabarum.
Lamij.
Siliginis.
Tiliæ.
Tunicæ.
Fœniculi.
Fragrariæ, & fragorum.
Fraxini.

Aqua Fumariæ.
Fungorum.
Galegæ.
Genistæ.
Gentianæ.
Geranij.
Graminis.
Hederæ vtriusque.
Helxines volubilis.
Herniariæ.
Hippuridis, Caudæ equinæ.
Hirundinum.
Hyperici.
Hyssopi.
Iridis.
Iuniperi ex granis.
Lactucæ.
Lapathi acuti.
Lauendulæ.
Leuistici.
Ligustri florum.
Lilij Conuallium, & albi.
Linariæ.
Lupulorum.
Maioranæ.
Maluæ.
Marrhubij seu Prasij.
Matricariæ.
Meliloti.
Melissæ.
Mellis.
Melonum.
Mentastri.
Menthæ.
è Mercuriali.
Milij Solis.
Millefolij.
Mororum Celsi.

Aqua Morſus Diaboli.
Naſturtij.
Nicotianæ.
Nucum immaturarum.
Nummulariæ.
Nymphææ.
Ononidis.
Origani.
Papaueris vtriuſque.
Parietariæ, Helxines.
Petaſitæ.
Petroſelini.
Periclymeni.
Picarum.
Pimpinellæ.
Plantaginis vtriuſque.
Pœoniæ.
Polygonati, i. Sigilli Salomonis.
Polytrichi.
Portulacæ.
Primulæ Veris.
Prunellæ.
Pulegij.
Pyrolæ.
Pyrorum ſylueſtr:
Quercus, ſc: germinum, fol:
Raparum.
Raphani.
Roris Maialis.
Roſarum { Albarum. Damaſcenarū. Rubrarum.

Aqua Rutæ.
Sabinæ.
Saluiæ vtriuſque.
Sambuci.
Saniculæ.
Satureiæ.
Satyrionis.
Saxifragiæ.
Scabioſæ.
Scolopendrij, Phyllitidis.
Scordij.
Scrophulariæ.
Sedi ſeu Semper vivi.
Senecionis.
Serpylli.
Solani.
Spermatis Ranarum.
Spicæ Nardi.
Squamariæ.
Tamariſci.
Tanaceti.
Tormentillæ.
Valerianæ.
Verbaſci, Tapſi barbati.
Verbenæ.
Veronicæ.
Violarum.
Vitium lachrymæ.
Vlmariæ, Reginæ Prati, Barbæ Capri.
Vngulæ Caballinæ, Tuſſilaginis, Farfaræ.
Vrticæ.

Diſtillare iam doctos non docemus, ſeu per aſcenſum, ſeu deſcenſum: Monemus modo, caueatur empyreuma.

AQVÆ COMPOSITÆ.

AQVA ABSINTHII MINVS COMPOSITA.

℞ Abſinthij Sicci libras duas.
Semin: Aniſi libram dimidiam.
Macerentur in ſpiritus tenuioris aquæ vitæ congiis ſex, per horas viginti quatuor, deinde extrahatur ſpiritus per Alembicum addendo poſt diſtillationem,
Sacchari puriſſimi quantũ ſatis.
Eodem modo parantur
Aquæ Folior. Angelicæ cum toto.
Semin: Aniſi.
Cortic: Aurantiorum.
Limonum.
Herbar: Meliſſæ.
Menthæ.
Roriſmarini.
Saluiæ, &c.

AQVA ABSINTHII MAGIS COMPOSITA.

℞ Abſinthij Romani,
Vulgaris ana. librã
Saluiæ. vnam,
Menthæ.
Meliſſæ ana manipul. duos.
Radic: Galangæ.
Zingiberis.
Calami aromatici.
Enulæ Campanæ ana drachmas tres.
Glycyrrhizæ vnciam vnam.
Vuarum paſſarum exacinatarum vncias tres.
Semin. Aniſi.
Fœniculi dulcis ana drachma ſex.
Cinnamomi.
Caryophyllorum.
Nucis Moſchatæ ana. drachmas duas.
Cardamomi.
Cubebarum, ana drachmam unam.
Incidantur incidenda, Contundantur contundenda, & in
Vini Hiſpanici libris viginti quatuor infundantur per horas viginti quatuor, deinde diſtillentur in Alembico ſecundum artem: poſt adde Sacchari ad gratiam, q. ſ.

AQVA ANGELICÆ MAGIS COMPOSITA.

℞ Angelicæ libras duas:
Aniſi ſemilibram.
Coriandri.
Carui ana vncias quatuor.
Zedoariæ conciſæ vncias tres.
Macerentur in ſpiritus vini tenuioris ſex congiis per horas viginti quatuor, deinde extrahatur ſpiritus fortis, qui Saccharo edulcorandus eſt.

AQVA

AQVA BEZOARTICA BREVIS LANGII lib.3. Epist. 1.

℞ Chelidonij cum radicibus lotis manipul. tres semis.
Rutæ manipul. vnum.
Scordij manipul. duos.
Dictamni Cretensis.
Cardui benedicti ana manipul. vnum semis.
Radic: Zedoariæ,
Angelicæ ana drachmas tres.
Cortic: Citri,
Limonum ana drachmas duas semis.
Florum Tunicæ.
Rosarum ana drachmas duas.
Cinnamomi.
Caryophyllorum ana drachmas quinque semis.
Theriacæ Andromachi vncias tres.
Mithridatij vnciam vnam semis.
Camphoræ scrupulos duos.
Trochiscorum de vipera.
Macis ana drachmam vnam semis.
Xyloaloes scrupulos duos.
Santali Citrini drachmam vnam semis.
Conseruæ florum Tunicæ vncias duas.
Semin: Cardui benedicti vnciam vnam.
Specierum Electuarij Liberantis scrupulos quinque.
Limaturæ cornu Monocerotis vel Cerui drachmam vnam semis.
Incidenda incidantur & per triduum macerentur in spiritus vini optimi, &
Vini Maluatici, ana libris tribus.
Aceti florum Tunicæ libra dimidia.
Et lentissimo igne distillentur per B.M.S.A. in vase vitreo.
Postquam ad medias facta fuerit distillatio; Quod in vase erit, colari possit per pannum lineum, Colatura distillatione reduci in Extractum mellagineum, quod asseruetur sub nomine Extracti Bezoartici; & hoc modo ex omnibus penè aquis compositis Extracta parari possunt.

AQVA BEZOARTICA MATTHIOLI.

℞ Antidoti magnæ Matthioli.
Syrupi de corticibus Citri ana libram vnam.
Aquæ vitæ factæ ex vino præstantissimo, & per distillationes sæpius repetitas rectificatæ & ad quintam essentiam redactæ libras quinque.
Ponantur omnia in Matratio vitreo capaciori, deinde optimè occluso vase ne quid respiret, conquassentur simul diligentissimè, vt Electuarium optimè cum spiritu vini commisceri possit; & sic

ſtent ſimul commixta per integrũ menſem, bis in ſeptimana vas vt prius concutiendo, Electuarium enim facilè in fundum reſidet: finito menſe, aquam claram Electuario ſupernatantem in aliud vas vitreum leniter effundes: vas optimè cera & charta pergamena occludendo; alioqui ſpiritus facilè in fumum euolabit.

AQVA CAPONIS.

℞ Caponem euiſceratum, atque in fruſta inciſum, ademptâ pinguedine; decoque in quantitate ſufficienti aquæ ſecundùm artem.

℞ Brodij colati libras duas ſemis.
Aquarum Borraginis.
Bugloſſi.
Vini albi ana libram vnam ſemis.
Flor: Roſarum.
Violarum.
Bugloſſi.
Borraginis ana drachmas duas.
Micarum Panis recentis libram dimidiam.
Cinnamomi electi fracti vnciam vnam.
Diſtillentur in Alembico vitreo ſecundum artem.

AQVA CINNAMOMI.

℞ Cinnamomi contuſi libram vnam ſemis.
Vini Hiſpanici libras duodecim.
Macerentur & diſtillentur per Alembicum. Extrahendo fortioris lib. iij. tenuioris q. ſ. Stillatitio liquori addatur ſacchari puriſſimi in tenuiſſimum pollinem redacti, quantum ſatis.

AQVA CINNAMOMI MATTHIOLI.

℞ Cinnamomi contuſi libram vnam ponatur in matracium affundendo.
Aquæ Roſaceæ libras quatuor.
Vini Hiſpanici librã vnã ſemis, & optimè occluſo vaſe ponantur in Balneum tepidum per horas viginti quatuor, deinde aperto vaſe & ſuperpoſito roſtro diſtillentur ſ. a. iuncturis optimè clauſis, ne quid tranſpiret.

AQVA CINNAMOMI CLARETA PER INFVSIONEM.

℞ Cinnamomi contuſi vncias quatuor.
Spiritus vini rectificatiſſimi libras duas.
Fiat infuſio per quatriduum vaſe amplo, vitreo, ſubere & veſicâ apprimè clauſo, vas quotidie bis terve agitando. Seorſim vero diſſoluatur libra dimidia Sacchari cand. Cryſtallini in libris duabus Aquæ Roſar. Miſceantur iſti duo liquores colati, & indatur nodulus continens.

Ambræ

Ambræ griſeæ ſcrupulum dimidium.
Moſchi Orientalis grana quatuor.

AQVA COELESTIS MATTHIOLI.

℞ Cinnamomi vnciam vnam.
Zingiberis vnciam dimidiam:
Santalorum omniũ ana drachmas ſex.
Caryophyllorum.
Galangæ.
Nucis Moſchatæ ana drachmas duas ſemis.
Macis.
Cubebarum ana drachmam vnam.
Cardamomi vtriuſque.
Semin: Melanthij ana drachmas tres.
Zedoariæ vnciã dimidiam.
Semin: Aniſi.
Fœniculi dulcis.
Paſtinacæ ſylueſtris.
Ocimi ana drachmam vnam ſemis.
Radic: Angelicæ.
Caryophyllatæ.
Glycyrrhizæ.
Calami odorati.
Phu minoris.
Folior: Sclareæ.
Thymi.
Calaminthæ.
Pulegij.
Menthæ.
Serpylli.
Maioranæ | ana drachmas duas.
Florum Roſarum rubrarum.
Saluiæ.
Roriſmarini.
Betonicæ.
Stœchados.
Bugloſſi.
Borraginis ana drachmam vnam ſemis.
Corticum Citri drachmas tres.

Terantur quæ terenda ſunt, & macerentur per dies quindecim in libris duodecim ſpiritus vini optimi, in vaſe vitreo optimè clauſo; deinde diſtillentur in B.M.ſ.a. Poſtea aquæ diſtillatæ adde
Specierum Diambræ.
Aromatici roſati.
Diamoſchi dulcis.
Diamargariti frigidi.
Diarhodon Abbatis.
Electuarij de Gemmis ana drachmas tres.
Santali Citrini contuſi drachmas duas.
Moſchi.
Ambræ griſeæ in tela rara ligatorum ana ſcrupulum vnum.
Iulepi Roſati clari libram vnã.

Optimè ſimul conquaſſentur, vt Iulepum cum aqua benè incorporari poſſit, deinde clauſo vaſis orificio, cum cera & charta pergamena, reponantur, dum reſidentiam depoſuerint, & aqua ſit facta clara.

AQVA CORDIALIS.

℞ Foliorum Angelicæ libram dimidiam.
Folior: Cardui benedicti vncias ſex.
Meliſſæ.
Saluiæ ana vncias quatuor.
Semin: Angelicæ vncias ſex.
Semin: Fœniculi dulcis vncias nouem.

Herbæ ſiccæ, & ſemina craſſiuſculè contundantur, quibus adde
Specierum Aromatici Roſati Gabrielis.
Diamoſchi dulcis ana vnciam vnam ſemis.

Infundantur per biduum in vini Hiſpanici libris triginta duabus, diſtillentur ſecundùm artem, lento igne, & extrahe aquæ fortioris libras decem, quibus poſt biduū, adde ſacchari libram vnam ſemis ſoluti in aqua Roſaceæ libra vna ſemis ſuper ignem.

Ex reliquiis aquæ mitioris, libræ ſex aut plures extrahantur, pro vehiculis Cordialium.

AQVA CORDIALIS FRIGIDA SAXONIÆ.

℞ Succi Borraginis.
Buglosſi.
Meliſſæ.
Biſtortæ.
Verbenacæ.
Oxylapathi.
Acetoſæ.
Rutæ Caprariæ.
Myrrhidis.
Cyani maioris,
minoris, vel duplum minoris.
Roſarum.
Calendulæ.
Limonum.
Citri, ana vncias ſex.
Succi Pimpinellæ.
Pentaphylli ana vncias tres.
Aceti vini albi libram vnam.
Semin: Portulacæ.
Florum Nymphææ ana vncias duas.
Terræ Lemniæ.
Sileſiacæ.
Samiæ, ana vnciam vnam ſemis.
Specierum Diatrionſantalon drachmas ſex.
Margaritarum præparatarum cum acido Citri drachmas tres.

Infundantur ſpecies, flores & ſemina omnia (præter terras & margaritas) in ſuccis, & aceto, factâ maceratione per tres dies diſtillentur in B. per Alembicum vitreum. Liquori ſtillatitio addantur terræ cum Margaritis, & affatim ei miſceantur.

AQVA

AQVA ANTEPILEPTICA LANGII.
lib.3. Epist. 1.

℞ Florum Tiliæ manipul. tres.
Lilij Conuallium manipul: quinque.
Semin: Pœoniæ conquassatorũ vnciam dimidiam.
Infundantur in libris quinque vini albi optimi per dies octo, deinde distillentur in B. M. lento igne, posteà
℞ Florum Rorismarini manipul: dimidium.
Florum Lauendulæ manipul: vnum.
Herb: Rutæ manipul: vnum.
Betonicæ manipul: dimidium.
Flor: Stœchados Arabicæ pugil: vnum.
Radic. Pœoniæ drachmas duas semis.
Dictamni albi drachmas duas
Scillæ præparatæ drachmam vnam semis.
Pyrethri drachmam dimidiam.
Visci Quercini drachmas duas.
Castorei optimi drachmã vnã.
Cubebarum.
Cardamomi ana scrupul. vnũ.
Macis semidrachmam.
Caryophyllorum scrupul. duos
Nucis Moschatæ scrupul. vnũ.
Infundantur incisa & conquassata per dies sex in prædicta stillatitiâ, & iterum distillentur per Alembicũ in B. M. lento igne, & feruentur ex vitro exquisitè clauso. Extractum Antepilepticum efficax vnâ eâdemque paretur operâ.

AQVA HYSTERICA.

℞ Succi Radicum Brioniæ libras quatuor.
Succi Rutæ.
Artemisiæ, ana libras duas.
Folior: Siccorum Sabinæ manipul. tres.
Matricariæ.
Nepetæ.
Pulegij regalis, ana manipul. duos.
Folior: Ocimi.
Dictamni Cretici, ana manipul. vnum semis.
Corticis Aurantiorum flaui recentis vncias quatuor.
Myrrhæ vncias duas.
Castorei vnciam vnam.
Vini Canarini generosissimi libras duodecim.
Digerantur per quatriduum vase idoneo, mox fiat in Balneo distillatio, deinde sub medium distillationis expressio, & colatura: & tandem per distillationis continuationem, & tincturæ inspissationem, præparetur Extractum Hystericum.

AQVA IMPERIALIS.

℞ Cortic: Citri sicci.
Aurantiorum.

Nucis Moſchatæ.
Caryophyllorum.
Cinnamomi, ana vncias duas.
Cyperi.
Ireos Florentinæ.
Calami aromatici, ana vnciam vnam.
Zedoariæ.
Galangæ.
Zingiberis, ana vnciam dimidiam.
Summitat: Lauendulæ.
Roriſmarini, ana manipul. duos.
Folior: Lauri.
Maioranæ.
Hyſſopi.
Meliſſæ.
Menthæ.
Saluiæ.
Thymi, ana manipul. vnum.
Roſarum albarum.
Pallidarum recentium. ana manip. dimidium.
Aquæ Roſarum libras quatuor.
Vini albi optimi libras octo, &c

Contuſis contundendis infundantur per horas viginti quatuor in Alembico vitreo ſuper cineres calidos, deinde diſtillentur vt artis eſt.

AQVA MELISSÆ MAGIS COMPOSITA.

℞ Meliſſæ libram vnam.
Thymi.
Pulegij, ana drachmas tres.
Cinnamomi drachmas duas.
Cardamomi minoris drachmã vnam.
Granorum Paradiſi vnciam dimidiam.
Semin: Fœniculi dulcis vnciam vnam.
Nucis Moſchatæ.
Zingiberis, ana drachmam vnam.
Galangæ drachmas ſex.
Calami aromatici.
Cyperi ana drachmam vnam ſemis.
Dictamni drachmam dimidiam.

Contundantur omnia & infundantur in vini Hiſpanici libris octo, &c,
Ceruiſiæ fortis libris ſex, horas viginti quatuor.
Diſtillentur per Alembicum extrahendo fortioris libras tres.

AQVA MARIÆ.

℞ Sacchari cand. libram vnam.
Vini Canarini vncias ſex.
Aquæ roſaceæ vncias quatuor.
Fiat Syrupus benè coctus, cui ad-
de

de Aquæ cœleſtis libras duas.
Ambræ griſeæ.
Moſchi ana.Grana octodecim.
Croci grana quindecim.
Santali citrini in aqua cœleſti infuſi drachmas duas. fiat aqua depurata.

AQVA MIRABILIS.

℞ Caryophyllorum.
Galangæ.
Cubebarum.
Macis.
Cardamomi.
Nucæ Moſchatæ.
Zingiberis,ana drachmam vnam.
Succi Chelidoniæ libram dimidiam.
Aquæ vitæ libram vnam.
Vini albi libras tres.

Infundantur viginti quatuor horas, & diſtillentur per Alembicum libræ duæ.

AQVA RORIS SOLIS vulgo dicta, ROSA SOLIS.

℞ Nucis Moſchatæ,
Semin. aniſi.
Coriandri, ana vnciam vnam.
Galangæ.
Zingiberis,
Caryophyllorum, ana vnciam dimidiam.
Roſarum rubrarum manipul. vnum.
Roris Solis manipul. ſex.
Glycyrrhicæ raſæ vncias duas.
Cardamomi,
Zedoariæ.
Granor: Paradiſi,
Calami aromatici, ana drachmam vnam.
Santali citrini drachmas duas
Santali rubri.
Cinnamomi ana vnciam vnã ſemis.
Aquæ vitæ optimæ libras duodecim.

Infundantur ſ.a. per octiduum, & percolatis adde Sacchari libram vnam ſemis.

AQVA DOCTORIS STEPHANI.

℞ Cinnamomi,
Zingiberis,
Galangæ,
Caryophyllorum,
Nucis Moſchatæ,
Granor: Paradiſi,
Sem. Aniſi.
Fœniculi.
Carui ana drachmam vnã.
Herb. Thymi,
Serpylli,
Menthæ.
Saluiæ,
Pulegij,
Parietariæ,
Roriſmarini.
Flor. Roſarum rubrarum.
Chamæmeli,
Origani,
Lauendulæ, ana manipul. vnum.
Vini Gaſconici libras duodecim.

Infundantur omnia per horas

duodecim, deinde in Alembico diſtillentur fortioris libræ tres.

AQVA PROTHERIACALIS.

℞ Fol. Scordij.
Scabioſæ,
Cardui benedicti,
Galegæ, ana manip. duos
Corticum Citri,
Aranciorum ſicc. ana vncias duas.
Semin. Citri,
Cardui benedicti,
Seſeleos,
Thlaſpios, ana vnciam vnam.
Florum Calendulæ.
Anthos, ana manip. vnum.

Incidenda incidantur, & contundenda craſſiuſculè contundantur, & cum vini albi meraci libris quatuor, & aquæ Cardui bened. libris duabus, in vas vitreum immittantur bene obturatum, ità vt per duas hebdomadas inſolentur, vel in ſtupha furnaria per aliquot dies macerentur, factâ ſ. a. agitatione frequenti. Tum demum in B.M. diſtillentur, ità vt libræ duæ priores extillatæ per ſe ſeparatim vſui reſeruentur. Quæ verò poſtea per diſtillationem effluit aqua; itidem per ſe vſui aſſeruetur; tandemque ſingulis libris admiſce

Iulapij Alexandrini vnciam vnam.
Aquæ Cinnamomi cochleare vnum.

Haud nos latet plurima ſimplicia ingredi compoſitionem Theriacæ, quorũ virtutes diſtillatione factâ in B. M. elici nequeũt ad amuſſim. Hanc igitur ex induſtria ſubſtituimus, cui tempore exhibitionis Medicus rationalis pro data indicatione vel Theriacam, vel Diaſcordium, vel Syrupum aliquem conuenientem poterit adiicere. Receptam tamen Theriacalis ſtillatitiæ vnam adiunximus, ne præuaricari videamur.

AQVA THERIACALIS LVGDVNENSIS PER INFVSIONEM.

℞ Vini optimi diſtillati aliquoties,
Vini Cretici,
Aceti acerrimi, (in quo ſeminũ Rutæ vnciam ſemis fuerit incocta,) ana libras duas.
Theriacæ electæ.
Mithridatij optimi, ana libram dimidiam.

Miſce ac inſolentur, vel tepore Balnei aliquandiu calefiant ac deinde aſſeruetur vſui aqua colata.

AQVA THERIACALIS STILLATITIA.

℞ Succi putaminis viridis nucum Iuglandium libras quatuor.
Succi Rutæ libras tres.
Succor: Cardui benedicti.

Calendulæ,
Meliſſæ, ana libras duas.
Radicum Petaſitæ recentium li-
bram vnam ſemis.
Radic: Bardanæ libram vnam.
Radic: Angelicæ } recentium, ana
Imperatoriæ } vncias ſex.
Folior: Scordij manip. quatuor.
Theriacæ Andromachi veteris
& probatæ.
Mithridatij, ana vncias octo.
Vini Canarini generoſiſſimi li-
bras duodecim.
Aceti vini albi acerrimi libras ſex.
Succi Limonum libras duas.

Fiat per biduum digeſtio in fi-
mo equino, vel Balneo, vaſe opti-
mè clauſo, deinde per arenam di-
ſtillatio: & hinc inter diſtillandum
paretur extractum Theriacale.

AQVA VITÆ
vulgò ſic dicta, vbique venalis,
ad vſum pauperum.

℞ Ceruiſiæ, & fœcum vini, ana
quantum vis, extrahatur ſpiri-
tus tenuis in Alembico amplo,
cuius roſtrum per aquam frigi-
dam tranſeat, in cuius ſpiritus
congiis decem macera ſemin:
Aniſi parùm contuſorum li-
bram vnam, per horas viginti
quatuor, deinde extrahatur ſpi-
ritus fortis.

AQVA VITÆ COMPO-
SITA.

Fit ex ſpiritibus tenuioribus vi-
ni, in quorum congiis ſex, mace-
rentur per biduum.
Sem. Aniſi ſemi libra,
Fœniculi,
Carui, ana vnciæ duæ.
Caryophyllorum.
Cinnamomi.
Zingiberis ana vncia dimidia.
Et poſteà extrahatur ſpiritus for-
tior.

SPIRITVS CASTOREI.

℞ Caſtorei recentis vncias qua-
tuor.
Florum Lauendulæ recentium
vnciam vnam.
Summitat. Saluiæ & Roriſma-
rini, ana vnciam dimidiam.
Cinnamomi drachmas ſex.
Macis.
Caryophyllorum an. drachmas
duas.
Spiritus vini rectificati libras
ſex.

Digerantur in Phiala, ad tertias
tantum repletâ, veſicâ bubulâ &
ſubere optimè clausâ per biduum
in cineribus tepidulis vel arena,
deinde ſpiritus eliciatur per B. M.
vaſe diligentiſſimè obturato aſſer-
uandus.

VSQVEBACH.

℞ Aquæ vitæ fortioris libras viginti quatuor, quibus per quatriduum
Infunde Glycyrrhizæ libram vnam.
Vvarum paſſarum libram dimidiam.
Caryophyllorum vnciam dimidiam.
Macis,
Zingiberis, an. drachmas duas.
ſeruetur colatura pro vſu.

AQVA ALVMINIS. *FALLOPII.*

℞ Aquarum Plantaginis,
Roſarum rubrarum ana libram vnam.
Aluminis Rochæ.
Argenti viui.
Sublimati ana drachmas duas.
Alumen & Sublimatum terantur, deinde ponantur cum aquis in vas vitreum, anguſti oris, bulliantq; ſimul ad conſumptionem medietatis, deinde ſtent per dies quinque vt deſideat ſublimatum & fœx aluminis, poſtea effundatur aqua limpidiſſima, & ſeruetur in vaſe vitreo. *Fall. morb. Gal. c. 93.*

VINA MEDICATA.

VINVM ABSINTHITES.

℞ Absinthij ſicci manipulum pro vnoquoque Congio vini, immittatur in vas benè obturatum & ſic maneat in infuſione.

VINVM ANTHOSATVM.

Fit eodem modo, quo vinum Abſinthites: ſic fit & vinum Euphragiæ, vt & reliqua omnia, quando Medico videbitur.

VINVM SCILLITICVM *GALENI.*

℞ Scillæ albæ montanæ circiter Canis ortum collectæ in laminas conciſæ, libram vnam.

Per dies decem in vmbra refrigera, deinde ſcillæ laminas refrigeratas in vitreum vas mitte, & ſuperinfunde vini albi veteris Gallici ſextarios duodecim, & ſuſpenſum vas per dies quadraginta habeto, poſtea ſcillam exime, & abiice.

ACETA MEDICATA.

ACETVM DISTILLATVM.

℞ Aceti optimi quantum ſufficit; impleatur alembicum ad tertiam tantùm partem, imponatur vas in cineres, & diſtilletur primò lento igne vt phlegma ſeparetur, deinde ſenſim ignem augendo, tandem forti abſoluatur.

ACETVM ROSACEVM.

MES.

℞ Roſarum rubrarum mediæ maturitatis, præſectis & abiectis vnguibus, abſque rore, ſine pluuia collectarum, in vmbra extra ſolem ad triduum aut quatriduum expanſarum & reſiccatarum libram vnam.

Aceti ſextarios octo.

Inſolentur diebus quadraginta, deinde coletur acetum ac reponatur; mutari etiam folia Roſarum poſſunt, & ſic odore gratius fiet acetum.

ACETVM SAMBVCINVM.

MES.

Fit ex floribus ſiccatis Sambuci, vt Roſaceum.

Eodem modo parari poſſunt Aceta ex floribus ſiccatis.

Anth*o*s.
Calendulæ.
Saluiæ.
Tunicæ, &c.

ACETVM SCILLITICVM.

MES.

℞ Scillæ laminæ inter corticem & cor mediæ, ex arte purgatæ, & in taleolas ſectæ, Soli aut remiſſo calori exponantur per triginta aut quadraginta dies: dein libra vna minutim conciſa (cultrò è candidiore ligno parato, aut eburneo) in lagenam demittatur, optimi aceti

ceti libris sex affusis : vasculum ritè obturatum (ne quid exhalet) exponatur æstiuo tempore radiis solaribus, triginta aut quadriginta dies : posteà aperto vase totum transcoletur, & lagenis diligenter occlusis adseruetur.

ACETVM THERIACALE. NORIMBERG.

℞ Radic: Chelidonij maioris vnciam vnam semis.
Angelicæ.
Ostrutij.
Gentianæ.
Bistortæ siue serpentariæ.
Phu veri, Valerianæ.
Pimpinellæ.
Dictamni albi.
Helenij,
Zedoariæ ana drachmam vnam.
Plantaginis maioris drachmam vnam semis.
Folior. Pilosellæ.
Saluiæ.
Scabiosæ.
Scordij.
Dictamni cretici.
Cardui Benedicti, ana manipul. dimidium.
Corticum &
Semin. Citri ana drachmam vnam semis.
Boli Armeni Orientalis drachmam vnam.
Croci drachmas tres.
Cornu Ceruini drachmam vnam semis.

Ex his, Crocus, Cornu Ceruinum, Dictamnus, & Bolus Armenus in linteo ligentur, ac macerentur vna cum præscriptis in libris quinque aceti acerrimi per plures dies in vase vitreo benè clauso ad temperatum calorem.

In colatura dissoluantur
Theriacæ optimæ drachmæ quinque.

Et sæpiùs conquassentur, & seruentur ad vsum.

ACETVM THERIACALE.

Optimum etiam parabitur Acetum Theriacale, si aquæ Theriacalis propriâ sectione descriptæ magmati addantur Caryophyllorum vnciæ duæ, florum Lauendulæ vncia vna semis, atq; affundantur aceti Rosacei & Sambucini acerrimi ana libræ quatuor, fiatque sine ebullitione digestio in fimo per octiduum, mox per manicam colatura.

DECOCTA.

DECOCTVM CARMINATIVVM.

℞ Semin: Anisi
Dauci.
Fœniculi.
Cumini.
Carui, ana drachmas tres.
Florum Chamæmeli manipul. dimidium.
Vuarum Passarum vnciam vnam semis.
Coque in libris duabus aquæ ad medietatem ferè.

DECOCTVM COMMVNE PRO CLYSTERE.

℞ Maluæ.
Violariæ.
Parietariæ.
Betæ.
Mercurialis ana manipul. vnum.
Semin: Fœniculi vnciam semi.
Coquantur in s.q. aquæ ad libram vnam.

DECOCTVM COMMVNE PRO MEDICINA. *GVAYNERII.*

℞ Hordei mundati pugil. vnum.
Prunorum dulcium numero sex.
Vuarum Passarum.
Tamarindorum.
Glycyrrhizæ ana vnciam dimidiam.
Æstate adde,
Semin· quatuor frigidorũ maiorum, ana drachmas duas.
Flor: trium cordialium, ana Pugil· vnum semis.
Fiat decoctio in libris duabus aquæ ad partis mediæ consumptionem.

DECO-

DECOCTVM EPITHYMI, MES.

℞ Myrobalanorum Indarum.
Stœchados Arabicæ.
Vuarum Passarum.
Epithymi, ana vnciam vnam.
Myrobalanorum Chebularum
Fumiterræ, ana vnciam dimidiam.
Folior: Sennæ, vnciam vnam.
Polypodij quercini drachmas sex.
Turpeti albi vnciam dimidiam.
Eupatorij drachmas quinque.
Seri lactis caprini, vel vaccini libras tres.

Bulliant omnia simul præter Epithymum ad consumptionem librarum duarum, tunc adde Epithymum, & semel feruefac: tolle ab igne, & adde,

Hellebori nigri drachmam vnam.
Agarici drachmam dimidiam.
Salis Indi drachmam vnam semis.

Stent per octo horas vel decem macerata; factâ deinde optimâ expressione colentur.

DECOCTVM FLORVM ET FRVCTVVM.

℞ Caricarum numero quinque.
Prunorum Damascenorum numero quindecim.
Iuiubarum.
Sebasten, ana numero viginti.
Tamarindorum vnciam vnam
Florum Rosarum.
Violarum.
Borraginis.
Buglossi, ana drachmam vnam.
Capillorum Veneris.
Lupulorum.
Endiuiæ, ana manipul. dimidium.
Glycyrrhizæ drachmas duas.

Incidantur & contundantur pro vsu, & in libris tribus aquæ fontanæ decoquantur ad tertiæ partis consumptionem.

DECOCTVM PECTORALE.

℞ Vuarum Passarum mundatarum vnciam vnam.
Sebesten.
Iuiubarum, ana numero quindecim.
Dactylorum numero sex.
Caricarum pinguium numero quatuor.
Hordei purgati vnciam vnam.
Glycyrrhizæ vnciam dimidiam
Capillorum Veneris.
Hyssopi.
Scabiosæ.
Tussilaginis, ana manipul. dimidium.

Incidantur & bulliant in libris tribus aquæ fontanæ, dum libra vna absumatur.

DE.

DECOCTVM SENNÆ. GEREONIS.

℞ Foliorum Sennæ vncias duas semis.
Zingiberis drachmam vnam.
Florum Borraginis.
Violarum.
Rosarum rubrarum.
Anthos, ana drachmas duas.
Radic: Polipodij quercini vnciam dimidiam.
Vuarum Passarum Purgatarum vncias duas.
Sebesten,
Prunorum, ana numero duodecim.
Aquæ fontis libras quatuor.

Fiat decoctum secundùm artem ad dimidias, ità vt Senna parùm ebulliat, & vas optimè obturatum per sex horas dimittatur, deinde exprimatur.

LAC VIRGINEVM.

℞ Aluminis crudi vncias quatuor.
Decoquâtur ad tertias in aquæ fontanæ libris duabus, posteà
℞ Lithargyri libram dimidiam.
Aceti Vini libram vnam semis.
Decoquâtur ad libram vnam, colentur & commisceantur ambæ aquæ, & agitentur dum albescant.

Potio

Potio vulneraria, vulgo decoctum Sclopetarium.

℞ Cancrorum fluuiatilium calcinatorum, & in puluerem subtilissimum redactorum drachmas duas.
Radicum Aristolochiæ rotundæ, & Consolidæ maioris.
Foliorum Prunellæ.
Baccarum Lauri leuitèr contusarum an. drachmam vnam.
Omnia includantur nodulo lineo raro, & bulliant in libris tribus Vini albi, ad tertiæ partis consumptionem, addendo circa medium decoctionis, Vincæ Peruincæ pugillum vnum. Fiat colatura ad vsum.

Istud autem decoctum paretur saltem in rem præsentem iubente Medico, vti & reliqua decocta ferè omnia.

SYRVPI.

SYRVPI SIMPLICIORES VNA CVM COMPOSITIS QVI SVNT IN VSV.

SYRVPVS ACETOSVS SIMPLEX, LONDINENSIS.

℞ Sacchari albi libras quinque.
Aceti vini albi libras duas.
Liquentur in ſyrupum ſ. a.

SYRVPVS ACETOSVS SIMPLEX, MESVÆ.

℞ Aquæ puriſſimæ libras quatuor.
Sacchari albi libras quinque.
Coquantur deſpumando, clarificando ad conſumptionem medietatis aquæ, affunde interim,
Aceti vini albi libras duas, &
Coquantur rurſus in ſyrupum.

SYRVPVS ACETOSVS COMPOSITVS, MES.

℞ Radic: Apij.
Fœniculi.
Endiuiæ, ana vncias tres.
Semin. Apij.
Fœniculi.
Aniſi, ana vnciam vnam.
Semin. Endiuiæ vnciam dimidiam.
Aquæ puriſſimæ libras ſex.
Coquatur in vaſe vitreato lento igne, donec dimidium aquæ ſuperſit, tum adde percolatis
Sacchari libras tres.
Clarificentur, & adiice
Aceti vini albi libram vnam ſemis.
Coquantur in ſyrupum.

SYRV-

SYRVPVS ACETOSITATIS CITRI, MES.

℞ Succi Citri colati sine expressione, & depurati libram vnam.
Sacchari libras duas & semis.
Leuitèr coquantur in syrupum.

Eâdem proportione parentur Syrupi acidi ex Agresta:
Succo Berberorum.
Cerasorum } acid.
Cydoniorum }
Granatorum.
Limonum.
Luiulæ.
Oxalidis.
Ribes.

Et ex reliquis succis, acidis, clarificatis.

SYRVPVS DE BETONICA SIMPLEX.

℞ Succi Betonicæ depurati libras tres.
Sacchari clarificati libras tres.
fiat syrupus secundùm artem.

Eodem modo parentur syrupi ex succo Borraginis.
Buglossi.
Cardui Benedicti.
Chamæmeli.
Cichorij.
Endiuiæ.
Fragorum.
Fumariæ.
Hederæ terrestris.
Hyperici.
Lupuli.
Mercurialis.
Plantaginis.
Pomorum.
Scabiosæ.
Tussilaginis.
Veronicæ.

Et sic ex reliquis succis non acidis.

SYRVPVS DE BETONICA COMPOSITVS.

℞ Betonicæ manip. tres.
Maioranæ manip. vnum semis
Thymi.
Rosarum, ana manip. vnum.
Stœchados.
Saluiæ, ana manip. dimidium.
Sem: Fœniculi.
Anisi.
Ammeos, ana vnciam dimidiam.
Radic. Pœoniæ.
Polipodij.
Fœniculi, ana drachmas quinque.

Fiat decoctio in aquæ libris sex ad medietatis consumptionem: colaturæ adde
Succi Betonicæ libras duas.
Sacchari libras tres semis.
fiat syrupus secundùm artem.

SYRVPVS BIZANTINVS SIMPLEX.
M E S.

℞ Succi Endiuiæ.
Apij, ana libras duas.
Lupulorum,
Buglossi, an. librã vnam.
Bulliant dum ſucci purgentur & clareſcant, his deinde libris qua-tuor remanentibus, addantur ſac-chari optimi libri quatuor, lento igne percoquãtur in ſyrupum ſ. a.

SYRVPVS BIZANTINVS COMPOSITVS
M E S.

℞ Succorum depuratorum analo-gicè (vt in ſimplici Syrupo) libras quatuor. Quibus inco-que
Roſarum rubrarum vncias duas.
Glycyrrhizæ vnciam dimidiam.
Sem: Aniſi,
Fœniculi,
Apij, ana drachmas tres.
Spicæ Nardi drachmas duas.
Colaturæ adde
Aceti libras duas.
Sacchari libras quatuor.
Coquantur in ſyrupum ſ. a.

SYRVPVS CYDO-NIORVM.
M E S.

℞ Succi Cydoniorum defœcati libras ſex.
Coque prunis lentis ad medias ſenſim deſpumando, deinde af-funde,
Vini rubri adſtringentis libras tres.
Sacchari albi libras quatuor.
Denuò decoquantur ad Syrupi conſiſtentiam, qui condiatur
Cinnamomi drachmâ vnâ ſe-mis.
Caryophyllorum,
Zingiberis, ana ſcrupulis duo-bus.

SYRVPVS DE FVMA-RIA COMPOSITVS,
FERNELII.

℞ Endiuiæ,
Abſinthij Romani.
Lupulorum.
Caſſuthæ.
Scolopendrij veri, ana manip. vnum.
Epithymi vnciam vnam ſemis.
Coquantur in libris quatuor aquæ ad medias, colatis adde
Succi fumariæ expurgati libram vnam ſemis.
Succi vtriuſque Buglossi, ana li-bram dimidiam.
Sacchari albi libras quatuor.
Coquantur in ſyrupum bonæ conſiſtentiæ ſecundùm artem.

SYRV-

SYRVPVS DE PORTVLACA.
MES.

℞ Semin. Portulacæ crassiusculè tritorium libram dimidiam.
Succi Endiuiæ cocti & depurati libras duas.
Sacchari libras duas.
Aceti vncias nouem.

Macerentur semina in succo Endiuiæ viginti quatuor horas, posteà lento igne coquantur ad dimidias, colatura tùm demùm cum saccharo coquatur in Syrupi consistentiam, sub finem acetum affundendo.

SYRVPVS DE TVSSILLAGINE COMPOSITVS,
RENODAEI.

℞ Tussilaginis recentis manipul. sex.
Capill: Veneris ver. manipul. duos.
Hyssopi manipul. vnum.
Glycyrrhizæ rasæ vncias duas.

Coquantur in libris quatuor aquæ pluuiæ, vel fontis, ad quartæ partis consumptionem, decoctio coletur, & clarificetur, cui adde
Sacchari albissimi libras tres.
Fiat syrupus perfectè coctus.

IVLAPIVM ALEXANDRINVM.

℞ Aquæ rosarum rubrarum libras quatuor.
Sacchari albissimi libras duas.
Fiat s.a. Iulapium.

IVLEPVM ROSATVM,
MES.

℞ Aquæ Rosarum libras tres.
Sacchari clarificati libras tres.
Coque s.a. & fiat Iulepum.

IVLEPVM VIOLATVM,
MES.

Conficitur eodem modo vt Iulepum Rosatum.

OXYSACCHARVM SIMPLEX.
NICOLAI.

℞ Sacchari albi libram vnam.
Succi Malorum Granatorum vncias octo.
Aceti optimi vncias quatuor.
Coque ad ignem lentum ad Syrupi consistentiam.

SYRVPVS CAPILLORVM VENERIS,
MES.

℞ Glycyrrhizæ vncias duas.

Capillorũ Veneris vncias quinque.

Ex infusis in aqua fontis libris quatuor, decoctis leuiter, colatis fortiter, cum

Sacchari clarificati librâ vnâ semis.

Fiat syrupus secundùm artem.

SYRVPVS DE CINNAMOMO.

℞ Cinnamomi crasso modo contusi vncias quatuor.

Macerentur in vini albi libra vna, per triduum; in vase vitreo ad lentum ignis calorem, Colentur, Colaturæ adde

Sacchari albi librã vnam semis.

Lentè omnia coquantur, & fiat syrupus s.a.

Eodem modo parari possunt syrupi ex semin. Anisi.

Fœniculi dulcis.

Caryophyllis.

Nucibus Moschatis.

Zingibere, &c.

SYRVPVS è CORALLIIS SIMPLEX.

℞ Corallij rubicundissimi, tenuissimè puluerisati q.v.

Dissoluatur in matracio vitreo in B. M. in ea succi berberorum optimè depurati quantitate, vt materiam quatuor digitos supernatet; Collum Matracij subere, vel cerâ occludatur, illicque stet per triduum. Effunde quod fuerit dissolutum, & nouum succũ depuratum fœcibus affunde, & in cæteris procedatur vt priùs, vsque dum Corallium fuerit dissolutum, & repetatur sæpiùs, dum succus acidus quid è Coralliis exuxerit. Ad librã vnam dicti succi colati, adde Sacchari albissimi libram vnam, & decoquantur ad syrupi consistentiam. In hoc autem syrupo parando cùm artificio, tum dexteritate singulari opus, ne à scopo aberret artifex.

SYRVPVS è CORALLIIS COMPOSITVS.

℞ Corall. rubicundiss. vncias sex.

Reducantur in Alkool læuigando super porphyrite, cum pauca aqua Rosarum, adde

Succi depurati Limonum in B. M. à phlegmate liberati vncias sedecim.

Succi depurati Berberis vncias octo.

Aceti vini albi acerrimi.

Succi limpidissimi Luiulæ, an. vncias sex.

Fiat digestio in Balneo, vel in fimo equino per octiduum, in phyala vitrea ampla, subere & vesicâ bubulâ optimè clausâ, vas quotidiè concutiendo, mox fiat per chartam Emporeticam colatura, de qua cape librã vnam semis.

Succi

Succi puriſſimi Cydoniorum libram dimidiam.

Sacchari Roſati vncias duodecim.

Miſce, & lentiſſimo Balnei calore ſuperfluus liquor euocetur, donec fiat Syrupus, cui indantur Syrupi florum Vetonicæ rubræ vnciæ ſedecim & nodulus continens

Ambræ griſeæ drachmam dimidiam.

Moſchi Orientalis grana quatuor.

Seruetur ad vſum.

SYRVPVS INFVSIONIS FLORVM CARYOPHYLLORVM, Seu VETONICÆ RVBRÆ.

℞ Florum Caryophyllorum præcisis vnguibus libram vnam.

Infundantur ter in aquis fontis libris tribus per noctem, poſteà cũ Sacchari libris duabus, coquantur in ſyrupum ſecundùm artem.

SYRVPVS DE CORTICIBVS CITRI, *MES.*

℞ Corticum exteriorum & tenuiſſimorum Citri ſiccatorum vncias quinque.

Granorum Kermes, vel ſucci eorum aduecti drachmas duas.

Aquæ fontanæ libras quatuor, Macerentur per noctem, & coquantur ad medietatis conſumptionem, colaturæ adde

Sacchari optimi libras duas ſemis.

Fiat ſyrupus ſ. a.

Aromatizetur Moſchi Orientalis granis ſex, inuolutis in Syndone & impendentibus.

SYRVPVS FLORVM NYMPHÆÆ SIMPLEX, *NICOLAI.*

℞ Partium albiſſimarum florum Nymphææ albæ libram vnam.

Infunde in aquæ calidæ libris tribus per horas ſeptem, deinde bulliant parùm, colaturæ denuò adde parem florum recentium quantitatem, & par fiat maceratio & expreſſio; idque ter repetatur; colaturæ clarificatæ adde æquum ſacchari pondus, & fiat ſyrupus ſ. a.

SYRVPVS NYMPHÆÆ COMPOSITVS *FERNELII.*

℞ Florum Nymphææ recentium libram mediam.

Florum Violarum vncias duas.

Foliorum Lactucæ manipul. duos.

Sem. Lactucæ.

Portulacæ.
Cucurbitæ, an. vnciam mediam.
Coquantur in libris quatuor aquæ, dum tres ſuperſint: expreſſo adde,
Aquæ Roſarum rubrarum ſtillatitiæ libram mediam.
Sacchari albi libras quatuor.
Percoquantur in ſyrupum ſ.a.

SYRVPVS DE MECONIO, *MES.*

℞ Capitum Papaueris albi mediocriter maturorum & recentium vncias octo.
Capitum Papaueris nigri mediocriter maturorum & recentium vncias ſex.
Aquæ pluvialis libras quatuor.
Coquantur ad dimidias, deinde adde colaturæ
Sacchari vncias ſedecim, & percoquantur in ſyrupum ſ. a. pro Diacodio qui poteſt vſurpari.

SYRVPVS è PAPAVERE MINVS COMPOSITVS.

℞ Capitum Papaueris albi,
Nigri, recentium, an. vncias ſex.
Seminum Lactucæ.
Florum Violarum, an. vnciam vnam.
Aquæ libras octo,
Coquantur dum capita intabuerint, & colaturæ addantur Sacchari libræ quatuor: ad iuſtam conſiſtentiam rurſum coquantur.

SYRVPVS è PAPAVERE MAGIS COMPOSITVS, *MES.*

℞ Capitum cum Seminibus Papaueris albi & nigri, an. drachmas quinquaginta.
Capillorum Veneris drachmas quindecim.
Glycyrrhizæ drachmas quinque.
Iuiubarum numero triginta.
Sem. Lactucæ drachmas quadraginta.
Sem. Maluæ & Cydoniorum, in linteo raro ligatorum, ana drachmam vnam & ſemis.
Coquantur in libris octo aquæ vltra medietatis conſumptionem.
℞ Colaturæ libras tres.
Penidiorum,
Sacchari, ana libram vnam.
Fiat Syrupus.

SYRVPVS DE PAPAVERE ERRATICO, ſeu rubro.

℞ Florum recentium Papaueris rhæadis libras duas.
Infundantur in libris quatuor aquæ fontanæ per viginti quatuor horas, cum
Sacchari libris tribus.

Perco-

Percoquantur in ſyrupum ſ. a.

SYRVPVS EX FLORIBVS PERSICORVM.

℞ Florum Perſicorum recentium libram vnam.

Macerentur in libris tribus aquæ tepidæ, horas duodecim, deinde bulliant parùm & exprimantur. Tum par florum quantitas infundatur & exprimatur; quinquies iteretur, poſtremæ colaturæ tribus, adde

Sacchari libras duas ſemis.

fiat ſyrupus ſ. a.

SYRVPVS DE ROSIS SICCIS.

MES.

℞ Aquæ ſimplicis libras quatuor in qua tepida macera horis viginti quatuor

Roſarum rubrarum arefactarum libram vnam, in expreſſo ſolue

Sacchari albi libras duas.

Coquantur in ſyrupum ſ.a.

SYRVPVS ROSACEVS SOLVTIVVS.

MES.

℞ Infuſionis Roſarum ex Roſis pallidis Damaſcenis recentibus novies infuſis (infuſio fiat eâ proportione vt pro qualibet libra Roſarum ſumantur aquæ libræ quatuor, in quibus, reiectis prioribus floribus, recentes infundantur) libras ſex.

Sacchari libras quatuor.

fiat decoctio ſ.a. in ſyrupum.

SYRVPVS ROSACEVS SOLVTIVVS CVM AGARICO.

℞ Agarici electi conciſi vnciam vnam.

Zingiberis conciſi drachmas duas.

Salis gemmæ drachmam vnā.

Polypodij craſſo modo contuſi vncias duas.

Irrorentur vino albo, deinde infundantur per biduum in infuſionis Roſarum pallidarū ſupraſcriptæ libra vna ſemis, in cineribus calidis, poſteà expreſſioni adde.

Sacchari libram vnam.

fiat ſyrupus ſ.a.

SYRVPVS ROSACEVS SOLVTIVVS HELLEBORATVS, *MONTANI.*

℞ Corticum Myrobalanorū omnium, ana vncias quatuor.

Contundantur craſſè, & deinde infundantur in libris duodecim infuſionis roſarū ſupraſcriptæ per horas viginti quatuor, addendo

Foliorum Sennæ.

Epithymi.

Polypodij quercini, ana vncias quatuor.

Caryophyllorum vnciam vnã.
Sem. Citri.
Glycyrrhizæ, ana vncias quatuor.
Corticum Radicum Hellebori nigri veri drachmas, ſex.
Decoquantur omnia ſimul lento igne ad quartæ partis conſumptionem, adde poſteà
Sacchari clarificati libras quinque.
Rhabarbari electi in nodulo lignati drachmas ſedecim.
Fiat Syrupus ſ. a.

SYRVPVS VIOLARVM.

℞ Florum Violarum mundatorũ libram vnam.
Aquæ fontanæ calentis libram vnam ſemis, vel quantitatem ſufficientem.
Ponantur in vas fictile vitreatum, quod ſubere optimè claudatur, & relinquantur per horas viginti quatuor, deindè fiat fortis expreſſio per prælum: expreſſionis cape libram vnam.
Sacchari puriſſimi libras duas.
Miſce, & ad leuem calorem (vt Balnei) fiat ſacchari diſſolutio, & ſeruetur ad vſum.

SYRVPVS è SVCCO VIOLARVM.

Paretur etiam ex ſucco, cum ea quantitate ſucci quæ ſit ſufficiens ad diſſoluendum ſaccharum ſine coctione.

SYRVPI COMPOSITI QVORVM SIMPLICES NON PARANTVR.

SYRVPVS DE ABSINTHIO.

MES.

℞ Abſinthij Romani ſiue Pontici libram mediam.
Roſarum rubrarũ vncias duas.
Spicæ Indicæ drachmas tres.
Vini albi antiqui generoſi.
Succi Cydoniorum, ana libras duas ſemis.
Macerentur in vaſe fictili horis viginti quatuor, dein coquantur ad conſumptionem medietatis, & colaturæ addantur
Sacchari libræ duæ.
Fiat ſyrupus ſ. a.

SYRVPVS DE ALTHÆA.

FERNELII.

℞ Radicum Althææ vncias duas.
Cicerum rubrorum vnciam vnam.
Radic. Graminis.
Aſparagi.
Glycyrrhizæ mundatæ.
Vuarum Paſſarum enucleatarum, ana vnciam mediam.
Cymarum Althææ.
Maluæ.
Helxines.

Pim-

Pimpinellæ.
Plantaginis.
Adianthi albi & nigri, ana manipul. vnum.
Quatuor feminum frigidorũ maiorum & minorum, ana drachmas tres.
Coquantur ex aquæ libris fex, dum quatuor fuperfint, & colatura cum
Sacchari albi libris quatuor,
Fiat Syrupus.

SYRVPVS DE ARTEMISIA *MATTHAEI DE GRADI.*

℞ Artemifiæ manipul. duos.
Pulegij.
Calaminthæ.
Origani.
Meliffæ.
Perficariæ, fiue Hydropiperis.
Dictamni Cretici.
Sabinæ.
Sampfuchi, i. Maioranæ.
Chamædryos.
Perforatæ, i. Hyperici.
Chamæpityos.
Matricariæ cum flore.
Centaurij minoris.
Rutæ.
Betonicæ.
Bugloffi, ana manipul. vnum.
Radic: Fœniculi.
Apij.
Petrofelini.
Afparagi.
Rufci.
Saxifragiæ.
Enulæ.
Cyperi.
Rubiæ tinctorum.
Ireos.
Pœoniæ, ana vnciam vnam.
Baccar: Iuniperi.
Sem: Leuiftici.
Petrofelini.
Apij.
Anifi.
Nigellæ.
Carpobalfami, fiue
Cubebarum.
Cofti, feu Zedoariæ.
Radic: Afari.
Pyrethri.
Cafiæ ligneæ.
Cardamomi.
Calami aromatici.
Phu, ana vnciam dimidiam.
Trita, quaffata infundantur in libris duodecim aquæ per horas viginti quatuor, posteà decoquantur ad medietatis aquæ confumptionem, & tunc dimittantur ab igne, donec aqua tepuerit, & fricata colentur, & colaturæ addantur Mellis & Sacchari, ana libræ duæ, Aceti acuti vnciæ quatuor. Fiat fyrupus, & aromatizetur cum
Cinnamomi & Spicæ, an. drachmis tribus.
Aromata fub finem bulliant.

SYRVPVS AVGVSTANVS,
Vel
DE RHABARBARO
AVGVSTANORVM.

℞ Rhabarbari optimi,
Foliorum Sennæ, ana vncias duas semis.
Florum violarũ, manip. vnum.
Cinnamomi drachmam vnam semis.
Zingiberis drachmam dimidiam.
Aquarum Betonicæ.
Cichorij.
Buglossi, ana libram vnam semis.

Infundantur per noctem: colatura mane facta decoquantur in syrupum cum

Sacchari electi libris duabus, addendo
Syrupi rosati solutiui sequentis vncias quatuor.

SYRVPVS ROSATVS SOLVTIVVS SINE HELLEBORO.

℞ Myrobalanorum omnium, an. vncias duas.

Contundantur crasso modo, fricentur oleo Amigdalarum dulcium, & infundantur in libris quindecim infusionis rosarum, horis viginti quatuor, cui adde

Radicum Polypodij vncias duas semis.
Sem. Chartami vnciã vna semis.
Sem. Anisi.
Fœniculi, ana drachmas sex.
Foliorum Sennæ vncias tres.
Epithymi vnciam vnam semis.
Corticum citri vnciam vnam.
Caryophyllorum, vnciam dimidiam.
Nucis Moschatæ drachmas tres.

Fiat rursus infusio horis viginti quatuor, quibus elapsis, fortissima fiat expressio, & adde ad liquoris singulas libras duas,

Sacchari libram vnam.

Fiat syrupus. Et hic ingreditur compositionem Syrupi de Rhabarbaro Augustanorum.

SYRVPVS DE CICHORIO CVM RHABARBARO.

℞ Hordei integri.
Radic. Apij.
Fœniculi.
Asparagi, ana vncias duas.
Cichorij.
Taraxaci, i. dentis leonis.
Endiuiæ.
Cicerbitæ seu Sonchi læuis, ana manipul. duos.
Lactucæ domesticæ.
Lichenis, i. Hepaticæ.
Fumariæ.
Summitatum Lupuli, ana manipul. vnum.
Capillorum veneris.
Adianthi albi, seu Rutæ Murariæ.
Ceterach, seu Aspleni.

Gly-

Glycyrrhizæ.
Semin. Alkakengi.
Cuſcutæ, ana drachmas ſex.
Coquantur in libris duodecim aquæ fontanæ ad tertiæ partis conſumptionem : in colatura diſ- ſolue,
Sacchari libras ſex.
Cui dum fit coctio, adde
Rhabarbari vncias ſex.
Spicæ Nardi drachmas ſex.
Hæc in nodulo ex panno raro ſe- mel aut iterum bulliant, præma- cerata calente decocto, & ſæpiùs exprimantur, & in ſyrupo iam per- fectè cocto relinquantur.

SYRVPVS DIASEREOS *ANDERNACI.*

℞ Intybi Latifolij ſeu Endiuiæ.
Cichorij ana manipulum.
Adianthi albi.
Nigri ſeu Capillorum Veneris.
Ægrimoniæ.
Scolopendrij ſeu Ceterach.
Lupuli fumariæ ana manip. ſe- mis.
Granorum Halicacabi.
Cuſcutæ ana drach: tres.
Radic: Apij.
Fœniculi.
Aſparagi ana vnciam ſe- mis.
Polypodij Quercini vnciam v- nam.
Glycyrrhizæ drach. ſex.
Seminis Cnici vnciam vnam.
Sem. quatuor frigid.
Maiorum ana drachmas duas.
Hordei excorticati pugill. v- num.
Seminum Endiuiæ.
Cichorij ana drach. vnam ſe- mis.
Vuarum Paſſarum vnciam v- nam.
Pruna Damaſcena, numero vi- ginti.
Florum Borraginis.
Bugloſſæ.
Violarum ana pugillum vnum.
Myrobalanorum Citrinorum.
Chebulorum ana vn- ciam ſemis.
Omnia in aqua ad tertia decoquã- tur, & in huius decocti iure colati libra & ſemiſſe macerentur ſeor- ſim per noctem.
Rhabarbari electi vnciæ duæ ſemis.
Agarici Trochiſcati vncia.
Foliorum Sennæ orient. vncia vna ſemis.
Zingiberis.
Cinnamomi ana drachma.
Expreſſis colatiſque iterum adde
Sacchari optimi libram.
Syrupi roſati ſolutiui vncias tres.
Mixta omnia rurſus modice co- quantur ad iuſtam ſpiſſitudinem.

SYRV-

SYRVPVS DE EPITHYMO MES.

℞ Epithymi boni drachmas viginti.
Myrobalanorum Citrinarum.
Indarum, ana drachmas quindecim.
Cuſcutæ.
Fumiterræ, ana drachmas decem.
Thymi.
Calaminthæ.
Bugloſſi.
Stœchados.
Glycyrrhizæ.
Polipodij.
Agarici.
Myrobalanorum Emblicarum.
Belliricarum, ana drachmas ſex.
Roſarum rubrarum.
Semin. Fœniculi.
Aniſi, ana drachmas duas ſemis.
Prunorum dulcium numero viginti.
Vuarum paſſarum purgatarum vncias quatuor.
Tamarindorum, vncias duas ſemis.

Poſt macerationem viginti quatuor horarum coquantur in aquæ libris decem ad libras ſex, dein remota ab igne, exprimantur, & expreſſis addantur,
Sacchari clarificati libræ quinque.
Percoquantur in ſyrupum.

SYRVPVS DE EVPATORIO, MES.

℞ Radic: Apij.
Fœniculi.
Cichorij, ana vncias duas.
Glycyrrhizæ.
Schœnanthi.
Cuſcutæ.
Abſinthij.
Roſarum, ana drachmas ſex.
Capillorum Veneris.
Bedeguar. { vel eius vice rad. Card. Mariæ.
Śuchahæ. { vel eius vice rad. Caryophyllatæ.
Florum aut radicum Bugloſſi.
Sem: Aniſi.
Feniculi.
Eupatorij, i. Agerati, ana drachmas quinque.
Rhabarbari.
Maſtiches, ana drachmas tres.
Spicæ Nardi Indicæ.
Folij, ſeu ſpicæ Romanæ, ana drachmas duas.

Coquantur in aquæ libris octo ad tertiæ partis conſumptionem; Expreſſum cum
Sacchari albi ſoluti libris quatuor,
Succorum Apij clarificati, &

Endi-

Endiuiæ, ana libra dimidia.
Percoquantur in syrupum.

SYRVPVS è GLYCYRRHIZA.
MES.

℞ Glycyrrhizæ recentis rasæ & contusæ vncias duas.
Adianthi albi, seu Polytrichi vnciam vnam.
Hyssopi sicci vnciã dimidiam.
Macerentur simul per horas viginti quatuor in aquæ pluuiæ feruefactæ libris quatuor, dein coquantur ad dimidias; colatura expressa clarificetur, cum
Mellis optimi vnciis octo.
Sacchari vnciis sedecim.
Demùm coquantur in Syrupum, additis ante perfectam illius coctionem
Aquæ rosarum rubrarum stillatitiæ vnciis sex.

SYRVPVS DE HYSSOPO
MES.

℞ Aquæ fontanæ libras octo.
In quibus circiter horam dimidiam coquatur.
Hordei mundati vncia dimidia.
Dein iniiciantur
Radicum Apij.
Petroselini,
Fœniculi,
Glycyrrhizæ, incisarum, ana drachmæ decem.
Et per quartam horæ partem elixentur; posteà addantur
Iuiubarum,
Sebesten, ana numero triginta.
Passularum mundatarũ vncia vna semis.
Ficuum siccarum,
Dactylorum pinguium, ana numero decem.
Mox imponantur
Semin. Maluæ.
Cydoniorum.
Tragacanthæ linteo raro inclusorũ, ana drachmæ tres.
Postremò indantur,
Hyssopi mediocriter sicci drachmæ decem.
Capillorum Veneris drachmæ sex.
Coquantur ad libras tres, expressione clarificatæ adde,
Sacchari libras duas semis.
fiat syrupus.

SYRVPVS IVIVBINVS.
MES.

℞ Iuiubarum numero sexaginta.
Violarum.
Semin: Maluæ, ana drachmas quinque.
Capillorum Veneris.
Glycyrrhizæ rasæ & tusæ.
Hordei mundati excorticati, an. vnciam vnam.
Semin: Papaueris albi.

Melonum.
Lactucæ.
Cydoniorum.
Gummi Tragacanthæ, ana drachmas tres. } in nodulo.
Coquantur in libris sex aquæ pluuialis vel fontanæ ad dimidias, adde colatis
Sacchari libras duas.
Fiat syrupus.

SYRVPVS EX IVA ARTHRITICA, Seu DE CHAMÆPYTY.

℞ Chamæpityos manipul. duos.
Saluiæ.
Rorismarini.
Lolij.
Origani.
Calaminthæ.
Mentastri.
Pulegij.
Hyssopi.
Thymi.
Rutæ satiuæ & syluestris.
Betonicæ.
Serpylli, an. manipul. vnum.
Radic: Acori.
Aristolochiæ { longæ. rotundæ.
Bryoniæ.
Dictamni.
Gentianæ.
Peucedani.
Phu, ana vnciam vnam semis.
Radic: Apij.
Asparagi.
Fœniculi.
Petroselini.
Rusci, an. vnciam vnam.
Stœchados.
Semin. Anisi.
Ammeos.
Carui.
Fœniculi.
Ligustici.
Seseleos, ana drachmas tres.
Radic. Pyrethri vnciam semis.
Passularum vncias duas.
Coquantur ex aquæ q. s. posteâ cum
Mellis, &
Sacchari, ana libris duabus
Para, & aromatiza.
Cinnamomo.
Nuce Moschatâ, &
Cubebis. s. a.

SYRVPVS MAGISTRALIS AD MELANCHOLIAM.

℞ Succi pomorum odoriferorum. (vulgò Pearemaynes) sesquilibram.
Borraginis.
Buglossi, ana vncias nouem.
Fol. Sennæ orientalis mundatæ semilibram.
Semin. Anisi.
Fœniculi dulcis, ana drachmas

mas tres.
Epithymi Cretenſis vncias duas.
Agarici albiſſimi.
Rhabarbari optimi,ana ſemunciam.
Zingiberis.
Macis, ana ſcrupulos quatuor.
Cinnamomi ſcrupulos duos.
Croci ſemidrachmam.

Agaricus & Senna conciſa cum ſeminibus, Zingibere, atque Mace craſſiuſculè contuſis, macerentur cum Epithymo in ſuccis præſcriptis, horas viginti quatuor. Bulliant deinde lento igne, vſque ad deſpumationem, & per manicam Hippoc. colentur. Colaturæ iam factæ adiiciatur Sacchari albiſſimi ſeſquilibra, & coquantur ſ.a. nec ſine deſpumatione, ad conſiſtentiam Syrupi, modò inter coquendum, Crocus panno lineo ligatus infricetur. Tum demùm admiſceatur Infuſio Rhabarbari conciſi, cũ Cinnamomo craſſiuſculè contuſo, in Vini albi, & ſucci Pomorum, ana vnciis duabus, interim facta, & fortiter expreſſa. Denuò ferueant parùm commiſta ad ignem pro ſyrupo.

SYRVPVS MELISSOPHYLLI.

FERNELII.

℞ Radic: Dictamni.
Pentaphylli.
Vetonicæ.
Doronici Romani, ana vnciam dimidiam.
Folior: Meliſſophylli.
Stœbes, vel Scabioſæ.
Succiſæ,i.Morſus Diaboli.
Florum Bugloſſi vtriuſque, &
Roriſmarini,an. manipul. vnum.
Semin: Oxalidis.
Citrij mali.
Fœniculi.
Cardui benedicti.
Ocimi, ana drachmas tres.

Coquantur in aquæ libris quatuor ad dimidias: expreſſo, adde,
Sacchari albi libras tres.
Succi Meliſſæ.
Aquæ Roſarum, an. libram dimidiam.

Percoquantur in Syrupum condiendum, cum
Cinnamomi &
Santali Citrini, ana vncia dimidia.

SYRVPVS DE MENTHA MAIOR.

MES.

℞ Succi Cydoniorum dulcium & muzorum,i.acidodulcium,
Succi Granatorum acidodulcium, dulcium, acidorũ, ana libram vnam ſemis.

In ſuccis miſtis macera per horas viginti quatuor.

Menthæ ficcæ libram vnã femis,
Rofarum rubrarum vncias duas.
Coquantur ad dimidias, colentur, & addendo
Sacchari libras quatuor,
Coquantur ad Syrupum : cùm reponitur, aromatizetur cum
Galliæ Mofchatæ tritæ & in fyndone ligatæ, & ex orificio vafis fufpenfæ drachma vna.

SYRVPVS MYRTINVS NICOLAI.

℞ Baccharum Myrti vncias duas femis.
Santali albi & rubri.
Sumach feu Rhóis Culinariæ.
Balauftiorum.
Berberorum.
Rofarum rubrarum,an.vnciam vnam femis.
Mefpilorum libram dimidiam.
Contufa omnia coquantur in libris octo aquæ fontis ad medias, expreffo adde,
Succi Cydoniorum.
Granatorum acidorum, an. vncias fex.
Sacchari libras tres.
Coque in fyrupum f. a.

SYRVPVS DE POMIS, FERNELII.

℞ Succi Malorum noftratium vocatorum.
Pearemaynes vel Pippins libras quatuor.
Succorum Bugloffi domeftici, fylueftris.
Aquæ Rofarum ftillatitiæ.
Succi Violarum è foliis, an. libram vnam.
Coque fimul & depurentur, deinde adde
Sacchari libras fex.
Percoquantur in fyrupum.

SYRVPVS DE POMIS REGIS SAPORIS, MES.

℞ Succi Pomorum dulcium libras duas.
Succi Borraginis.
Bugloffi, an. libram vnam femis.
Foliorum Sennæ vncias duas.
Sem. Anifi vnciam femis.
Croci drachmam vnam.
Senna maceretur viginti quatuor horis in fuccis, femel aut bis feruefiat, coletur, & cum
Sacchari libris duabus
Percoquatur in fyrupum f.a. Crocus in petia ligatus inter coquendum confricetur.

SYRV-

SYRVPVS DE PRASIO.
FER.

℞ Prasij albi recentis vncias duas.
Glycyrrhizæ.
Polypodij quercini.
Radic: Apij.
Fœniculi, ana vnciam dimidiam.
Adianthi albi.
Origani.
Hyssopi.
Calaminthæ.
Thymi.
Stœbes, vel Scabiosæ.
Satureiæ.
Tussilaginis, ana drachmas sex.
Semin: Anisi.
Bombacis, an. drachmas tres.
Vuarum passarum expurgatarum, vncias duas.
Caricarum pinguium, numero decem.
Coquantur in libris octo hydromelitis diluti ad dimidias; expressum coquatur in syrupum, cum
Mellis & Sacchari albi, ana libris duabus.
Condiatur,
Radic. Iridis Florentinæ vnciâ vnâ.

SYRVPVS RAPHANI.
FERNELII.

℞ Radicum Raphani domestici.
Syluestris, seu Rusticani, an. vnciam vnam.
Radic. Saxifragæ albæ.
Rusci.
Leuistici.
Eryngij.
Ononidis.
Petroselini.
Fœniculi, ana vnciam dimidiam.
Folior: Betonicæ.
Pimpinellæ.
Pulegij.
Cymarum vrticæ.
Nasturtij aquatici.
Crithmi.
Callitrichi, seu Capillorum Veneris, ana manipul. vnum.
Fructuum Halicacabi,
Zizyphorum, ana numero viginti.
Semin. Ocimi.
Bardanæ.
Petroselini Macedonici.
Seseleos.
Carui.
Dauci.
Lithospermi.
Cortic: Radic: Lauri, an. drachmas duas.
Vuarum passarũ expurgatarum.
Glycyrrhizæ, ana drachmas sex.
Coquantur secundùm artem in libris duodecim aquæ dum octo supersint, è quibus colatis, cum
Sacchari libris quatuor, &
Mellis expumati libris duabus,
fiat syrupus clarus & conditus

Cinnamomi vnciâ vnâ,
NucisMoſchatæ vnciâ dimidiâ.

SYRVPVS DE QVINQVE RADICIBVS, *MES.*

℞ Radic: Apij.
Fœniculi.
Petroſelini.
Ruſci.
Aſparagi, ana vncias duas.
Aquæ fontis libras ſex,
Coquantur ad tertiæ partis conſumptionem, expreſſum coquatur denuò cum
Sacchari libris tribus,
Addendo in fine
Aceti vini albi vncias octo.

SYRVPVS SCABIOSÆ COMPOSITVS MAGISTRALIS.

℞ Radic: Enulæ Campanæ.
Polypodij quercini, ana vncias duas.
Macerentur in vino albo horas 24.
Paſſularum maiorum enucleatarum vnciam vnam.
Sebeſten numero viginti.
Farfaræ.
Pulmonariæ.
Satureiæ.
Calaminthæ, ana ſeſquimanipulum:
Glycyrrhizæ raſæ ſemunciam.
Tabaci optimi folium vnum integrum.
Sem. Vrticæ,
Bombacis, ana drachmas tres.
Coquantur in ſ.q. aquæ mulſæ dilutæ, ad vncias octo. Quibus adde percolatis
ſucci Scabioſæ depurati vncias quatuor.
Sacchari albiſſimi vncias decem.
Fiat ſyrupus ſ.a. clarificatus, ſuperaddendo deinde,
Olei Sulphuris guttas viginti.

SYRVPVS DE SCOLOPENDRIO, *FERNELII.*

℞ Polypodij è quercu.
Radic: vtriuſque Bugloſſi.
Cortic: Radic: Capparis.
Cortic: Tamariſci, ana vncias duas.
Scolopendrij veri manip. tres.
Lupi ſalictarij.
Caſſuthæ.
Capillorum Veneris.
Meliſſophyli, ana manip. duos.
Coquantur in aquæ libris nouem, dum ad quinque redeant, Colato adde
Sacchari albi libras quatuor.
Percoquantur in ſyrupum expurgatum & clarum.

SYRV-

SYRVPVS DE STOECHADE.
MES.

℞ Florum Stœchados vncias quatuor.
Thymi,
Calaminthæ,
Origani,an. vnciam vnā ſemis.
Saluiæ.
Betonicæ.
Florum Roriſmarini,ana vnciam dimidiam.
Semin. Rutæ.
Pœoniæ,
Fœniculi, ana drachmas tres.
Coquantur ex aquæ libris decem ad dimidias: expreſſum cum
Sacchari, &
Mellis,ana libris duabus,
denuò coquatur in ſyrupum.
Condiatur cum
Cinnamomi,
Zingiberis,
Calami odorati, ana drachmis duabus.
Quæ raro linteo illigata in ſyrupum ſint appenſa.

SYRVPVS DE SYMPHYTO
FERNELII.

℞ Radic: & Cymarum Symphyti maioris, minoris, ana manip. tres.
Roſarum rubrarum,
Betonicæ,
Plantaginis,
Pimpinellæ.
Polygoni,
Scabioſæ,
Tuſſilaginis, ana manipulos duos.
E tuſis omnibus recentibus exprimatur ſuccus; coquatur, ad libras tres, & expumetur, addendo
Sacchari albi libras duas ſemis.
fiat ſyrupus.

SYRVPVS CARDIACVS,
Vel
IVLEPVM CARDIACVM;
NON.

℞ Vini generoſi Rhenenſis libras duas.
Aquæ Roſaceæ vncias duas ſemis.
Caryophyllorum ſcrupulos duos.
Cinnamomi drachmam mediam.
Zingiberis ſcrupulos duos.
Sacchari optimi vncias tres cum dimidiâ.
Decoquantur ad conſiſtentiam Iulepi, poſteà addantur,
Ambræ grana tria,
Moſchi granum vnum.

MELITA & OXYMELITA.

DIACARYON SEV DIANVCVM. GALENI.

℞ Succi nucum Iuglandium viridum ab externo cortice expressi libras duas.
Coquendo inspissetur, & additâ
Mellis librâ vnâ
Rursus percoquantur ad mellis consistentiam.

DACODIVM, GALENI.

℞ Capita Papaueris albi, nec nimiùm viridia, nec nimiùm matura nnmero viginti.
Aquæ pluuiæ aut fontanæ libras tres.
Macera horis viginti quatuor, post coque, donec capita contabuerint, dein cola, & colaturæ adde
Mellis libras duas.
Coque ad iustam consistentiam. Fit & cum
Sapæ Vini dulcis libris duabus,
Succi Glycyrrhizæ vnciis duabus.

DIAMORON. NICOLAI.

℞ Succi Mororum, Celsi & Rubi immaturorum, an. libram vnam semis.
Mellis libras duas.
Coquantur lento igne s. a. ad mellis consistentiam.

MEL ANTHOSATVM MES.

℞ Florum Rorismarini libram vnam.
Mellis boni benè despumati libras tres.
Misce in Olla vitrea, vel vitreata, oris non valdè patuli; insola & serua ad vsus.

MEL è MERCVRIALI

℞ Succi Mercurialis libras tres.
Mellis libras duas.
Coque ad mellis consistentiam.

MEL PASSVLARVM, NICOLAI.

℞ Vuarum passarum ab acinis purgatarum, libras duas.
Infunde viginti quatuor horas in libris sex aquæ calentis, deinde coque ad medietatem, colaturâ fortiter expressâ, denuò coquantur ad consistentiam mellis, cum libris duabus mellis despumati.

MEL ROSARVM COMMVNE, *MES.*

℞ Rosarum rubrarum nondum penitùs apertarum libras duas.
Mellis optimi libras sex.
Insolentur secundùm artem.

MEL ROSARVM, *NICOLAI.*

℞ Mellis albissimi optimi despumati libras decem.
Succi recentium Rosarum rubrarum libram vnam.
Ponantur in Cacabo ad ignem, & cum bullire inceperint, adde
Rosarum rubrarum recentium cum forcipibus vel cultello incisarum ab vnguibus libras quatuor.
Bulliantque ad consumptionem succi, continuè agitando. Colatura ponatur in vase fictili & seruetur ad vsum.

MEL ROSARVM SOLVTIVVM.

℞ Infusionis Rosarum pallidarum multiplicis libras quinque.
Mellis despumati libras quatuor,
Coquantur in syrupi consistentiam.
Simili modo paretur Mel Rosarum ex infusionibus Rosarum rubrarum.

MEL VIOLARVM.

Mel Violarum eodem modo paratur, quo Mel Rosarum.

OXYMEL SIMPLEX. *MES.*

℞ Mellis optimi, aromatici, & despumati, libras quatuor.
Aquæ purissimæ,
Aceti optimi, ana libras duas.
Coquantur secundùm artem, donec Syrupi liquidioris consistentiam acquirant; cauendum ne nimiâ coctione fiat ingratum.

OXYMEL COMPOSITVM. *MES.*

℞ Cortic. Radic. mundat. incisar.
Fœniculi,
Apij,
Petroselini,
Rusci,
Asparagi, ana vncias duas.
Semin. Apij,
Petroselini,
Fœniculi,
Anisi, ana vnciam vnã.
Aquæ libras sex.
Aceti optimi libram vnam semis.
Mellis despumati libras tres.

Coquan-

Coquantur fecundùm artem, ad Syrupi liquidioris confiftentiam.

OXYMEL ELLEBORATVM GESNERI MAIVS.

℞ Rutæ,
Thymi capitati,
Dictamni Cretici,
Comæ Hyffopi,
Pulegij,
Marrhubij,
Cardui Benedicti,
Radicularum Nardi Celticæ fine foliis.
Cortic. Sambuci interiorum, ana manipul. vnum.
Calaminthæ Cattariæ montanæ pugil. duas.
Semin. Anifi.
Fœniculi,
Ocimi,
Vrticæ Romanæ,
Anethi, ana drachmas duas.
Radic. Angelicæ,
Althææ.
Ari,
Scillæ præparatæ.
Ariftolochiæ, { rotundæ, longæ, clematitidis.
Turpeti,
Iridis noftræ,
Cofti, qui violas olet, aut Zedoariæ,
Polypodij,
Cortic. Limonum, ana vnciam vnam.
Ellebori nigri fibrarum integrarum,
Efulæ, ana drachmas duas.
Cortic. Radic: Ellebori albi vnciam dimidiam.
Agarici drachmas duas, quas fub finem decoctionis iniicies.

Omnia ficca, trita, infundantur in * Pofcæ (factæ ex æquis partibus aquæ & aceti) libris octo.

Sapæ vnciis duabus, triduo in Sole, vel ad fornacem, in vitreo, aut figulino vafe obturato: Tum decoquantur in terreo aut lapideo tornato vafe ad dimidium ferè: cocta colabis modicè exprimendo, addefque,

Mellis Rofacei, in quo vnciæ duæ corticis Citri fuerint infufæ libram vnam femis, & ad confumptionem pofcæ decoques, vt fiat Syrupus, qui fub finem aromatizetur, cum
Caryophyllorum,
Croci,
Zingiberis,
Galangæ,
Macis, in facculo fufpenforum, ana drachmâ vnâ.

Seruetur in vafe vitreo, aut fictili vitreato.

OXYMEL IVLIANIZANS.

℞ Corticum radicum Capparum,
Radic. Ireos,

Fœniculi,

Fœniculi,
Petroſelini,
Ruſci,
Cichorij,
Aſparagi,
Cyperi, ana vnciam dimidiam.
Herb. Scolopendriæ.
Scœnanthûs,
Tamaricis, ana manipul. medium.
Semin. Fœniculi dulcis vnciam dimidiam.

Coquantur poſt debitam infuſionem in * Peſcæ acidioris libris tribus ad libram vnam ſemis: ex colatura cum
Mellis optimi, &
Sacchari deſpumatorum, ana libra dimidia.
Fiat decoctio ad Syrupi conſiſtentiam.

* Poſca fit ex Aqua & Aceto, idq; ex re præſenti, vel acidior, vel dilutior, pro intentione Medici.

OXYMEL SCILLITICVM SIMPLEX.
NICOLAI.

℞ Mellis deſpumati libras tres.
Aceti Scillitici libras duas.
Coquantur ſecundùm artem.

OXYMEL SCILLITICVM DEMOCRITI,
MES.

℞ Origani,
Hyſſopi ſicci,
Thymi,
Liguſtici,
Cardamomi,
Stœchados, an. drachmas quinque.

Coque in libris tribus aquæ ad librarum duarum conſumptionem colaturam percoque cum
Mellis libris duabus.
Mellis Paſſulati libra dimidia.
Succi Bryoniæ vnciis quinque.
Aceti Scillitici libra vna ſemis.
Semper deſpumando in ſyrupum.

MEL ANACARDINVM.
AZARAVII.

℞ Anacardios recentes, tere, & in aqua decoque, donec mellaginem quandam in rubeo colore fuſcam remittant, eam aquæ innatantem auferto, ac reponito.

MEL EMBLICARVM,
AVG.

℞ Myrobalanorum Emblicarum numero quinquaginta.
Contundantur mediocriter, & decoquantur in libris tribus Aquæ ad conſumptionem librarum duarum: reſiduo colato adde Mellis tantundem, & ad iuſtam conſiſtentiam mellis percoque.

ROB SIVE SAPÆ ET SVCCI.

ROB SIVE SAPA SIMPLICITER.

℞ Vini recenter, ex vuis albis, generosis & maturis expressi, libras duodecim.

Coque igne lento, donec libræ tantùm quatuor supersint, vel vt consistentiam mellis acquirant. Repone in vase vitreo, vel fictili vitreato.

ROB DE BERBERIS.

℞ Succi Berberorum optimè colati libras octo.

Coque igne lento ad consistentiam mellis, repone in vase vitreo aut fictili. Paratur etiam cum saccharo, addendo pro singulis libris succi, sacchari libram vnam, & coquendo ad mellis spissitudinem.

ROB DE CORNIS.

℞ Succi pulpæ Cornorum libras duas.

Sacchari libram vnam semis.

Coquantur secundùm artem, ad mellis consistentiam.

ROB CYDONIORVM.

℞ Succi Cydoniorum depurati libras sex.

Coque ad duarum partium consumptionem, addendo sacchari libras duas, denuò bulliant ad mellis spissitudinem: & potest parari sine saccharo.

ROB PRVNORVM. ACIDORVM.

Fiat ex succo Prunorum acidorum, vt Cydoniorum.

ROB

ROB DE RIBES.

Paratur vt Rob de Berberis. Vt autem probè ſuccus depuretur, debet prius calefieri, dein reſideat, vt clareſcat, tum lento igne coquatur. Sic enim ſpiſſitudinem idoneam acquiret.

SVCCVS PRVNELLORVM PRO ACACIA SVBSTITVTVS.

℞ Succi Prunellorum ſylueſtrium ſ.a. depurati q.v. inſpiſſetur lento Balnei calore ad iuſtam conſiſtentiam.

Succi inſpiſſati ex Abſinthio,
Eupatorio,
Fumaria,
& reliquis quibuſuis,
fiunt ex herbis ipſis tenellis, non adultis, contuſis, expreſſis, & ad ignem ferueſactis, donec bullire incipiunt, denuoque colatis, & ad iuſtam ſpiſſitudinem lento igne euaporatis.

SVCCVS GLYCYRRHIZÆ.

℞ Radicum Glycyrrhizæ boni ſaporis probè mundatarum & parum contuſarum q.v. macerentur per triduũ in aquæ fontanæ eâ quantitate, vt duobus vel tribus aqua ſuperemineat digitis: dein parum ferueſiant & colentur: expreſſus denuò liquor leuitèr coquatur ad iuſtam ſpiſſitudinem, & in placentulas, Trochiſos, aliaſue ad placitum formas effingatur.

MIVA CYDONIORVM. MES.

℞ Succi Cydoniorum depurati libras duodecim.

Coquantur ad medietatis conſumptionem; tum adde vini albi veteris libras quinque.

Coquātur lento igne, ſæpius deſpumentur ad tertiæ partis abſumptionem. Poſtquã reſederint, cola, & adde ſacchari ſat puri libras tres. Coquantur ad iuſtam Miuæ conſiſtentiam.

LOHOCH, SIVE ECLEGMATA.

LOHOCH è CAVLIBVS. *GORDONII.*

℞ Succi Caulium rubearum depurati & clarificati libram vnam.
Croci drachmas tres.
Mellis despumati,
Sacchari, an. libram dimidiam.
Fiat Lohoch s. a.

LOHOCH DE PAPAVERE. *MES.*

℞ Papaueris albi drachmas viginti quinque.
Amygdalarum dulcium,
Nucleorum Pineorum,
Gum: Arabici,
Tragacanthi,
Succi Glycyrrhizæ, ana drachmas decem.
Amyli drachmas tres.
Semin. Portulacæ,
Lactucæ,
Cydoniorum, ana vnciam dimidiam.
Croci drachmam vnam.
Penidiorum, alborum vncias quatuor.
Syrupi de Papauere minus compositi (quem vide pag. 28.) libras tres. Omnia contundantur & incidantur & cum syrupo excipiantur secundùm artem.

LOHOCH è PASSVLIS. *AVG.*

℞ Radic: Pœoniæ maris vnciam dimidiam.
Hyssopi.
Melissæ.

Scolo-

Scolopendrij, siue Ceterach, ana manipul. dimidium.
Glycyrrhizæ vnciam dimidiam.

Decoquantur in sufficienti quantitate aquæ pluuiæ, Colaturæ cum expressione valida factæ, addatur Passularum exacinatarum in mortario benè contusarum libra vna:

Rursum fiat decoctio, & per pannum lineum validè exprimatur, expressioni adde

Sacchari libram vnam.

Fiat Lohoch.

LOHOCH è PINO.

MES.

℞ Nucleorum Pineorum drachmas triginta.
Amygdalarum dulcium,
Auellanarum assatarum,
Gum. Tragacanthi,
Arabici,
Puluer. Glycyrrhizæ, & succi eiusdem,
Amyli,
Capillorum Veneris,
Radic. Ireos, ana vnciam dimidiam.
Carnis Dactylorum fuluorum drachmas triginta quinque.
Amygdalarum amararũ drachmas tres.
Mellis Passulati,
Sacchari albi tabarzet,
Bûtyri recentis, ana vncias quatuor.
Mellis optimi q. s. aut libras tres.

Dissoluâtur quæ dissoluenda sunt, in sufficienti quantitate decocti Capillorum Veneris, & reliqua addantur secundùm artem, vt fiat Lohoch.

LOHOCH è PVLMONE VVLPIS.

MES.

℞ Pulmonis vulpis præparati,
Succi Glycyrrhizæ,
Capillorum Veneris,
Semin. Anisi,
Fœniculi, ana vnciam vnam.
Sacchari aqua Tussilaginis clarificati vncias quindecim.

Tritis terendis tenuissime Sacchаro excipiantur omnia & ad debitam formam redigantur.

LOHOCH SANVM ET EXPERTVM.

MES.

℞ Cinnamomi,
Hyssopi siccæ,
Glycyrrhizæ, ana vnciam dimidiam.
Iuiubarum,
Sebesten, an. numero triginta.
Vuarum passarũ enucleatarum,
Ficuum siccarum,
Dactylorum pinguium, an. vncias duas.
Semin. Lini,
Fœnugræci, an. drachmas quinque.

Capillorum Veneris manipul. vnum.
Semin. Anisi,
Fœniculi,
Radic. Iridis,
Calaminthæ, ana vnciam dimidiam.
Coquantur s.a. in aquæ clarissimæ libris quatuor ad consumptionem medietatis: colaturæ expressæ adde
Sacchari albissimi libras duas.
Coquantur rursum ad consistentiam syrupi; posteà insperge sequentia minutissimè incisa & contusa,
Nucleorum Pineorum mundatorum drachmas quinque.
Amygdalarum dulcium,
Glycyrrhizæ,
Gum. Tragacanthi,
Arabici,
Amyli, ana drachmas tres.
Radic. Ireos drachmas duas.
Agitentur omnia simul diligenter & celeriter, donec albescant.

ECLEGMA SCILLITICVM.

MES.

℞ Succi Scillæ depurati.
Mellis despumati ana libras duas.
Coquantur simul s. artem ad consistentiam mellis.

CON-

CONDITA.

Condiuntur Saccharo diligenter clarificato ſecundùm artem.

Caules { Angelicæ. Cynaræ. Lactucæ. }

Cortices { Aurantiorum. Cinnamomi. Citrorum. Ligni Guaiaci. Limonum. }

Flores { Aurantiorum. Borraginis. Citri. Geniſtæ nondū aperti. Primulæ veris. Roriſmarini. Roſarum. }

Fructus vt ſunt { Amygdalæ. Berberes. Cappares. Caryophylli. Ceraſa. Corna. Citria. Cydonia. Mala { Armeniaca. Perſica. Vulgaria. } Meſpila. Myrobalanorum quinque genera. Nuces { Auellanæ. Iuglandes. Moſchatæ. } Paſſulæ. Pineæ. Piſtaciæ. Oliuæ. Piper in racemis ex India. Poma. Pruna { Hortenſia. Syluestria. } Pyra. Vuæ. }

Pulpæ

Pulpæ
- Caſiæ.
- Citri.
- Cucurbitæ.
- Cydoniornm.

Radices
- Acori vulgaris, Calami Aromatici, Galágæ.
- Angelicæ.
- Borraginis.
- Bugloſſi.
- Cichorij.
- Crethami agreſtis.
- Enulæ Campanæ.
- Eryngij.
- Pimpinellæ
- Satyrij.
- Scolymi.
- Siſari, Siſeris, Secacul.
- Symphyti maioris.
- Zingiberis.
- Zedoariæ.

Et ſurculi, & ſemina præter hæc condiuntur.

Modus condiendi ſit, vt quæ magis amara, aut ſubſtantiâ duriora fuerint, aliquandiù macerentur, primùm in lixiuio claro facto ex cineribus lignorum, deinde in aqua fontana calida, donec amaritudinem depoſuerint, aut humectata tenereſcant; pòſt aquâ leuiter expreſsâ, coquantur in Iulepo lento igne, deinde recondantur in vaſe vitreo, aut fictili vitreato, affundendo Iulepum cui incocta fuerunt; poteruntque condiri aromatibus, vt & moſcho, & ambrâ, pro libitû.

Quæ minus amara, molliora, non opus lixiuio vt macerentur, ſed leniori ebullitione, Saccharum vt imbibant, & condiantur itidem.

CON-

CONSERVÆ & SACCHARA, HERBARVM, FOLIORVM, FLORVM ET FRVCTVVM.

CONSERVAE.

Abſinthij.
Acetoſæ.
Acetoſellæ ſiue Luiulæ.
Adianthi.
Auranciorum.
Betonicæ.
Borraginis.
Bugloſſi.
Cardui benedicti.
Centaurei.
Ceterach, Aſpleni.
Chamædryos.
Caryophyllorum, ſeu Tunicæ.
Cichorij.
Cochleariæ.
Conſolidæ maioris.
Citrariæ.
Cynosbati.
Enulæ.
Euphragiæ.
Fumiterræ.
Geniſtæ non plane maturorum.
Granatorum.
Lauendulæ.
Liliorum alborum.
Lilij conuallium.
Maluæ.
Nymphææ, Nenupharis.
Pœoniæ.
Perſicæ.
Primulæ veris.
Prunellæ.
Roſarum { Damaſcenarũ. Rubrarum.
Roriſmarini ſiue Anthûs.
Saluiæ.
Sambuci.
Scabioſæ.
Stœchados.
Tiliæ.
Tuſſilaginis.
Violarum.
Galegæ ſiue Rutæ capra-riæ.
Gratiolæ.
Hyſſopi.
Maioranæ.
Meliſſæ.
Menthæ.
Rutæ.
Satureiæ.
Scordij.
Symphyti.

Folia & Flores minutiſsime incidantur, & ſingulis libris florum aut foliorum addantur

Sacchari albiſſimi libræ tres.

Sed vt flores & herbæ, non itidem parantur Berberes, Prunella, Fructus acidi: in iſtis, exempli gratiâ:

℞ Fruct. Oxyacanthæ ſiue Berberorum q.v. in aquæ fontanæ q. ſ. ſuper prunas viuaces bulliant, dum pulpa ab arillis per rarum ſetaceum conuenienter decoletur, deprimendo: dein
℞ Pulpæ præcolatæ libras ſex.

Pone in vitreato vase terreo (quòd acida ab æreo ingratùm sapiant) & ad ignem lentum aquosam humiditatem euapora: vacillo ligneo subinde agitando, ne succus aduratur: demùm admisce

Sacchari albi clari (vt est artis) libras decem,

ad consistentiam coquendo debitam.

DIACODIVM SOLIDVM SIVE TABVLATVM.

℞ Capitum Papaueris albi mediocri magnitudine, nec nimis viridium, neque suprà modum maturorum numero viginti.

Aquæ pluuiæ aut fontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur, ad extremum adde Sacchari quantitatem sufficientem, & coquatur vt artis est, vt exindè fiant tabulæ.

MANVS CHRISTI SIMPLEX ET PERLATA.

℞ Sacchari optimi libram vnam.
Aquæ Rosarum pallidarum semilibram.

Coquantur secundùm artem, & projiciendo super marmor, fiat Manus Christi: Si sub finem coctionis addatur Margaritarum præparatarum & tritarum vncia dimidia, cum foliis auri octo vel decem, fit Manus Christi perlata.

MANVS CHRISTI AD LVMBRICOS.

℞ Rhabarbari electi scrupulos quatuor.
Agarici trochiscati,
Corallinæ,
Cornu Cerui vsti,
Dictamni Cretici,
Sem. Santonici,
Acetosæ, ana scrupulum.
Cinnamomi,
Zedoariæ,
Caryophyllorum,
Croci, ana semiscrupulum.
Sacchari albissimi tenuiter triti libram vnam.

Dissoluatur Saccharum in aquæ Absinthij vnciis quatuor cum Vini Absinthites vncia, & aquæ Cinnamomi Cochleari vno, vt cum speciebus præscriptis fiant secundùm artem Manus Christi.

PENIDIA.

Constant, ex Saccharo, & aqua Hordei, eâ proportione & arte coctis, vt massa quædam exurgat admodùm solida, & ita tractabilis, vt digitis non adhæreat, & facilè

in fila ducatur tenuiora, craſſiora, breuiora aut longiora, contorta pro libitu; Plures addunt nonnihil Amyli.

CONFECTIO DE THVRE, N O R.

℞ Sem. Coriandri præparati vnciam ſemis.
Nucis Moſchatæ.
Thuris albiſſ. ana drachmas tres.
Glycyrrhizæ.
Maſtichis ana drachmas duas.
Cubebarum.
Cornu Cerui præparati ana drachmam vnam.
Conſer. roſarum rubrarum vnciam vnam.

Cum ſufficienti quantitate Sacchari albiſſ. fiat confectio in morſellis pondere drachmarum duarum.

SACCHARVM ROSATVM.

℞ Florum Roſarum rubrarum nondum plene maturarum vnciam vnam.

Forcipibus omnis albedo amputetur, deinde in vmbra ſiccentur, & terantur poſteà optimè in mortario lapideo, tum cum vnciis duodecim Sacchari optimi ſoluti in aqua Roſarum rubrarum, coquantur ſecundùm artem, dum aqua fuerit abſumpta: deinde proiiciatur ſenſim maſſa ſuper marmore, & fiant vel Manus Chriſti, vel placentulæ pro libitu. Sunt qui inter coquendum addunt Conſeruæ Roſarum rubrarũ vncias quatuor optimè immiſcendo, vnde Saccharum, & magis colora- tum, & guſtui gratius redditur.

Eodem modo Saccharum conflatur Violatum, tabulatum.
Sic è Bugloſſo.
Capill: Venetis.
Cichorio.
Iride Flor.
Rad. Enulæ.
Symphyto, & aliis.

SPECIES

SPECIES SIVE PVLVERES.

AROMATICVM CARYOPHYLLATVM. MES.

℞ Caryophyllorum drachmas septem.
Macis,
Zedoariæ,
Galangæ minoris,
Santali Citrini,
Trochisc. Diarhodon,
Cinnamomi,
Ligni Aloes,
SpicæNardi Indicæ,
Piperis longi,
Cardamomi, ana drachmam vnam.
Rosarum rubrarum drachmas quatuor.
Galliæ moschatæ,
Glycyrrhizæ rasæ, ana drachmas duas.
Folij,
Cubebarũ, an. scrupulos duos.
Ambræ grifeæ optimæ drachmam vnam.
Moschi semiscrupulum.
Sacchari albissimi q. s.
Tritis omnibus diligentissimè fiat Puluis.
Cum Syrupi è Cytro admisti q. s. Electuarium fieri potest.

AROMATICVM ROSATVM GABRIELIS.

℞ Rosarum rubrarum drachmas quindecim.
Glycyrrhizæ rasæ drachmas septem.
Ligni Aloes,
Santali citrini, ana drachmas tres.
Cinnamomi electi drachmas quinque.
Caryophyllorum,
Macis, ana drachmas duas semis.
Gum. Arabici,
Tragacanthi, ana drachmas duas & scrupulos duos.
Nucis Moschatæ,

Cardæ-

Cardamomi minoris,
Galangæ, ana drachmam vnã.
Spicæ Indicæ,
Ambræ griseæ, ana scrupulos duos.
Moschi scrupulum vnum.

Pulverisentur secundùm artem, & puluis seruetur in vase vitreo, vel fictili vitreato ad vsum.

Parari potest sine spica propter ingratitudinem, quo nomine & in reliquis specibus cordialibus Spica omitti potest.

PVLVIS CARDIACVS MINOR,

FERN. li5.c.21.

℞ Cornu Cerui,
Vnicorni,
Margaritarum splendidarum,
Scobis Eboris, ana grana sex.

Fiat Puluis tenuis: si reseruandus, singulorum quantitas augetur analogicè.

PVLVIS CARDIACVS MAIOR, *FERNELII.*

℞ Radic: Tormentillæ,
Dictamni,
Tunicæ,
Scabiosæ,
Sem: Acetosæ,
Coriandri præp.
Citri,
Cardui benedicti,
Endiuiæ,
Rutæ, ana drachmam vnam.
Trium Santalorum,
* Been { albi, rubri, } vel succed. pag. 60.
Doronici Romani,
Cinnamomi,
Cardamomi,
Croci.
Flor. Buglossi vtriusque,
Rosarum rubrarum,
Nymphææ,
Ligni Aloes,
Macis ana scrupulos duos,
Rasuræ Eboris.
Spodij,
Ossis è corde Cerui,
Corallij rubri,
Margaritarum splend.
Smaragdi,
Hyacinthi,
Granati, ana scrupulum vnum.
Serici crudi torrefacti,
Boli Armeni,
Terræ Lemniæ, an. semidrachmam.
Caphuræ,
Ambræ griseæ,
Mosci, ana grana sex.

Fiat Puluis, & ex octuplo Sacchari albi aquâ rosarum soluti, tabellæ concinnentur.

PVLVIS AD CONTVSOS EX CASV, *AVGVST.*

℞ Terræ sigillatæ,

Sanguinis Draconis,
Mumiæ, ana drachmas duas.
Spermatis Ceti drachmam vnam.
Rhabarbari drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem.

SPECIES CORDIALES TEMPERATÆ.

℞ Ligni Aloes,
Spodij, ana drachmam vnam.
Cinnamomi,
Caryophyllorum,
Oſſis de corde cerui,
Radic. Angelicæ.
* Been vtriuſque, (vel eorum loco Radic. Caryophyllatæ & Tormentillæ,) ana drachmam vnam ſemis.
Margaritarum præparatarũ drachmas ſex.
Serici crudi toſti.
Corallij vtriuſque, ana drachmas duas.
Hyacinthi,
Smaragdi,
Sapphyri, ana drachmam dimidiam.
Croci ſcrupulum vnum.
Ambræ griſeæ,
Moſchi, ana drachmam dimidiam.
Folia { Auri. Argenti, ana decem.
Fiat Puluis ſecundùm artem.

DIACALAMINTHES SIMPLEX.

GALENI.

℞ Calaminthæ Montanæ,
Pulegij,
Origani.
Sem. Petroſelini Macedonici,
Petroſelini,
Seſeleos, ana drachmas duas.
Sem. Apij,
Cymarum Thymi, an. vnciam dimidiam.
Sem. Liguſtici,
Piperis nigri, an. vnciam vnam.
fiat puluis ſecundùm artem.

Fieri etiam poteſt Electuarium, cum Sacchari albiſſimi (ſoluti in aqua Violarum aut Roſarum) libris duabus ſemis.

SPECIES ELECTVARII DIACALAMINTHES COMPOSITI,

FER.

℞ Pulueris Electuarij Diacalaminthes ſimplicis vnciam dimidiam.
Folior. Praſij,
Maioranæ,
Meliſſæ.
Artemiſiæ,
Sabinæ, aridorum, ana drachmam vnam.
Radic. Cyperi,
Sem. Rubiæ.
Rutæ,
Macis,

Cinna-

Cinnamomi, ana ſcrupulos duos.

Terantur & miſceantur diligentiſſimè; fieri etiam poteſt Electuarium cum Sacchari in aqua Parthenij ſoluti duodecuplo.

DIANISVM,
MES.

℞ Semin. Aniſi elect. vncias duas ſemis.
Glycyrrhizæ raſæ,
Maſtiches, an. vnciam vnam.
Sem. Carui,
Fœniculi,
Galangæ,
Macis,
Zingiberis,
Cinnamomi, an. drachmas quinque.
Trium Piperum,
Caſiæ ligneæ,
Calaminthæ.
Pyrethri, ana drachmas duas.
Cardamomi,
Caryophyllorum,
Cubebarum,
Spicæ Indicæ,
Croci, ana ſeſquidrachmam.
Sacchari albi vncias quinque.

Fiat Puluis, & cum melle deſpumato Electuarium.

SPECIES ELECTVARII DIACYMINI,
NICOLAI.

℞ Cymini per diem naturalem infuſi in aceto, & iterum exiccati, vnciam vnam, & ſcrupulum vnum.
Cinnamomi,
Caryophyllorum, an. drachm. duas ſemis.
Galangæ,
Satureiæ,
Calaminthes, ana drachmam vnam & ſcrupulos duos.
Zingiberis,
Piperis nigri, an. drachm. duas, & grana quinque.
Sem. Liguſtici,
Ammios, an. drach. vnam & grana octodecim.
Piperis longi drachm. vnam.
Spicæ Nardi,
Nucis Moſchatæ,
Cardamomi, an. ſcrupulos duos ſemis.

Terantur, & diligenter recondantur ad vſum, in forma Pulueris.

SPECIES ELECTVARII DIAGALANGÆ,
MES.

℞ Galangæ,
Ligni Aloes, an. drachm. ſex.
Caryophyllorum,
Macis,
Semin. Liguſtici, an. drachm. duas.
Zingiberis,
Piperis longi,
albi,
Cinnamomi,
Calami Aromatici, an. drach. vnam ſemis.

Calaminthæ ſiccæ,
Menthæ ſiccæ,
Cardamomi maioris,
Spicæ Indicæ,
Sem. Apij,
Aniſi,
Fœniculi,
Carui,an.drachm.vnam.
fiat Puluis ſecundùm artem.

Fieri etiam poteſt electuarium cum Sacchari albi, vino Maluatico ſoluti,
vel Mellis deſpumati duodecuplo.

SPECIES ELECTVARII DE GEMMIS CALIDI, *M. E. S.*

℞ Trochiſcorum Diarhodon,
Ligni Aloes, ana drachmas quinque.
Margaritarum albarum,
Zedoariæ,
Doronici,
Cortic. Citri.
Macis.
Sem. Ocimi Caryophyllati.
Ambræ griſeæ veræ, an. drachmas duas.
Corallij rubri,
Succini albi,
Raſuræ Eboris, an. ſcrupulos quinque.
Sapphyri,
Hyacynthi,
Sardæ,
Granati,
Smaragdi,
Cinnamomi,
Galangæ,
Zurumbet, an. drachmam vnam ſemis.
* Been vtriuſque (vide ſucced. pag. 60.)
Caryophyllorum,
Zingiberis,
Piperis longi,
Spicæ Indicæ,
Folij, vel Spicæ Celticæ,
Croci,
Cardamomi maioris,an.drachmam vnam.
Folior. Auri.
Argenti, an. ſcrupulos duos.
Moſchi drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem, & ſeruetur ab aere concluſus diligentiſſimè.

SPECIES ELECTVARII DE GEMMIS FRIGIDI.

℞ Margaritarum præparatarum drachmas tres.
Spodij,
Raſuræ Eboris,
Corallij vtriuſque, ana drachmas duas.
Flor. Roſarũ rubrarum drachmam vnam ſemis.
Hyacinthi,
Sapphyri,

Smaragdi,
Sardæ,
Granati,
Santali { albi, rubri, Citrini,
Flor. Borraginis,
Buglossi,
Sem. Acetosæ,
Basilici,
* Been vtriusque (vide pag. 60.) ana drachmam vnam.
Ossis è corde Cerui drachmam dimidiam.
Folia Auri,
Argenti, ana quindecim.

Fiat puluis secundùm artem, diligenter reponatur.

SPECIES ELECTVARII DIAIREOS SIMPLICIS, *NICOLAI.*

℞ Ireos vnciam dimidiam.
Sacchari candi,
Specierum Diatragacanthi frigidi, ana drachmas duas.
Fiat Puluis.

SPECIES DIALACCÆ. *MES.*

℞ Laccæ præparatæ,
Rhabarbari,
Schœnanthi, ana drachmas tres.
Spicæ.
Mastiches,
Succi Absinthij Romani,
Eupatorij, i. Agerati,
Sem. Apij,
Ammeos,
Fœniculi,
Anisi,
Sabinæ,
Amygdalarum amararum,
Myrrhæ,
Costi, seu Zedoariæ,
Radic. Rubiæ tinctorum.
Asari,
Aristolochiæ { longæ, rotundæ,
Gentianæ,
Croci,
Cinnamomi,
Hyssopi siccæ,
Casiæ ligneæ veræ,
Bdellij, ana drachmam vnam semi.
Piperis,
Zingiberis, ana drachmam vnam.

fiat Puluis s. a.

Fieri etiam potest Electuarium cum Mellis vel Sacchari vino albo, vel aquâ Cichorij, soluti, q. s.

SPECIES ELECTVARII DIAMARGARITON CALIDI, *AVICEN.*

℞ Margaritarum albissimarum,
Pyrethri, ana drachmam vnam.
Zingiberis,

Mastiches, ana vnciam dimidiam.
Doronici,
Zedoariæ,
Sem. Apij,
Cardamomi vtriusque,
Nucis Moschatæ,
Macis: ana drachmas duas.
* Been vtriusq; vide succedan. pag. 60.
Piperis { nigri, longi, ana drachmas tres.
Cinnamomi drachmas quinque.
Puluerizentur, reponantur ad vsum.

SPECIES ELECTVARII DIAMARGARITON FRIGIDI, *NICOLAI.*

℞ Semin. quatuor frigidorũ maiorum mundatorum.
Sem. Portulacæ,
Papaueris albi,
Endiuiæ,
Oxalidis,
Citri,
Trium Santalorum,
Ligni Aloes,
Zingiberis,
Flor. Rosarum rubrarum,
Nymphææ,
Buglossi,
Violarum,
Baccarum Myrti,
Ossis è corde Cerui,
Eboris,
Doronici Romani.
Cinnamomi, ana drachmam vnam.
Corallij vtriusque, ana drachmam dimidiam.
Margaritarum splendidarum drachmas tres.
Ambræ grifeæ.
Caphuræ, ana grana sex.
Moschi grana duo.
fiat Puluis secundum artem.

Obseruandum autem, vt semina frigida Maiora & Papaueris mundata non priùs addantur, quàm species requiruntur à Medico ad vsum, alioqui compositio fiet rancida: & sic in reliquis speciebus, quarum compositionem hæc semina ingrediuntur.

SPECIES ELECTVARII DIAMBRÆ, *MES.*

℞ Cinnamomi,
Doronici, siue Zedoariæ,
Caryophyllorum,
Macis,
Nucis Moschatæ,
Folij,
Galangæ, ana drachmas tres.
Spicæ Indicæ,
Cardamomi maioris,
minoris, ana drachmam vnam.
Zingiberis drachmam vnam semis.
Ligni Aloes,

Santali Citrini,
Piperis longi, ana drachmas duas.
Ambræ grisеæ sesquidrachmam.
Moschi drachmam dimidiam.
Misce, fiat omnium Puluis.

SPECIES ELECTVARII DIAMOSCHV DVLCIS, MES.

℞ Croci,
Doronici, seu Galangæ,
Zedoariæ,
Ligni Aloes,
Macis, ana drachmas duas.
Margaritarum albarum,
Serici crudi tosti,
Succini,
Corallij rubri,
Galliæ Moschatæ,
Ocimi Citriati, ana drachmas duas semis.
Zingiberis.
Cubebarum.
Piperis longi, ana drachmam vnam semis.
* Been vtriusque, vel succedan: pag. 60.
Folij, aut Cinnamomi,
Spicæ Indicæ,
Caryophyllorum, ana drachmam vnam.
Moschi scrupulos duos.
Fiat Puluis secundùm artem: fiet & Electuarium, addendo sacchari vino albo soluti quadruplũ.

SPECIES ELECTVARII DIAMOSCHV AMARI, MES.

Ad eadem ingredientia, & pari dosi, adde
Absinthij,
Rosarum, ana drachmas tres
Aloes optimæ lotæ semunciam
Cinnamomi drachmas duas semis.
Castorei,
Ligustici, an. drachmam vnam
Fiat puluis.

SPECIES ELECTVARII DIANTHON, NICOLAI.

℞ Flor. Rorismarini vnciam vnã,
Rosarum rubrarum,
Violarum,
Glycyrrhizæ, an. drachmas sex.
Caryophyllorum,
Spicæ Indicæ.
Nucis Moschatæ.
Galangæ.
Cinnamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloes,
Cardamomi,
Sem: Anethi,
Anisi, an. scrupulos quatuor.
Fiat Puluis secundùm artem.

DIAPENIDION, *NIC.*

℞ Penidiorum vncias duas.
Nucum Pinearum,
Amygdalarum dulcium mundatarum,
Sem. Papaueris albi, ana drachmas tres, ſcrupulum vnum.
Cinnamomi.
Caryophyllorum
Zingiberis
Succi Glycyrrhizæ,
Gum. Tragacanthi,
Arabici,
Amyli candidiſſimi.
Sem. 4. frig. mai. excortic. ana ſeſquidrachmam.
Camphoræ grana ſeptem.
Sacchari albiſſimi q. ſ. vel in forma Electuarij, cum Syrupo Violarum.

DIARHODON ABBATIS, *NICOLAI.*

℞ Santalorum alborum,
rubrorum, ana drachmas duasſemis.
Gum. Tragacanthi,
Arabici,
Spodij, ana ſcrupulos duos.
Aſari,
Maſtiches,
Spicæ Indicæ,
Cardamomi,
Glycyrrhizæ,
Croci,
Ligni Aloes.
Caryophyllorum,
Galliæ Moſcatæ,
Sem. Aniſi.
Fœniculi,
Cinnamomi,
Rhabarbari,
Sem. Ocimi.
Acinorum Berberis,
Sem. Scariolæ.
Portulacæ.
Cucurbitæ.
Cucumeris,
Citruli,
Melonum,
Papaueris albi, ana ſcrupulum vnum,
Margaritarum.
Oſſis è Corde Cerui, ana ſcrupulum dimidium.
Sacchari candi,
Roſarum rubrarũ, an. vnciam vnam, & drachmas tres.
Camphoræ grana ſeptem.
Moſchi grana quatuor.
Fiat Puluis ſ. a.
Fieri etiam poteſt Electuarium cum octuplo Sacchari diſſoluti in âqua Roſacea.

DIOSPOLITICVM, *GALENI.*

℞ Cymini præparati,
Piperis longi,
Folior. Rutæ ſiccatorum, ana vnciam vnam.
Nitri vnciam dimidiam.
Fiat puluis.

SPECIES

SPECIES ELECTVARII DIATRAGACANTHI FRIGIDI, *NICOLAI.*

℞ Gum. Tragacanthi albi vncias duas.
Arabici vnciam vnam & drachmas duas.
Amyli vnciam dimidiam.
Glycyrrhizæ,
Sem: Melonum.
Papaueris albi.
Citruli,
Cucumeris,
Cucurbitæ, ana drachmas duas.
Penidiorum vncias tres.
Caphuræ semiscrupulum.
Fiat puluis s.a.

Fieri etiam potest Electuarium, cum syrupi violacei sufficienti quantitate: At cautio habenda est, (vt priùs) de seminibus frigidis.

SPECIES ELECTVARII DIATRION PIPEREON, *GALENI.*

℞ Trium piperum, an. drachmas sex, & grana quindecim.
Sem: Anisi.
Thymi,
Zingiberis, an. drachmam vnam.
Fiat Puluis: & cum Saccharo in aqua florum Rorismarini soluto, vel melle prout res postulauerit fieri potest Electuarium s. a.

SPECIES ELECTVARII DIATRION SANTALON, *NIC.*

℞ Santalorum omnium.
Rosarum rubrarum,
Sacchari candi, ana drachmas tres.
Rhabarbari,
Spodij,
Succi Glycyrrhizæ,
Sem: Portulacæ, an. drachmas duas, & grana quindecim.
Amyli,
Gum: Arabici,
Tragacanthi,
Sem: Melonum,
Cucumeris.
Citruli,
Cucurbitæ,
Scariolæ, an. drachmam vnam semis.
Camphoræ Scrupulum vnum.
Fiat puluis s. a.

Fieri etiam potest Electuarium cum octuplo Sacchari in aqua Rosacea soluti.

PVLVIS HALY.

℞ Sem. Papaueris albi drachmas decem.

Gummi Arabici,
Amyli,
Tragacanthi, an. drachmas tres.
Semin: Portulacæ.
Althææ,
Maluæ, an. drachmas quinque.
Cucumeris.
Melonis,
Cucurbitæ,
Citruli,
Cydoniorum mundatorũ, an. drachmas ſeptem.
Spodij,
Glycyrrhizæ, ana drachmas tres.
Penidiorũ ad pondus omniũ.
Fiat puluis ſ. a.

LÆTIFICANS GALENO ADSCRIPTVS.

℞ Florum Ocimi Caryophyllati aut ſem: eiuſdem.
Croci,
Zedoariæ,
Xyloales,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis,
Nucis Moſchatæ,
Styracis Calamitæ, ana drachmas duas ſemis.
Raſuræ Eboris,
Sem: Aniſi,
Thymi,
Epithymi, ana drachmam vnam.
Oſſis è Corde Cerui,
Margaritarum,
Camphoræ,
Ambræ,
Moſchi, ana drachmam dimidiam.
Folior: Auri,
Argenti, ana ſcrupulum dimidium.
Fiat Puluis ſ. a. reſeruetur diligenter ad vſum.

SPECIES CONFECTIONIS LIBERANTIS.

℞ Radic: Tormentillæ,
Semin: Acetoſæ,
Endiuiæ,
Coriandri præparati,
Citri, an. drachmam vnam ſemis.
Santalorum omnium,
Dictamni albi, an. drachmam vnam.
Boli Armeni,
Terræ Lemniæ, ana drachmas tres.
Margaritarum,
Corallij vtriuſque,
Succini albi,
Raſuræ Eboris,
Spodij,
Oſſis è Corde Cerui,
* Been vtriuſque, vel ſuccedan: pag: 60.
Radic: Angelicæ.

Carda-

Cardamomi,
Cinnamomi,
Macis,
Ligni Aloes,
Caſſiæ Ligneæ,
Croci,
Zedoariæ, ana drachmam dimidiam.
Penidiorum,
Sacchari candi,
Serici crudi toſti,
Smaragdi,
Hyacynthi,
Granati, ana ſcrupulos duos.
Flor. Nymphææ,
Bugloſſi,
Roſarum rubrarum, ana ſcrupulum vnum.
Camphoræ grana ſeptem,
Moſchi,
Ambræ griſeæ, ana grana tria.
Fiat Puluis ſecundùm artem.

LITHONTRIBON,
NIC. SEC. FERN.

℞ Spicæ Nardi,
Zingiberis,
Cinnamomi,
Melanopiperis,
Cardamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Coſti,
Glycyrrhizæ,
Cyperi,
Tragachanthæ,
Chamædryos, ana ſcrupulos duos.
Semin. Ammeos.
Apij,
Aſparagi,
Ocimi,
Vrticæ,
Citri,
Saxifragiæ,
Pimpinellæ,
Carui,
Dauci,
Fœniculi,
Ruſci,
Petroſelini Macedonici.
Bardanæ.
Seſeleos,
Aſari, ana drachmam vnam.
Lapidis Spongiæ,
Lyncis,
Cancri,
Iudaici, ana drachmam vnam ſemis.
Sanguinis Hircini præparati vnciam vnam ſemis. fiat Puluis ſecundum artem.

PVL-

PVLVIS SAXONICVS.

℞ Radic. vtriusque Angelicæ,
Vincetoxici,
Valerianæ domesticæ,
Polypodij quercini,
Radic. Althææ,
Vrticæ, ana vnciam dimidiam:
Cortic. Mezerei German. drachmas duas.
Granorum herbæ Paridis numero viginti quatuor.
Folior. eiusdem, cum toto, numero triginta sex.
Ex maceratis in aceto radicibus, & siccatis, fiat omnium puluis.

PVLVIS PALMARII AD MORSVM CANIS RABIDI,

℞ Folior. Rutæ,
Verbenæ,
Saluiæ,
Plantaginis,
Polypodij,
Absinthij vulgaris,
Menthæ,
Artemisiæ,
Melissophylli,
Betonicæ,
Hyperici,
Centaurij minoris, an. p. æ.
Legantur singula, quo tempore viribus pollent maximis, quod ad Iunij ferè plenilunium assequuntur. Papyraceis dein chartis conclusa siccentur seorsim in loco, ad quem, neque Sol, neque pluuia pertingat: Siccata ad futuros vsus asseruentur, eâ lege, vt quotannis renouentur:

Quum vtendi necessitas incidet singulorum æquale pondus in puluerem tenuissimum redigito:

PLERES ARCHONTICON, NICOLAI.

℞ Cinnamomi,
Caryophyllorum,
Ligni Aloes,
Galangæ,
Spicæ Indicæ,
Nucis Moschatæ,
Zingiberis,
Spodij,
Schœnanthi,
Cyperi,
Rosarum,
Violarum, an. drachmâ vnam.
Folij, seu Macis,
Glycyrrhizæ,
Mastiches,
Styracis Calamitæ.
Maioranæ.
Balsamitæ seu Menthæ aquaticæ.
Ocimi.
Cardamomi.
Piperis Longi.
Albi.

Myrti.

Myrtilorum baccarum,
Corticum Citri, ana drachm. dimidiam & grana ſex.
Margaritarum,
✱ Been { Albi, Rubri, } { vel ſuccedan. pag. 58.
Corallij rubri,
Serici toſti, ana grana octodecim.
Moſchi grana ſex.
Camphoræ grana quatuor.

Fiat Puluis ſecundùm artem. Poterit etiam cum decuplo ſacchari ſoluti in aqua Meliſſæ formari in Electuarium.

PVLVIS PRÆSERVATIVVS A PESTE, *MONTAGNANAE.*

℞ Santalorum omnium,
Semin. Ocimi, ana vnciam vnam ſemis.
Boli Armeni,
Cinnamomi, ana vnciam vnam.
Radic. Dictamni,
Gentianæ,
Tormentillæ, ana drachmas duas ſemis.
Semin. Citri,
Acetoſæ, ana drachmas duas.
Margaritarum,
Sapphyri,
Oſſis de corde Ceruiȝ, an. drachmam vnam.

Fiat Puluis ſecundùm artem; diligenter reponatur.

SPECIES ELECTVARII ROSATÆ NOVELLÆ, *NICOLAI.*

℞ Roſarum,
Sacchari,
Glycyrrhizæ, ana vnciam vnã drachmam vnam, ſcrupulos duos ſemis.
Cinnamomi drachmas duas, ſcrupulos duos, grana duo.
Caryophyllorum,
Nardi Indicæ,
Zingiberis,
Galangæ,
Nucis Moſchatæ,
Zedoariæ,
Styracis,
Cardamomi,
Apij, ana ſcrupulum vnum grana octo.
Sacchari albiſſimi q. ſ.

Fiat Puluis: inde Electuarium ſ. a.

PVLVIS AD HÆMORRHAGIAM, *GALENI.*

Meth. l. 5. c. 4.

℞ Thuris drachmam vnam.
Aloes drachmam dimidiam.

Fiat Puluis. Cùm vtendi tempus inſtat, tantum huius cum oui candido ſubigitur, quantum mellis

reddat

reddat crassitudinem; hoc Leporis mollissimis pilis excipitur, deinde tum vasi profluenti, tum vlceri toti liberaliter imponitur, adhibitâ ligaturâ conuenienti.

PVLVIS AD SCABIEM.

℞ Sulphuris viui,
Nitri,
Folior. Maioranæ, ana drachmas duas.
Lithargiri auri,
Radic. Ellebori nigri, an. drach. vnam.
Pimpinellæ drachmam dimidiam.
Fiat Puluis secundùm artem.

PVLVIS RADVLPHI HOLLAND.

℞ Sem. Anisi,
Carui,
Fœniculi,
Cymini,
Spicæ Nardi,
Cinnamomi,
Galangæ, ana vnciam dimidiam.
Glycyrrhizæ,
Milij Solis, ana vnciam vnam.
Sennæ ad pondus omnium.
Fiat Puluis.

PVLVIS SANCTVS, BRASAVOLÆ.

℞ Foliorum Sennæ,
Cremoris Tartari, ana vncias duas.
Caryophyllorum,
Cinnamomi,
Galangæ,
Ammeos, ana drachmas duas.
Diagrydij vnciam dimidiam.
Fiat Puluis secundùm artem.

In defectu seminum Ammeos legitimorum aut recentium quibus sæpissime destituimur, substituenda quidem Anisi semina conuenimus cum Antidotario Bergomensi.

PVLVIS SENNÆ.

℞ Sennæ optimæ vncias duas.
Cremoris Tartari vnciam dimidiam.
Macis scrupulos duos semis.
Zingiberis.
Cinnamomi, ana drachmam vnam.
Salis Indi drachmam vnam.
Fiat Puluis s. a.

DIATVRBITH MAIVS SINE RHABARBARO.

℞ Turpeti optimi vnciam vnam.
Diagrydij,
Zingiberis, an. vnciam dimidiã.
Caryophyllorum.

Caryophyllorum, ana drachm. duas.
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Fiat Puluis: Et cum Sacchari albissimi vnciis octo & drachmis quinque in aq. Cichorij solutis, fieri potest Electuarium s. a.

DIATVRBITH CVM RHABARBARO, *MONTAGNANAE.*

℞ Turpeti optimi,
Hermodactylorum, an. vnciam vnam.
Rhabarbari drachmas decem.
Diagrydij vnciam dimidiam.
Santali rubri,
albi,
Violarum,
Zingiberis, ana drach. vnam semis.
Mastiches,
Anisi,
Cinnamomi,
Croci, ana drachmam dimidiam, fiat puluis: Et cum Sacchari albissimi libra vna, vnciis duabus, & drachmis duabus in aq. Cichorij solutis, fieri potest Electuarium secundùm artem.

PVLVIS AD LVMBRICOS.

℞ Sem. Sanctonici vncias quatuor.
Folior. Sennæ vnciam vnam.
Coriandri præparati,
Cornu Cerui, ana drachmam dimidiam.
Rhabarbari vnciam dimidiam.
Rutæ siccæ drachmas duas.
Fiat Puluis.

ELECTVARIA.

ANTIDOTVS ANALEPTICA SIVE ELECTVARIVM RESVMPTIVVM, *FERNELII.*

℞ Roſarum rubrarum,
Glycyrrhizæ ; ana drachmas duas & grana quinque.
Gum. Arabici.
Tragacanthi, ana drachmas duas & ſcrupulos duos.
Santali albi,
rubri, ana ſcrupul. quatuor.
Succi Glycyrrhizæ,
Amyli,
Semin. Papaueris albi,
Portulacæ,
Lactucæ,
Scoriolæ, ana drachm. tres.
Quatuor Semin. frigidorum maioru m.

Sem. { Cydoniorum,
Maluæ,
Bombacis,
Violarum, }

Strobilorum,
Piſtaciorum recentium,
Amygdalarum dulcium,
Pulpæ Sebeſten, ana drachmas duas.
Caryophyllorum,
Spodij,
Cinnamomi an. drachm. vnam
Croci grana quinque.
Penidiorum vnciam dimidiã.

Trita omnia excipiantur triplo Syrupi violati, & fiat Electuarium molle.

CONFECTIO ALKERMES, *MES.*

℞ Succi Pomorum fragrantium.
Aquæ Roſarum odoratiſſimæ, ana libram vnam ſemis.

Quibus

Quibus infunde per horas viginti quatuor,
Serici crudi vncias quatuor.
Expressioni forti adde,
Succi granorumKermes ad nos aduecti, puri libram vnam.
Sacchari libras duas.
Coque ad mellis consistentiam, Mixturæ ab igne sepositæ, adhuc autem calenti, adde
Ambræ griseæ crudæ minutim concisæ vnciam dimidiam.
Quibus optimè liquatis, superinjicito sequentia puluerisata.
Cinnamomi electi,
Ligni Aloes optimi,
Lapidis Lazuli vsti in Crucibulo,
(dein puluerisati, & loti; primum in aqua communi, dein in aqua Rosacea aut Borraginis, idq; multoties, ita vt post lotionem exiccetur, denuoque lauetur; & eousque hæc reiteretur operatio, donec aqua limpida post lotionem remaneat) an. drach. sex.
Margaritarum pellucidarũ præparatarum drach. tres
Folior. Auri,
Moschi optimi, an. drachm. vnam.
Confice secundùm artem.

ELECTVARIVM DE BACCIS LAVRI, *RHASIS.*

℞ Folior. Rutæ aridorum drachmas decem.
Sem. Ammeos,
Cymini,
Ligustici,
Origani,
Nigellæ,
Carui,
Dauci,
Petroselini,
Amygdalarum amararum.
Piperis nigri,
longi,
Menthastri,
Acori, vel Calami aromatici.
Baccarum Lauri,
Castorei, an. drach. duas.
Sagapeni vnciam dimidiam.
Opopanacis drachmas tres.
Mellis despumati libram vnam semis.
Tritis diligenter quæ terenda, fiat Electuarium secundùm artem, sub finem additis vino dilutis lachrymis.

ATHANASIA MITHRIDATIS, è *GALENO.*

℞ Cinnamomi,
Casiæ,
Schœnanthûs, ana sesquiunciã.
Croci,
Myrrhæ, ana vnciam.
Costi,
Mei,
Acori,
Agarici,
Scordij,
Dauci,

Petroſelini, an. ſemunciam:
Piperis albi grana vndecim.
Mellis q. ſ.
Compone, vt artis eſt.

DIACAPPARIS, GILBERTI ANGLI.

℞ Capparis vncias quatuor.
Radic. Agrimoniæ,
Semin. Gith, i. e. Nigellæ Rom.
Scillæ,
Aſari,
Centaureæ,
Pyrethri,
Piperis nigri,
Apij,
Thymi, ana vnciam vnam,
Mellis q. ſ.
Fiat Electuarium ſecundùm artem.

DIACINNAMOMVM. MES.

℞ Cinnamomi tenu. drachmas quindecim.
Caſiæ Ligneæ,
Radic. Helenij, ana ſemunciam
Galangæ drachmas ſeptem.
Caryophyllorum,
Piperis longi,
Cardamomi vtriuſque
Zingiberis,
Macis,
Nucis Moſchatæ,
Xyloaloes, an. drachmas tres.
Croci drachmam.
Sacchari tabarzet, i. e. criſtallini albiſſ. drachmas quinque.
Moſchi ſcrupulos duos.
Excepta mellis deſpumati libris duabus, vnciis octo, Coque.
Fiat Electuarium ſecundùm artem.

DIACORALLION VSVAL. COLON.

℞ Corallij albi,
rubri,
Boli Armeni veri,
Sanguinis Draconis, an. drachmam.
Margaritarum ſemidrachm.
Xyloaloes,
Roſarum rubrarum,
Gum. Tragacanthi,
Cinnamomi, an. ſcrupul. duos.
Santali albi,
rubri, an. ſcrupulum.
Miſce, fiat Puluis, è puluere Electuarium ſ. a. cum
Sacchari albiſſimi, & Aq.
Cinnamomi ten. ana q. ſ.

DIACORVM, MES.

℞ Radic. Secacul, ſeu Siſeris,
Acori, ſeu Calami aromatici,
Pinearum, ana ſeſquilibram.
Radicibus Secacul. mundatis, inciſis, coctis, piſtatis, tritis dum pulti ſimiles, affunde.
Mellis deſpumati libras decem.
Coquan-

Coquantur agitando, ad iustam spissitudinem, tum adde tritas radices Acori, incisas Pineas, mixtas sequenti pulueri;

℞ Piperis nigri vnciam,
longi,
Caryophyllorum,
Zingiberis,
Macis, an. semunciam.
Nucis Moschatæ,
Galangæ,
Cardamomi, ana drachmas tres.

Misce cum radicibus, & Melle q. s. agitando ne grumi relinquantur. Fiat Electuarium s. a.

ELECTVARIVM è SCORIA FERRI, *RHASIS.*

℞ Scoriæ ferri aceto infusæ per dies septem, posteà torrefactæ, drachmas tres.
Spicæ Indicæ,
Schœnanthûs,
Cyperi,
Zingiberis,
Piperis,
Ammeos,
Thuris, ana semunciam.
Myrobalanorum. { Indarum, Belliricarum, Emblicarum,
Mellis decocti cum apozemate Emblicarũ vncias sedecim.

Misce: fiat Electuarium.

DYACYDONIVM SIMPLEX.

℞ Carnis Cydoniorum mundatorum, & in frusta dissectorum, & in aqua dulci ad spissitudinem coctorum libras octo.
Sacchari albissimi despumati, & ad iustam consistentiam concocti libras sex.
Coque ad spissitudinem.

DYACYDONIVM GALENI CVM SPECIEBVS.

℞ Succi Pomorum Cydoniorum,
Sacchari optimi, ana libras duas.
Aceti vini albi libram semis in fine decoctionis.
Coctis supra prunas modicè & spumâ detractâ, adde
Zingiberis vncias duas,
Piperis albi drachmas decem & scrupulos duos.
crassiusculè incisorum, deinde rursus lento igne recoque ad mellis crassitudinem.

DYACYDONIVM LONDINENSE COMPOS.

℞ Sacchari albi libras sex.
Aquæ fontanæ libras quatuor.
Clarificentur cum albumine oui, & diligenter despumentur: Dein

℞ Cydoniorum maturorum à corticibus exterioribus & ſeminibus expurgatorum, & in quatuor partes inciſorum libras octo.

Coquantur in ſyrupo prædicto dum carnes teneræ ſint, deinde per pannum laneum (ſiue boulterum vulgò vocatum) coletur ſuccus ſiue ſyrupus. Iterum coquantur ad gelatinæ conſiſtentiam cum aceti vini albi vnciis quatuor in fine additis, ſyrupo ab igne remoto, dum adhuc caleſcit, inſperge has ſpecies ſequentes; craſſo modo inciſas, ſcilicet

Zingiberis vnciam vnam.
Piperis albi,
Cinnamomi,
Nucis Moſchatæ, an. drachm. duas.

In pyxidibus diuerſis reſeruetur.

Eodem modo paretur Diacydonium ſimplex.

CONFECTIO DE HYACINTHO.

℞ Hyacinthorum,
Corallij rubri,
Boli Armeni,
Terræ ſigillatæ, ana vnciam dimidiam.
Granorum Kermes.
Radic. Tormentillæ,
Dictamni,
Sem. Citri mundat.
Acetoſæ,
Portulacæ,
Croci,
Myrrhæ,
Roſarum rubrarum,
Santalorum omnium,
Oſſis è Corde Cerui & Cornu
Raſuræ Eboris præparatæ, ana ſcrupulos quatuor.
Sapphyrorum,
Smaragdi,
Lapidis Topaſij,
Margaritarum,
Serici crudi,
Folior. Auri,
Argenti, ana ſcrupulos duos.
Camphoræ,
Moſchi,
Ambræ griſeæ, an. grana quinque.

Cum ſyrupo de Limonibus fiat Confectio, ſecundùm artem.

CONFECTIO HVMAINMES.

℞ Euphragiæ vncias duas.
Sem. Fœniculi drachm. quinque.
Caryophyllorum,
Cinnamomi,
Cubebarum,
Piperis longi,
Macis, an. drachm. vnam.
Pulueriſatis, cribellatis, adde
Mellis deſpumati libram vnam

quâ

quà ſimul coque, & depura
Succ. Fœniculi vnciam vnam.
Chelidoniæ,
Rutæ, ana ſemunciam.
Cum his confectæ Species in vaſe vitreato reſeruentur.

ANTIDOTVM HÆMAGOGVM,
ROM.

℞ Lupinorum drachmas duas,
Piperis nigri ſcrupul. quinque & grana ſex.
Glycyrrhizæ ſc[illegible]l. quatuor.
Ariſtolochiæ longæ,
Arthemiſiæ,
Caſſiæ ligneæ,
Sem. Petroſelini Macedonici,
Pyrethi,
Sem. Rutæ,
Spicæ,
Myrrhæ,
Pulegij, ana ſcrupulos duos & grana quatuordecim,
Sem. Apij,
Sabinæ ana ſcrupulos duos & grana tredecim.
Centaurij maioris,
Dauci Cretici,
Nigellæ,
Carui,
Aniſi,
Caryophyllorum,
Aluminis, ana ſcrupulos duos.
Fol. Lauri ſcrupulum vnum ſemis & grana tria.
Xyloaloes ſcrupulum vnum & grana quatuordecim.
Shœnanthi ſcrupulum vnum & grana tredecim,
Aſari,
Acori, id eſt, Calami Aromatici vulgaris,
Amomi,
Pæoniæ,
Centaurei minoris,
Semin. Atriplicis,
Marathri ſiue Fœniculi, ana ſcrupulum vnum & grana ſex.
Cyperi,
Helenij,
Zingiberis,
Radic. Capparum,
Cumini,
Orobi, ana ſcrupulum vnum.
Trita omnia in tenuiſſ. puluerem excipiantur Mellis quadruplo, & conficiatur Electuarium ex arte.

DIAIREOS SALOMONIS,
NICOLAI.

℞ Radic. Iridis vnciam vnam.
Pulegij,
Hyſſopi,
Glycyrrhizæ, an. drachmas ſex.
Tragacanthæ,
Amyli,
Amygdalarum amararum,
Pinearum Nucum,
Cinnamomi,
Zingiberis,
Piperis, ana drachmas tres.
Caricarum pinguium.

Pulpæ Paſſularum.
Carnis Dactylorũ, ana drachmas tres ſemis.
Styracis Calamitæ drachmas duas.
Sacchari diſſoluti in aqua Hyſſopi, Mellis deſpumati, ana duplum ad omnia, fiat Electuarium ſ. a.

DIASATYRION, NICOLAI.

℞ Radic. Cynoſorchios ſeu Satyrij recentis ac ſolidæ.
Paſtinacæ ſatiuæ,
Eryngij,
Pinearum,
Nucis Indicæ, vel, ſi deſit Nux Indica, Pinearum duplum.
Piſtaciorum, ana vnciam vnam ſemis.
Caryophyllorum,
Zingiberis,
Sem. Aniſi,
Erucæ.
Linguæ auis, quæ eſt ſemen Fraxini, ana drach. quinque.
Cinnamomi,
Caudarum & Lumborũ Scincorum,
Sem. Bulbi,
Vrticæ, ana drach. duas ſemis,
Moſchi grana ſeptem.
Sacchari optimi diſſoluti in vino Maluatico libras tres: fiat Electuarium ſ. a.

DIASATYRION MAGIS GRATVM, COLON.

℞ Radic. Satyrij vncias tres.
Carnium Dactylorum.
Amygdalarum dulcium,
Nucis Indicæ,
Pinearum,
Piſtaciorum,
Zingiberis conditi,
Eringij conditi, ana vnciam vnam.
Zingiberis,
Caryophyllorum,
Galangæ,
Piperis longi,
nigri, ana drachmas tres.
Ambræ griſeæ ſcrupul. vnum.
Moſchi ſcrupulos duos.
Penidiorum vncias quatuor.
Cinnamomi,
Croci, ana vnciam dimidiam.
Vini Maluatici vncias tres.
Nucis Moſchatæ,
Macis,
Granorum Paradiſi, ana drachmas duas.
Linguæ auis, i. Sem. Fraxini,
Ventris & lumborũ Scincorũ,
Boracis factitij,
Aſæ dulcis, i. e. Benzoini, ana drachmas tres.
Ligni Aloes,
Cardamomi, ana drachmas duas.
* Been albi, vide pag. 58.
rubri,

rubri, an. dramch. vnam semis.

Singula simplicia comminuendo ac miscendo, tandem excipe libris duabus & semis syrupi Zingiberis conditi.

fiat Electuarium secundùm artem.

ELECTVARIVM DIASPERMATON, *FERNELII.*

℞ Quatuor semin. Frigidorum, maiorum, & minorum.

Sem. Asparagi,
Pimpinellæ,
Ocimi,
Petroselini,
Granorum Halicacabi, ana drachmas duas.
Milij Solis.
Succi Glycyrrhizæ, ana drachmas tres.
Cinnamomi,
Macis, ana drachmam vnam.

Sacchari albi aquâ Althææ soluti octuplum: fiat Electuarium secundùm artem.

MICLETA, *NICOLAI.*

℞ Myrobalanorum omnium, an. drachmas duas semis.
Sem. Nasturtij,
Cymini,
Anisi,
Fœniculi,
Ammeos,
Carui, ana drach. vnam semis.

Omnia cruda terantur, & aspergantur aceto vini acerrimo, deinde puluerisentur, mox addantur sequentia:

Spodij siue Eboris vsti,
Balaustiorum,
Sumach,
Mastiches,
Gum. Arabici, ana drach. vna & grana quindecim.

Omnia misceantur cum Syrupi Myrtyni, ad spissitudinem mellis cocti, triplo, id est vnciis decem plùs minùs, fiat Electuarium secundum artem.

ELECTVARIVM PECTORALE, AD. OCCON. *AVG.*

℞ Succi Glycyrrhizæ,
Amygdalarum dulcium,
Auellanarum, ana semunciam.
Pinearum vnciam vnam.
Hyssopi,
Capillorum Veneris,
Ireos,
Sem. Vrticæ,
Aristolochiæ rotundæ, ana sesquidrachmam.
Piperis nigri,
Sem. Nasturtij,
Radic. Enulæ, an. semidrachm.
Mellis vncias quatuordecim.
Fiat Electuarium s. a.

THERIACA DIATESSARON,
MES.

℞ Gentianæ,
Baccarum Lauri,
Myrrhæ,
Ariſtolochiæ rotundæ, ana vncias duas.
Mellis libras duas.
Miſce: fiat Electuarium ſecundùm artem.

ANTIDOTVS MAGNA MATTHIOLI ADVERSVS VENENA & PESTEM.

℞ Rhabarbari,
Rha Pontici veri,
Radic. Phu,
Acori, vel Calami aromatici vulgaris.
Cyperi,
Quinquefolij,
Tormentillæ,
Ariſtolochiæ rotundæ,
Pœoniæ maris,
Enulæ Campanæ,
Coſti,
Iridis, Illyricæ,
Chamæleontis albi, vel Caryophyllatæ, ana drachmas tres.
Galangæ,
Imperatoriæ,
Dictamni albi,
Angelicæ,
Millefolij,
Filipendulæ,
Zedoariæ,
Zingiberis, ana drachm. duas.
Agárici drachmas tres.
Libanotidis,
Gentianæ,
Morſus Diaboli, an. drachm. duas.
Sem. Citrei mali,
Viticis,
Granorum Kermes,
Semin. Fraxini,
Acetoſæ,
Paſtinacæ ſylueſtris,
Napi,
Nigellæ,
Pœoniæ maris,
Ocimi,
Irionis, ſiue Eryſini,
Thlaſpeos,
Fœniculi,
Ammeos, an. drachmas duas.
Baccarum Lauri,
Iuniperi,
Hederæ,
Smilacis aſperæ, vel illius defectu duplum cubebarum.
Cubebarum, an. drachm. vnam ſemis.
Folior. Scordij,
Chamædryos,
Chamæpityos,
Centaurij minoris,
Stœchados,
Spicæ Celticæ,

Cala-

Calaminthæ,
Rutæ,
Menthæ,
Betonicæ,
Verbenæ,
Scabiosæ,
Cardui benedicti,
Melissophylli, ana drachmam vnam semis.
Dictamni Cretici drachm. tres.
Maioranæ,
Hyperici,
Schœnanthi,
Marrhubij,
Galegæ,
Sabinæ,
Pimpinellæ, ana drachmas duas.
Caricarum pinguium,
Iuglandium,
Pistaciorum, ana vncias tres.
Myrobalanorum Emblicarum vnciam dimidiam.
Flor. Violarum,
Borraginis,
Buglossi,
Rosarum,
Lauendulæ,
Saluiæ,
Rorismarini, ana scrupul. quatuor.
Croci drachmas tres.
Casiæ ligneæ drachmas decem.
Caryophyllorum,
Nucis Moschatæ,
Macis, ana drachmas duas semis.
Piperis nigri,
longi,
Santalorum omnium,
Ligni Aloes, ana drachm. vnam semis.
Rasuræ Cornu Cerui vnciam dimidiam.
Vnicornu, vel eius loco Lapidis Bezoartici drachmam vnam.
Ossis è Corde Cerui,
Rasuræ Eboris,
Virgæ Ceruinæ,
Castorij, an. scrupulos quatuor.
Terræ Lemniæ drachmas tres.
Opij drachmam vnam semis.
Perlarum Orientalium,
Fragmentorum Smaragdi,
Hyacinthi,
Corallij rubri, ana drachm. vnam semis.
Camphoræ drachmas duas.
Gum. Arabici,
Mastiches,
Thuris,
Styracis,
Terebinthinæ,
Sagapeni,
Opopanacis.
Laserpitij, siue Myrrhæ, ana drachmas duas semis.
Moschi odorati,
Ambræ griseæ, ana drachmam vnam.
Olei Vitrioli vnciam dimidiam.
Specierum Cordialium Temperatarum,

tarum,
Diamargaritôn,
Diamoſchi,
Diambræ,
Electuarij de Gemmis,
Trochiſcorum de Camphora,
de Scilla, ana drachmas duas ſemis.
Trochiſcor. de Vipera vncias duas.
Succorum Acetoſæ,
Sonchi,
Scordij,
Ecchij,
Borraginis,
Meliſſophylli, an. libram dimidiam.
Hypociſtidis drachmas duas.
Theriacæ electæ,
Mithridatij optimi, ana vncias ſex.
Vini antiqui odorati libras tres.
Sacchari optimi, vel
Mellis electiſſimi libras octo & vncias ſex.

Ex his omnibus ſummâ diligentiâ, & arte conquiſitis, mundatis, & electis, fiat Electuarium eodem modo, quo componitur Theriaca aut Mithridatium.

DIASCORDIVM *FRACASTORII.*

℞ Cinnamomi.
Caſiæ ligneæ, an. vnciam dimidiam.
Scordij veri vnciam vnam.
Dictamni Cretici,
Tormentillæ,
Biſtortæ.
Galbani,
Gum. Arabici, ana vnciam dimidiam.
Opij drachmam vnam ſemis.
Styracis Calamitæ drachmas quatuor ſemis.
Semin. Acetoſæ drachmam vnam ſemis.
Gentianæ vnciam dimidiam.
Boli Armeni vnciam vnam ſemis.
Terræ Sigillatæ Lemniæ vnciã dimidiam.
Piperis longi,
Zingiberis, an. drachmas duas.
Mellis albi deſpumati libras duas ſemis.
Conſeruæ Roſarum libram vnam.
Vini Canarini Aromatici libram dimidiam.
fiat Electuarium ſ. a.

MYTHRIDATIVM, *DAMOCRATIS.*

℞ Myrrhæ Arabicæ,
Croci,
Agarici,
Zingiberis,
Cinnamomi,
Spicæ Nardi,
Thuris,
Sem. Thlaſpeos, an. drach. decẽ.
Seſeleos,
Opobalſami, ſeu ol. Nuc. Moſc.
per

per expreſſ.
Iunci odorati,
Stœchados,
Coſti veri,
Galbani,
Terebinthinæ,
Piperis longi,
Caſtorei pontici,
Succi Hypociſtidos,
Styracis optimæ,
Opopanacis,
Folior. Malabathri recentium, vel in eius defectu, Macis, ana vnciam vnam.
Caſiæ Ligneæ veræ,
Polij,
Piperis albi,
Scordij,
Sem. Dauci Cretici,
Carpobalſami, vel Cubebarum.
Trochiſc. Cypheos,
Bdellij, ana drachmas ſeptem.
Nardi Celticæ purgatæ,
Gummi Arabici,
Sem. Petroſelini Macedonici,
Opij,
Cardamomi minoris,
Sem. Fœniculi,
Gentianæ,
Folior. Roſarum rubrarum,
Dictamni Cretenſis, ana drachmas quinque.
Sem. Aniſi,
Aſari,
Acori, ſeu Calami Aromatici,
Ireos,
Phu maioris,
Sagapeni, an. drachmas tres.
Mei Athamantici,
Acaciæ,
Ventrium Scincorum,
Summit. Hyperici, ana drachm. duas ſemis.
Vini quantum ſufficit ad ſolutionem gummi & ſuccorum,
Mellis deindè triplum ad omnia, præter vinum.

PHILONIVM PERSICVM, MES.

℞ Piperis albi,
Hyoſcyami albi, ana drachm. viginti.
Opij,
Terræ Lemniæ, ana drachmas decem.
Lapid. Hæmatitæ præp.
Croci, ana drachmas quinque.
Caſtorei,
Spicæ Indicæ,
Euphorbij,
Pyrethri,
Margaritarum,
Succini,
Zedoariæ,
Doronici,
Trochiſc. Ramich, ana drach. vnam.
Camphoræ ſcrupulum vnum.
Mellis roſati optimi triplum. Miſce: fiat Electuarium ſecundùm artem.

PHILONIVM ROMANVM, *NICOLAI.*

℞ Piperis albi,
Sem. Hyoſcyami albi,ana.drach. quinque.
Opij drachmas duas ſemis,
Caſiæ ligneæ drachmam vnam ſemis.
Semin. Apij drachmam vnam.
Petroſelini Macedonici, veri,
Fœniculi,
Dauci Cretici, ana ſcrupul. duos, grana quinque.
Croci ſcrupulum vnum ſemis.
Spicæ Indicæ,
Pyrethri,
Zedoariæ, ana grana quindecim.
Cinnamomi drachmam vnam ſemis.
Euphorbij,
Myrrhæ,
Caſtorei, an. drachm. vnam.
Mellis deſpumati pondus triplum.
Miſce: fiat Electuarium ſ.a.

ELECTVARIVM DE OVO, *MAXIMILIANI IMPER.*

℞ Ouum gallinæ recens, & extracto albumine, paruo foramine facto impleatur vacuum Croco optimo non pulueriſato, relicto intùs vitello. Poſteà cum alio putamine rurſum obturetur, & lento igne, vel ad fornacem, tamdiù aſſetur, donec tota teſta oui incipiat nigreſcere, diligenter attēdēdo, ne Crocus comburatur (alioqui corrumpit totum medicamentum) Exempta materia exiccetur, vt minutiſſimè poſſit contundi, & in puluerem redigi, addatur pulueris Sinapeos albi quantum prædicta omnia ponderant. Deinde
℞ Puluer. Radic. Dictamni albi, ſiue Fraxinellæ,
Tormentillæ, ana drachmas duas.
Myrrhæ,
Cornu Ceruini,
Radic. Petaſitæ, ana drachmam vnam.
Radic. Angelicæ,
Pimpinellæ,
Granor. Iuniperi,
Zedoariæ,
Camphoræ, ana vnciam dimidiam.
Miſceantur vniuerſa ſimul in mortario, & adiiciatur denique Theriaca optima ad pondus omnium: & iterum piſtillo benè miſceantur per tres fermè horas ſemper agitando, & affundendo Syrupi limonum, q. ſ. donec fiat Electuarium ſ. a.

REQVIES

REQVIES,
NICOLAI.

℞ Roſarum rubrarum ab vnguibus purgatarum,
Flor. Violarum purpurearum ana drachmas tres.
Opij Thebaici vino ſoluti,
Sem. Hyoſcyami albi,
Papaueris albi,
nigri,
Cortic. Radic. Mandragoræ,
Sem. Scariolæ, ſiue Intybi,
Portulacæ,
Lactucæ ſatiuæ,
Pſyllij,
Spodij vel Antiſpodij ex Ebore vſto,
Gum. Tragacanthi, ana ſcrupulos duos, & grana quinque.
Nucis Moſchatæ,
Cinnamomi,
Zingiberis, ana drachmam vnam ſemis.
Santali citrini,
albi,
rubri, ana drachm. vnam ſemis.
Sacchari in aqua roſacea diſſoluti triplum, miſce, fiat Electuarium ſecundùm artem.

THERIACA ANDROMACHI.

℞ Trochiſcorum Scilliticorum drachmas quadraginta octo.
Trochiſcorum è Viperis,
Piperis longi,
Opij Thebaici,
Magmatis Hedychroi ſicci, ana drachmas viginti quatuor.
Roſarum ſiccarum, reſectis vnguibus,
Iridis Illyricæ odoræ,
Succi Glycyrrhizæ,
Sem. Napi dulcis.
Comarum Scordij,
Opobalſami,
Cinnamomi,
Agarici, ana drachmas duodecim.
Myrrhæ,
Coſti odorati ſeu Zedoariæ,
Croci,
Caſiæ ligneæ veræ,
Nardi Indicæ,
Schœnanthi,
Piperis albi,
nigri,
Thuris maſculi,
Dictamni Cretici,
Rhei,
Stœchados,
Marrhubij,
Sem. Petroſelini Macedonici,
Calaminthes ſiccæ,
Terebinthinæ,
Radic. Pentaphylli,
Zingiberis, ana drachm. ſex.
Comarum Polii Cretici,
Chamæpityos,
Nardi Celticæ,
Amomi,

Styracis Calamitæ,
Radic. Mei,
Com. Chamædryos,
Rad. Phu Pontici,
Terræ Lemniæ,
Folior. Malabathri,
Chalcitidis assæ, vel eius loco Chalcanthi Romani vsti.
Radic. Gentianæ,
Gum. Arabici,
Succi Hypocistidis,
Carpobalsami, vel Nucis Moschatæ, vel Cubebarum;
Sem. Anisi frict.
Cardamomi,
Sem. Fœniculi,
Seseleos,
Acaciæ, vel eius loco, succi inspissati Prunellorum acerborum.
Sem. Thlaspeos,
Summitatum Hyperici,
Sem. Ammeos,
Sagapeni, ana drach. quatuor.
Castorei,
Radic. Aristolochiæ longæ,
Bituminis Iudaici,
Sem. Dauci,
Opopanacis,
Centaurij minoris,
Galbani pinguis, ana drach. duas.
Vini antiqui Canarini q. s. quo dissoluantur simplicia humida & liquabilia.
Mellis optimi triplum ad pondus specierum aridarum, Misce secundùm artem.

THERIACA LONDINENSIS.

℞ Cornu Ceruini limâ derasi vncias duas.
Sem. Citri,
Oxalidis,
Pœoniæ,
Ocimi, an. vnciam vnam;
Scordij,
Corallinæ, ana drach. sex.
Radic. Angelicæ,
Tormentillæ,
Pœoniæ,
Folior. Dictamni,
Baccar. Iuniperi,
Lauri, ana vnciam dimidiam.
Florum Calendulæ,
Caryophyllorum, seu Vetonicæ rubræ.
Anthos,
Summitat. Hyperici,
Nucis Moschatæ,
Croci, ana drachmas tres.
Radic. Gentianæ,
Zedoariæ,
Zingiberis,
Macis,
Myrrhæ,
Folior. Scabiosæ,
Succisæ,
Cardui benedicti, ana drachmas duas.
Caryophyllorum,

Opij, ana drachmam vnam.
Vini Canarinij quantum ſatis. Mellis triplum. Miſce ſecundùm artem.

BENEDICTA LAXATIVA, *NICOLAI.*

℞ Turpeti electi drachmas decem.
Diagridij,
Cort. Radic. Eſulæ præparatæ,
Hermodactylorum,
Roſarum rubrarum,ana drachmas quinque.
Caryophyllorum,
Spicæ Nardi,
Zingiberis,
Croci,
Saxifragiæ veræ,
Piperis longi,
Amomi, vel eius defectu Calami aromatici,
Cardamomi minoris,
Semin. Apij,
Petroſelini,
Carui,
Fœniculi,
Aſparagi,
Ruſci,
Milij Solis,
Salis gemmei,
Galangæ,
Macis, ana drachmam vnam.
Mellis deſpumati triplum; fiat Electuarium ſecundùm artem. Poſſunt etiam ſpecies per ſe in officinis commodè reſeruari.

CARYOCOSTINVM, *Bayr. è Gal.*

℞ Caryophyllorum.
Coſti candidi, ſeu Zedoariæ,
Zingiberis,
Cymini, ana drachmas duas,
Hermodactylorum,
Diagrydij, ana vnciam dimidiam.
Mellis deſpumati in vino albo duplum. Miſce, fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA PRO CLYSTERIBVS, *AVG.*

℞ Foliorum Violariæ,
Maluæ,
Mercurialis,
Betæ,
Parietariæ,
Flor. Violarum, ana manipul. vnum.
Fiat decoctio in ſufficienti quantitate aquæ,cuius beneficioCaſſia extrahatur; & Cannæ eius interius lauentur, deinde
℞ Caſſiæ cum hac decoctione extractæ, & ad conſiſtentiam coctæ, libram vnam.
Sacchari libram vnam ſemis. Coquantur ad perfectionem ſecundùm artem.

ELECTVARIVM AMARVM MAGISTRALE MAIVS.

℞ Agarici albiſſimi,
Turpeti electi,
Specier. Hieræ ſimp. Galen.
Rhabarbari optimi, ana drach. vnam.
Aloes electæ, illotæ, drachm. duas.
Zingiberis,
Cremoris Tartari, an. ſcrupulos duos.
Iridis Florentinæ,
Farinæ Semin. Fœniculi dulcis ana ſcrupulum.
Syrupi Roſarum ſolutiui q. ſ.
Fiat Electuarium amarum.

ELECTVARIVM AMARVM MINVS.

℞ Epithymi ſemunciam.
Radic. Angelicæ drachmas tres.
Gentianæ,
Zedoariæ,
Acori, ana drachmas duas.
Cinnamomi ſeſquidrachmam.
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Croci, ana drachmam vnam.
Aloes vncias ſex.
Cum ſyrupo Fumariæ,
Scabioſæ,
Saccharo, ana q. ſ.
Fiat Electuarium molle, ſ. a.

DIACASSIA CVM MANNA.

℞ Prunorum Damaſcenorum vncias duas.
Florum Violarum manipul. vnum ſemis.
Aquæ fontanæ libram vnam ſemis.
Bulliant ſecundùm artem ad medietatis conſumptionem. In colatura diſſolue,
Pulpæ Caſſiæ vncias ſex.
Sacchari violati,
Syrupi violati, ana vncias quatuor.
Pulpæ Tamarindorum vnciam vnam.
Sacchari candi vnciam vnam ſemis.
Mannæ optimæ vncias duas.
Commiſceantur, & fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA SINE FOLIIS SENNÆ.

℞ Prunorum numero duodecim.
Florum Violarum manipul. vnum.
Hordei mundati,
Sem. Aniſi,
Carthami,
Polypodij quercini, ana drach. quinque.

Capil-

Capillorum Veneris.
Thymi,
Epithymi, ana ſcrupul. ſemis.
Paſſularum mundatarum ab acinis vnciam dimidiam.
Sem. Fœniculi drach. duas.
Portulacæ,
Maluæ, ana drachm. tres.
Glycyrrhizæ vnciam dimidiã.
Fiat horum decoctio in ſufficienti quantitate aquæ; colentur; & in colatura diſſolue
Pulpæ Caſſiæ libras duas,
Tamarindorũ vnciam vnam.
Cinnamomi drachmas tres.
Sacchari optimi libram vnam.
Coquantur ad perfectionem ſ. a.

CASSIA EXTRACTA CVM FOLIIS SENNÆ.

℞ Electuarij Caſſiæ extractæ ſine foliis Sennæ libras duas.
Pulueris folior. Sennæ vncias duas.
Miſce ſecundùm artem.

DIACARTHAMVM, Seu DIACNICVM, *ARNOLDI DE VILLA.*

℞ Specierum Diatragacanthi frigidi vnciam dimidiam.
Pulpæ Cydoniorum conditorum vnciam vnam.
Pulpæ Sem. Carthami vnciam dimidiam.
Zingiberis albi drach. duas.
Diagrydij per ſe triti drachmas tres.
Turpeti albi drachmas ſex.
Mannæ granatæ vncias duas.
Mellis Roſati colati ſolutiui,
Sacchari Candidi, ana vnciam vnam.
Hermodactylorum vnciam dimidiam.
Sacchari albiſſimi vncias decem ſemis.
Fiat Electuarium liquidum ſecundùm artem.

DIAPHOENICVM *MES. iuxtà FERN.*

℞ Pulpæ Palmularum mundatarum ex hydromelite coctæ & cribro cretæ.
Penidiorum recentium, an. libram dimidiam.
Amygdalarum dulcium expurgatarum vncias tres ſemis.
Contuſis & permiſtis omnibus adde,
Mellis deſpumati libras duas.
Paulùm coquantur ac deinde inſperge,
Zingiberis,
Piperis,
Macis,
Cinnamomi,
Fol. Rutæ ſiccorum,
Sem. Fœniculi,
Dauci, ana drachm. duas.
Turpeti tenuiſſimè triti vncias quatuor.

Diagrydij vnciam vnam ſemis.
Fiat Electuarium ſ.a.

DIAPRVNVM SIMPLEX, RECTIVS LENITIVVM, *NICOL.*

℞ Pruna Damaſcena recentia & matura numero centum.
Coquantur in ſ.q. aquæ donec tabeſcant. Pulpa per cribrum trajiciatur & reſeruetur. In percolato iure incoque clementiùs.
Florũ Violarum vnciam vnã, & incolatura diſſolue,
Sacchari libras duas, &
Coque in Syrupum ; deinde adde
Pulpæ prædictæ & per ſe inſpiſſaæt, libram vnam,
Medullæ Caſſiæ,
Tamarindorum, ana vnciam vnam.
Tu permiſce pulueres ſequentes,
Santali Albi,
Rubri,
Spodij,
Rhabarbari, ana drachmas tres.
Roſarum,
Violarum,
Sem: Portulacæ,
Scariolæ,
Berberis,
Tragacanthæ,
Glycyrrhizæ,
Cinnamomi, ana drachmas duas.
Semin. quatuor frigidorum maiorum, ana drachmam vnam.
Fiat Electuarium ſecundùm artem.

DIAPRVNVM SOLVTIVVM, *NICOLAI.*

℞ Diapruni Lenitiui adhuc recentis & calidi libras quatuor.
Scammonij præparati vncias duas & drachmas quinque.
Miſce, fiat Electuarium ſecundùm artem.
Cum in hoc medicamento Scammonij doſis ſit aucta ſecundùm authorem, minori pondere exhiberi poterit.

DIACATHOLICON, *NICOLAI.*

℞ Pulpæ Caſſiæ,
Tamarindorum,
Folior. Sennæ, ana vncias duas.
Polypodij,
Violarum,
Rhabarbari,
Sem. Aniſi,
Penidiorum,
Sacchari candi, ana vnciam vnam.
Glycyrrhizæ raſæ,
Sem. Cucurbitæ,
Citruli,
Cucumeris,
Melonum, ana drachmas duas.
Conterenda conterantur, & ſume

Poly-

Polypodij recentis vncias tres.
Sem. Fœniculi drach. ſex.
Fiat decoctio in libris quatuor aquæ pluuialis vel communis ad tertiæ partis conſumptionem, colentur & colaturæ adde
Sacchari optimi libras duas.
Coquantur iterùm cum pulpis Caſſiæ & Tamarindorum, & in fine additis reliquis puluerizatis, fiat Electuarium ſ. a.

DIACROCVMA SIVE SPECIES ELECTVARII DE CROCO.

MES.

℞ Croci,
Radic. Aſari,
Semin. Petroſelini,
Dauci,
Aniſi,
Apij, an. vnciã dimidiã.
Rhabarbari,
Radic. Mei,
Spicæ Indicæ, ana drachmas ſex.
Caſiæ ligneæ veræ,
Coſti,
Myrrhæ,
Schœnanthûs,
Cubebarum,
Radic. Rubiæ,
Succ. Abſinthij, &
Agerati, inſpiſſatorum,
Opobalſami, ſeu Olei Nucis Moſchatæ, an. drach. duas.
Cinnamomi.
Calami Aromatici, an. drach. vnam.
Scordij,
Ceterach,
Succi Glycyrrhizæ, an. drach. duas ſemis.
Tragacanthi drachm. vnam.
Fiat Electuarium cum octuplo Sacchari albi in aqua Endiuiæ ſoluti & clarificati ſ. a.

ELECTVARIVM DE CITRO SOLVTIVVM.

℞ Corticis Citri condîti,
Conſeruæ florum Violarum, Bugloſſi,
Pulueris Diatragacanthi frigidi,
Diagrydij, an. vnciam dimidiam.
Turpeti drachm. quinque.
Zingiberis drach. dimidiam.
Folior. Sennæ drach. ſex.
Sem. Fœniculi dulcis drachm. vnam.
Sacchari albiſſimi in aqua roſarum ſoluti, & ex arte cocti vncias decem.
Fiat Electuarium ſolidum ſecundùm artem.

ELECTVARIVM ELESCOPH.

MES.

℞ Scammonij,
Turpeti optimi, an. drach. ſex.
Cary-

Caryophyllorum,
Cinnamomi,
Zingiberis,
MyrobalanorumEmblicarum,
Nucis Moſchatæ,
Polypodii, ana drachmas duas ſemis.
Sacchari vncias ſex.
Mellis deſpumati vncias decem.

Miſce, fiat Electuarium ſecundùm artem.

CONFECTIO HAMECH, *FERNELII.*

℞ Corticis Myrobalanorum citrinarum vncias duas.
Myrobalan. Chebularum,
Nigrarum.
Violarum,
Colocynthidos.
Polypodii quercini, an. vnciam vnam ſemis.
Abſinthii,
Thymi, an. vnciam dimidiam.
Sem. Aniſi,
Fœniculi,
Flor. Roſarum rubrarum, ana drachmas tres.

Tuſa omnia macerentur per diem in ſeri lactis libris duabus, deinde coquantur ad libram vnã, fricentur manibus, & exprimantur, Colatis adde
Succi Fumariæ,
Pulpæ prunorum, &
Vuarum paſſularũ, ana libram dimidiam.
Sacchari albi,
Mellis deſpumati, ana libram vnam.

Coquantur ad Mellis craſſitiem, inſpergendo ſub finem,
Agarici trochiſcati,
Sennæ, trirotum, ana vncias duas.
Rhabarbari triti vnciam vnam ſemis.
Epythymi vnciam vnciam.
Diagrydij drach. ſex.
Cinnamomi vnciam dimidiã.
Zingiberis drachmas duas.
Sem. Fumariæ,
Aniſi,
Spicæ Nardi, ana drachmam vnam.

Fiat Electuarium ſ. a.

ELECTVARIVM INDVM MINVS, *MES.*

℞ Turpeti,
Sacchari, an. drachmas centum.
Macis,
Piperis,
Zingiberis,
Caryophyllorum,
Cinnamomi,
Cardamomi,
Nucis Moſchatæ, ana drachmas ſeptem.
Cinnamomi præparati drachm. duodecim.

Miſce cum Mellis deſpumati triplo, ad reliqua præter Saccharum, fiat

fiat Electuarium ſ. a.

ELECTVARIVM LENITIVVM.

℞ Paſſularum enucleatarum.
Polypodij quercini,
Sennæ Orientalis, ana vncias duas.
Mercurialis manipul. vnum ſemis.
Iuiubarum,
Sebeſten, ana numero viginti.
Capillorum Veneris,
Violarum,
Hordei mundi, ana manipul. vnum.
Prunorum Damaſcenorum enucleatorum,
Tamarindorum, ana drachm. ſex.
Glycyrrhizæ vnciam dimidiã.
Coquantur ſ. a. colentur; in colatura diſſolue
Pulpæ Caſſiæ fiſtularis,
Tamarindorum,
Prunorum recentium,
Sacchari violati, ana vncias ſex.
Sacchari optimi libras duas.
Vltimo adde pulueris Sennæ vnciam vnam ſemis, pro qualibet libra Electuarij.
Sicque in formam redigantur ſ. a.

ELECTVARIVM PASSVLATVM.

℞ Polypodij quercini vncias tres.
Foliorum Sennæ,
Radic. Althææ recentium, ana vncias duas.
Sem. Aniſi drachmas duas.
Omnia infundantur in aqua fontana q. ſ. in vaſe vitreato, & coquantur ſ. a. deinde fiat expreſſio, Colaturæ adde,
Pulpæ paſſularum per ſetaceum tranſmiſſarum libram dimidiam.
Sacchari albi,
Mannæ, ana vncias quatuor.
Coquantur rurſus ad Cydoniati craſſitudinem, quater in anno renouetur.

ELECTVARIVM è SVCCO ROSARVM;
NICOL. MYREPS.

℞ Sacchari,
Succi Roſarum rubrarum, ana libram vnam & vncias quatuor.
Trium Santalorum, an. drach. ſex.
Spodij drachmas tres.
Diagrydij drachmas duodecim.
Camphoræ ſcrupulum vnum.
fiat Electuarium ſ. a.
Succus cum Saccharo coquatur ad iuſtam conſiſtentiam, dein addantur tritæ ſpecies.

ELEC.

ELECTVARIVM REGINÆ COLONIENS.

℞ Sem. Saxifragiæ,
Milij Solis,
Suc. Glycyrrhizæ, ana ſemunciam.
Sem. Carui,
Aniſi,
Apij,
Fœniculi,
Petroſelini Macedonici,
Geniſtæ,
Dauci,
Ruſci,
Aſparagi,
Leuiſtici,
Cymini,
Iuniperi,
Rutæ,
Sileris montani,
Radic. Acori veri,
Pulegij,
Pentaphylli,
Bacc. Lauri, ana drach. duas.
Spicæ Indicæ,
Schœnanthûs,
Peucedani,
Valerianæ,
Carabes,
Lap. Lyncis, ana ſeſquidrachmam.
Galangæ,
Zingiberis,
Turpeti, ana drachmas duas.
Sennæ Alex. vnciam vnam.
Sanguinis Hirci præparati ſemunciam.
Miſce: fiat Puluis; inde Electuarium ſecundùm artem, cum ſacchari in vino albo ſoluti triplo.

HIERA PICRA SIMPLEX, GALENI.

℞ Cinnamomi,
Xylobalſami, ſeu Ligni Aloes,
Aſari,
Spicæ Nardi,
Maſtiches,
Croci, ana drachmas ſex.
Aloes (non lotæ) vncias duodecim ſemis.
Mellis deſpumati libr. quatuor & vncias tres.
Miſce, fiat Electuarium, ſ. a.

Species etiam per ſe reſeruantur in officinis.

HIERA CVM AGARICO.

℞ Specierum Hieræ ſimplicis ſine Aloe,
Agarici trochiſcati, ana vnciam dimidiam.
Aloes non lotæ, vnciam vnam.
Mellis deſpumati vncias ſex.
Miſce, fiat Electuarium ſ. a.

HIERA LOGADII, NIC. MYREPS.

℞ Pulpæ Colocynthidos,
Polypodij, ana drachmas duas.
Euphorbij,
Polij montani,

Sem.

Sem. Thymelææ, ana drachmam vnam ſemis & grana ſex.
Abſinthij,
Myrrhæ, ana drachmam vnam & grana duodecim.
Centaurij minoris,
Agarici,
Gum. Ammoniaci,
Folij, ſeu Macis,
Spicæ Nardi,
Scillæ præparatæ,
Diagrydij, ana drachmã vnam.
Aloes,
Comarum Thymi,
Chamædryos,
Caſiæ ligneæ,
Bdellij,
Marrubij, ana ſcrupulum vnũ & grana quatuordecim.
Cinnamomi,
Opopanacis,
Caſtorei,
Ariſtolochiæ longæ,
Trium Piperum,
Croci,
Sagapeni,
Petroſelini, ana drachmam ſemis.
Hellebori nigri, & albi, ana grana ſex.
Mellis deſpumati libram vnã ſemis.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſeruantur in officinis.

HIERA PACHII, Seu DIACOLOCYNTHIDOS,
NICOL. ALEX.

℞ Colocynthidos,
Agarici,
Chamædryos,
Marrubij,
Stœchados, ana drach. decem.
Opopanacis,
Sagapeni,
Sem. Petroſelini,
Rad. Ariſtolochiæ rotundæ,
Piperis albi, an. drachmas quinque.
Spicæ Nardi,
Cinnamomi,
Myrrhæ,
Folij,
Croci, ana drachmas quatuor.
Gũmi trita mortario, cribrata cætera, excipiantur Mellis deſpumati libris tribus, vnciis tribus, & drachmis quinque, vt fiat Electuarium ſ. a.

TRYPHERA MINOR,
FOENON. MES.

℞ Myrobal. { Chebularum, Belliricarum, Indarum, Emblicarum,
Nucis Moſchatæ, ana drachmas quinque.
Sem. Naſturtij,

Rad. Asari,
Origani Persici, seu Cretici Di-ctamni,
Piperis nigri,
Olibani,
Ammeos,
Zingiberis,
Tamarisci satiuæ,
Nardi Indicæ,
Schœnanthûs,
Cyperi rad. ana semunciam.
Limaturæ Chalybis præparat. drachmas viginti,
Myrobalani assentur modicùm butyro non salito: puluerisata reliqua amygdalino dulci oleo inuoluantur: demùm adjicito
Moschi electi drachmam vnam.
Mellis despumati triplex pondus.
Fiat Electuarium debitâ consistentiâ, secundùm artem.

TRYPHERA SOLVTIVA, *RENODAEI.*

℞ Diagrydij drachmas decem.
Turpeti optimi sesquivnciam.
Cardamomi minoris,
Caryophyllorum,
Cinnamomi,
Macis, ana drachmas tres.
Santali citrini,
Glycyrrhizæ rasæ,
Sem. Fœniculi dulcis, ana semvnciam.
Acori,
Schœnanthûs, ana drachmam.
Cortic. Citri condîti,
Rosarum, ana drachmas tres.
Violarum drachmas duas.
Penidiorum vncias quatuor.
Sacchari tabarzet selibram.
Mellis albissimi in succo Pomorum bene despumati libram vnam.
Fiat Electuarium s. a.

PILVLÆ

PILVLÆ.

PILVLÆ ALEPHANGINÆ SIVE AROMATICÆ, *MES. iuxtà RENOD.*

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moschatæ,
Macis,
Calami Aromatici,
Carpobalsami, aut sem. Angelicæ,
Schœnanthûs,
Ligni Aloes,
Santali Citrini,
Rosarum rubrarum,
Absinthij sicci, ana vnciam dimidiam.

Hæc crassiusculè trita, macerentur per horas duodecim in aquæ libris quatuor: Deinde igne lento bulliant ad tertiæ partis absumptionem, In colatura nutriatur

Aloes libra vna.

Tum absumptâ aqueâ humiditate super cineres calidos, aut in hypocausto, adde

Myrrhæ,
Masticheś, ana vnciam dimidiam.
Croci drachmas duas.
Syrupi de Absinthio q. s.
fiat Massa s. a.

ALOE ROSATA, *Hier. Fabr. ab Aquap.*

℞ Aloes Succotrinæ lucid. pulueriz. vncias quatuor.
Succi Rosarum Damasc. depurati libram vnam.

Misce, digere ad Solem vel in Balneo, dum exhalauerit omnis humiditas: id quater repetatur, paribus euaporatione, formâ, dosi. Massa in pyxidem reposita, in pilulas sit reducenda.

PILVLÆ DE ALOE, LOTA.
AVG.

℞ Aloes lotæ cum ſucco Roſarum pallidarum vnciam vnam.
Agarici Trochiſcati drachmas tres.
Maſtiches drachmas duas.
Specierum Diamoſchi dulcis drachmam dimidiam.
Syrupi è roſis pallidis q. ſ.
fiat Maſſa ſ. a.

PILVLÆ ASSAIRETH,
AVICEN.

℞ Specierum Hieræ picræ Galeni vnciam vnam.
Aloes vncias duas.
Maſtiches,
Myrobalanorum Citrinarum, ana vnciam dimidiam.
Cum Syrupo de Stœchade q. ſ.
Miſce, fiat Maſſa ſ. a.

PILVLÆ DE BDELLIO,
MES.

℞ Bdellij drachmas decem.
Myrobalan. { Belliricarum, Emblicarum, Nigrarum, ana drach. quinque.
Scoriæ ferri,
Sem. Porri, ana drachmas tres.
Conchulæ (Veneris) aduſtæ,
Corallij vſti,
Charabes, ana ſeſquidrachmã.
Margaritarum ſemunciam.
Infunde Bdellium in ſucco Porri.
Fiant Pilulæ, ſ. a. Cum Syrupo è ſucco Porri.

PILVLÆ DE EVPATORIO,
MES.

℞ Myrobalanorum Citrinarum,
Succi Eupatorij, i. Agerati,
Abſinthij, ana drachmas tres.
Rhabarbari drachmas tres ſemis.
Maſtiches drachmam vnam.
Croci, drachmam dimidiam.
Aloes optimæ drachmas quinque.
Syrupi è ſucco Endiuiæ q. ſ.
fiat Maſſa ſ. a.

PILVLÆ DE HIERA CVM AGARICO EX
AVGVST. MES.

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiſcati, ana vnciam dimidiam.
Aloes optimæ vnciam vnam.
Mellis roſati q. ſ.
fingantur in Maſſam ſ. a.

PILVLÆ IMPERIALES,
FERNELII.

℞ Aloes optimæ vncias duas.

Rha-

Rhabarbari electi vnciam vnã
semis.
Agarici trochiscati,
Folior. Sennæ mundatorum,
ana vnciam vnam.
Cinnamomi drachmas tres.
Zingiberis drachmas duas.
Nucis Moschatæ,
Caryophyllorum,
Spicæ Nardi,
Masticheș, ana drachmã vnam.
Cum Syrupo Violato subacta cogantur in Massam s.a.

PILVLÆ MASTICHINÆ, *FERNELII.*

℞ Masticheș vncias duas.
Aloes vncias quatuor.
Agarici trochiscati,
Pulueris Hieræ simplicis, ana
vnciam vnam semis.
Cum vino Maluatico cogantur
in Massam s.a.

PILVLÆ PESTILENTIALES. *RVFFI.*

℞ Aloes optimæ vncias duas.
Myrrhæ electæ,
Croci, ana vnciam vnam.
Excipiantur Syrupo ex succo Limonum. fiat Massa s.a.

PILVLÆ STOMACHICÆ, *MES.*

℞ Aloes drachmas sex.
Mastiches,
Rosarum rubrarum, ana drachmas duas.
Cum Syrupo Absinthij cogantur in Massam, s.a.

PILVLÆ DE SVCCINO, *ANDREAE AVRIFABRI,*

℞ Succini albi,
Mastiches, ana drachmas duas.
Aloes drachmas quinque.
Agarici drachmam vnam semis.
Aristolochiæ longæ drach. semis.
Syrupi ex Absinthio q. s.
Fiat Massa s. a.

PILVLÆ DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas
tres.
Myrobal. Citrinarum,
Trochis. Diarhodon, an. drach.
tres semi.
Succi Glycyrrhizæ,
Absinthij,
Mastiches, ana drachmam vnam.
Sem. Fœniculi,
Apij, ana semidrachmam.
Spec. Hieræ picræ simpl. Galeni drach. decem.
Excipe succo Fœniculi non depurato, & Melle q. s.
Fiat Massa.

PILVLÆ EX TRIBVS, *FERNELII.*

℞ Masticbes vncias duas.
Aloes vncias quatuor,
Agarici trochiscati,
Pulueris Hieræ simplicis, ana vnciam vnam semis.
Rhabarbari electi vncias duas.
Cinnamomi vnciam dimidiam.
Cum Syrupo è Cichorio fiat Massa s. a.

PILVLÆ DE AGARICO, *MES.*

℞ Agarici drachmas tres.
Radic. Ireos,
Mastiches,
Marrhubij, ana drachmam vnam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni vnciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachm. duas.
Myrrhæ drachmam vnam.
Sapæ q. s.
Fiat Massa s. a.

PILVLÆ AGGREGATIVÆ SIVE POLYCHRESTÆ, *MES.*

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana vnciá dimidiam.
Succ. Eupatorij, i. Agerati, & Absinthij inspissatorum, ana drachmas duas.
Diagrydij drachmas quinque.
Myrobal. { Chebularum, Indarum,
Agarici,
Colocynthidos,
Polypodij, ana drachmas duas.
Turpeti optimi,
Aloes, ana drachmas sex.
Mastiches,
Rosarum,
Salis gemmei,
Epithymi,
Anisi,
Zingiberis, ana drachm. vnã.
Cum Syrupo Rosarum pallidarum q. s. fiat Massa s. a.

PILVLÆ ARABICÆ *NICOLAI.*

℞ Aloes optimæ vncias quatuor.
Radic. Bryoniæ,
Myrobal. { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Mastiches,
Diagrydij,
Asari,
Rosarum, ana vnciam vnam.
Castorei drachmas tres.
Croci drachmam vnam.
Cum Syrupo Absinthij, fiat Massa

secundùm

ſecundùm artem.

PILVLÆ ARTHRITICÆ, *NICOLAI.*

℞ Hermodactylorum,
Turpeti,
Agarici,ana vnciam dimidiam.
Caſiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalſami, vel ligni Aloes,
Carpobalſami, vel Cubebarũ,
Macis,
Galangæ,
Zingiberis,
Maſtiches,
Aſæ fœtidæ,
Sem. Aniſi,
Fœniculi,
Saxifragiæ,
Aſparagi,
Ruſci,
Roſarum,
Milij Solis,
Salis gemmei, ana drachmas duas.
Scammonij vnciam vnam.
Aloes optimæ ad pondus omnium,
Succi ex Iua Arthritica inſpiſſati cum Sacchari q. ſ. vel Syrupi ex ſucco eiuſdem q. ſ. fiat Maſſa.

PILVLÆ AVREÆ, *NICOLAI.*

℞ Aloes,
Diagrydij, ana drachmas quinque.
Roſarum rubrarum,
Sem. Apij, ana drachmas duas ſemis.
Fœniculi,
Aniſi, ana drachmam vnam ſemis.
Maſtiches,
Croci,
Trochiſcorum Alhandal, ana drachmam vnam.

Trita excipiantur Mellis Roſacei colati q. ſ. fiat Maſſa ſecundùm artem.

PILVLÆ COCHIÆ, *RHASIS.*

℞ Specierum Hieræ Picræ Galeni drachmas decem.
Pulpæ Colocynthidos drachmas tres, & ſcrupulum vnum,
Diagrydij drachm. duas ſemis.
Turpeti,
Stœchados, ana drachm. quinque.
Syrupi de Stœchade q. ſ. fiat Maſſa ſ. a.

PILVLÆ COCHIÆ, CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul. Cort. Rad. Hellebori nigri vnciam vnam.
Cum Syrupo de Stœchade fiat Maſſa ſ. a.

PILVLÆ FOETIDÆ MAIORES,
MES.

℞ Sagapeni,
Ammoniaci,
Opopanacis,
Bdellij,
Colocynthidos,
Sem. Rutæ. agreſtis, vel ſiccæ hortenſ.
Aloes,
Epithymi, ana drach. quinque.
Turpeti vnciam dimidiam.
Scammonij drachmas tres.
Eſulæ præparatæ,
Hermodactylorum, ana drachmas duas.
Zingiberis drachmam vnam ſemis.
Cinnamomi,
Spicæ Indicæ,
Croci,
Caſtorei, an. drachmam vnam.
Euphorbij ſcrupulos duos.

Dilue gummi ſucco Porri, & finge Maſſam cum Syrupo facto è ſucco Porri & Saccharo ſ.a.

PILVLÆ DE FVMARIA,
AVICEN.

℞ Myrobal. { Citrinarum, Chebularum, Indarum,
Diagrydij, ana drachmas quinque.
Aloes drachmas ſeptem.

Trita omnia ter imbuantur ſucco Fumariæ, terque ſiccari ſinantur, ac demùm cogantur in maſſam cum ſyrupo de Fumaria ſ.a.

PILVLÆ DE HERMODACTYLIS MAIORES,
MES.

℞ Sagapeni drachmas ſex.
Opopanacis drachmas tres.

Liquentur in ſucco Braſſicæ calefacto q. ſ. & idoneo linteo tranſmittantur, deinde parum coquantur, Tum

℞ Hermodactylorum,
Aloes,
Myrobalanorum Citrinarum,
Turpeti,
Colocynthidos,
Bdellij mollis, ana drachmas ſex.
Caſtorei,
Sarcocollæ,
Euphorbij,
Sem. Rutæ ſylueſtris vel ſatiuæ,
Apij, ana drachmas tres.
Croci drachmam vnam ſemis.

Cum Syrupo è ſucco Caulium facto cum Melle fiat Maſſa ſ. a.

PILVLÆ INDÆ,
MES. ex HALY.

℞ Myrobalanorum Indarum,
Ellebori nigri,
Polypodij, ana drachmas quinque.

Epi-

Epithymi,
Stœchados, ana drachmas sex.
Agarici,
Lapidis Lazuli sæpius loti,
Troch. Alhandal.
Salis Indi, ana vnciam dimidiam.
Succi Eupatorij, i. Agerati inspissati,
Spicæ Indicæ, ana drachmas duas.
Caryophyllorum drachmam vnam.
Specierum Hieræ picræ simpl. Galeni drachm. duodecim.
Cum Syrupo è Succo Apij fiat Massa s. a.

PILVLÆ DE LAPIDE LAZVLI,
MES.

℞ Lapidis Lazuli sæpiùs loti drachmas quinque.
Epithymi,
Polypodij,
Agarici, ana vnciam vnam.
Scammonij,
Hellebori nigri,
Salis Indi, ana drachmas duas semis.
Caryophyllorum,
Sem. Anisi, ana vnciam dimidiam.
Hieræ picræ drachmas quindecim.
Cum Syrupo è succo Cichorij, fiat Massa s. a.

PILVLÆ LVCIS MAIORES,
MES.

℞ Rosarum,
Violarum,
Absinthij,
Colocynthidos,
Turpeti,
Cubebarum,
Calami Aromatici,
Nucis Moschatæ,
Spicæ Indicæ,
Epithymi,
Carpobalsami, vel cardamomi,
Xylobalsami, vel Ligni Aloes,
Sem. Seseleos,
Rutæ,
Anisi,
Fœniculi,
Apij,
Schœnanthûs,
Mastiches,
Radic. Asari,
Caryophyllorum,
Cinnamomi,
Casiæ ligneæ,
Croci,
Macis, ana drachmas duas.
Myrobal. { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Rhabarbari, ana vnciam dimidiam.
Agarici,
Sennæ, ana drachmas quinque.

Euphra-

Euphragiæ drachmas ſex.
Aloes Succotrinæ ad pondus omnium; confice cum Syrupo de ſucco Fœniculi, ſ. a.

PILVLÆ MECHOACANÆ, RENODAEI.

℞ Mechoacanæ vnciam dimidiã.
Turpeti drachmas tres.
Folior. Thymelææ in aceto maceratorũ & ſiccatorum.
Semin. Ebuli,
Agarici trochiſcati, ana drachmas duas.
Radic. Eſulæ præparatæ,
Maſtiches, ana drachmam vnam ſemis.
Macis,
Cinnamomi,
Salis gemmei, ana ſcrupulos duos.

Fiat omnium puluis; & cum Syrupo facto cum Saccharo & ſucco radicum Iridis fiat Maſſa pro Pilulis ſecundùm artem.

PILVLÆ RVDII.

℞ Colocynthidis drachmas ſex.
Agarici optimi,
Diagrydij,
Elebori nigri,
Turpeti, ana drachm. quatuor.
Aloes ſucco Citrini, vnciam vnam.
Specier. Diarhodon.
Abbatis vnciam ſemis.

Contundantur omnia (exceptis ſpecieb. Diarhod. Abbatis) craſſo modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita vt aqua vitæ ſuperemineat octo digit: Deinde infundantur quoq; ſpecies Diarhod. Abbat. in aqua vitæ ſimili modo per quatuor dies, & facta colatura atque expreſſione forti, vtriuſq; miſceantur illæ colaturæ, & (ferè abiecta) ponatur liquor in Alembicum vitreum, vt ſeparata (per diſtillationem) humiditate, remaneat materia denſa, vti mel ex quâ Pilulæ.

PILVLÆ SINE QVIBVS ESSE NOLO, NICOLAI.

℞ Aloes lotæ drachmas quatuordecim.
Myrobal. { Citrinarum, Chebularum, Belliricarum, Emblicarum, Indarum,
Rhabarbari,
Maſtiches,
Abſinthij,
Roſarum rubrarum,
Violarum,
Sennæ,
Agarici,
Caſſuthæ, ana drachmã vnam.
Diagrydii drachmas ſex ſemis.

Cum Syrupo ex ſucco Fœniculi facto

cto cum Melle, fiat Massa secundùm artem.

PILVLÆ EX ESVLA, *FERNELII.*

℞ Cortic. Radic. Esulæ minoris maceratæ horis viginti quatuor in aceto & succo Portulacæ, drachmas duas.
Grana Ricini expurgata, torrefacta, numero quadraginta.
Myrobalanorum citrinarum sesquidrachmam.
Chamædryos,
Chamæpityos,
Spicæ Nardi,
Cinnamomi, ana scrup. duos.
Trita tenuissimè excipiatur vnciâ vna Tragacanthæ aquâ Rosarum solutæ, Addito syr. Rosarum q. s. vt cogantur in massam s.a.

PILVLÆ EX EVPHORBIO, *MES.*

℞ Euphorbij,
Colocinthydos,
Agarici,
Bdellij,
Sagapeni, ana drach. duas.
Aloes drachmas quinque.
Cum Syrupo ex Succo Porri fiat massa s. a.

PILVLÆ DE OPOPANACE, *MES.*

℞ Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellij,
Ammoniaci,
Colocynthidos, ana drachmas quinque.
Croci,
Castorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
longi,
Casiæ ligneæ,
Myrobal. Citrinarum,
Belliricarum,
Emblicarum, ana drachmam vnam.
Scammonij drachmas duas.
Turpeti semunciam.
Aloes drachmas duodecim.
Infusis lachrymis in aqua Cauliū, formetur massa s. a. cum Syrupo ex Succo Caulium.

PILVLÆ TVRPETI AVREÆ, *MES.*

℞ Turpeti gummosi drachmas sedecim.
Aloes sesquiunciam.
Myrobalanorum citrinarum drachmas decem.
Rosarum rubrarum,
Mastiches, ana drachmas sex.
Croci drachmas tres.
E puluerizatis cum Syrupo Absinthij q. s. fiat massa.

PILVLÆ DE CYNOGLOSSO, *FERNELII.*

℞ Myrrhæ drachmas ſex.
Thuris maſculi drachm. quinque.
Opij,
Sem. Hioſcyami,
Radic. Cynogloſſi aridarum, ana vnciam dimidiam.
Croci,
Caſtorei, ana drachmam vnam ſemis.
Cum Syrupo ex Stœchade fiat Maſſa ſecundùm artem.

LAVDANVM.

℞ Opij Thebaici extracti in ſpiritu Vini vnciam vnam.
Croci ſimiliter extracti drachmam vnam ſemis.
Caſtorei drachmam vnam.
Excipiatur tincturâ ſemivnciæ ſpecierum Diambræ recentium in ſpiritu vini factâ.
Addendo (ex gratia) Ambræ griſeæ & Moſchi, ana grana ſex.
Olei Nucis Moſchatæ guttas decem.
Tum euaporatione factâ ad balnei calorem tepidum fiat Maſſa.

PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opij,
Cardamomi,
Caſtorei, ana vnciam dimidiam.
Piperis albi drachmam dimidiam.
Sapæ quantum ſufficit.
Fiat Maſſa ſecundùm artem.

PILVLÆ è STYRACE, *MES.*

℞ Styracis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opij, ana partes æquales:
Miſce, fiat maſſa pro pilulis cum ſufficienti quantitate Syrupi de Papauere ſecundùm artem.

TROCHIS-

TROCHISCI.

TROCHISCI DE ABSINTHIO, *MES.*

℞ Rosarum rubrarum,
Absinthij Pontici,
Anisi, ana drachmas duas;
Rhabarbari,
Succi Eupatorij, i. Agerati,
Asari,
Sem. Apij,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Mastiches,
Folii, vel Macis, ana drachmam vnam.
Succi Cichorij, q.s. fiant Trochisci secundùm artem.

TROCHISCI ALEXITERII, *RENODAEI.*

℞ Radic. Gentianæ,
Tormentillæ,
Ireos Florentinæ,
Zedoariæ, an. drac. duas,
Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Zingiberis drachmam vnam.
Radic. Angelicæ drachm. tres.
Sem. Coriandri præparatorum;
Rosarum, ana drachm. vnam.
Corticis Citri sicci drachmas duas.
Fiat omnium puluis subtilissimus & cum Succi Glycyrrhizæ vino Hippocratico parùm emolliti, & liquefacti, vnciis sex, fiat pasta mollis, de qua formentur Trochisci, vel potiùs Bacilli oblongi s. a.

TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

℞ Labdani puriss. triti vncias tres.

 Styracis

Styracis Calamitæ vnciam vnam semis.
Benzoini vnciam vnam.
Ligni Aloes drachmas duas.
Ambræ griseæ drachmā vnam.
Camphoræ drachmam dimidiam.
Moschi scrupulum dimidium.
Aquæ Rosarum q. s. Misce, fiant Trochisci, s. a.

TROCHISCI DE ANISO, *MES.*

℞ Anisi,
Succi Eupatorij, i. agerati inspissati, ana drachmas duas.
Sem. Anethi,
Spicæ Indicæ,
Mastiches,
Folij, vel Macis,
Folior. Absinthij,
Asari,
Apij,
Amygdalarum amararum, ana drachmam dimidiam.
Aloes drachmas duas.
Succi Absinthij q. s. fiant Trochisci. s. a.

TROCHISCI BECHICI ALBI, VEL ROTVLÆ PECTORALES.

℞ Sacchari albissimi libram vnā,
Sacchari candi albi,
Penidiorum, ana vncias quatuor.
Glycyrrhizæ drachmas sex.
Radic. Iridis Florentinæ vnciā dimidiam.
Amyli sesquivnciam.
Mucilaginis Tragacanthæ ex aqua Rosarum factæ, q. s.
Fiant Trochisci, & additis Moschi granis tribus, & Ambræ griseæ granis quatuor,
poterunt formari in Rotulas, quas vulgò vocant Rotulas Pectorales. Vel si visum fuerit sine Moscho aut Ambra.

TROCHISCI BECHICI NIGRI, *RHASIS.*

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas decem.
Tragacanthi,
Amygdalarum dulc. mundat. ana drachmas sex.
Mucilaginis Cydoniorum q. s.
Misce: fiant Trochisci, s. a.

TROCHISCI DE BERBERIS, *MES.*

℞ Berberorum Baccharum siccarum.
Succi Glycyrrhizæ,
Spodij,
Sem. Portulacæ, ana drachmas tres.
Rosarum rubrarum drach. sex.
Spicæ Indicæ,
Croci,

Amyli,
Tragacanthi, ana drachmam vnam.
Sem. Citruli drachmas tres semis.
Camphoræ drachmam dimidiam.
Confice cum Manna succo Berberorum diluta f. a.

TROCHISCI DE CAMPHORA, MES.

℞ Rosarum rubrarum drachmas quatuor.
Spodij,
Glycyrrhizæ, ana drachmas duas.
Sem. quatuor frigidorum maiorum.
Tragacanthæ,
Croci,
Gummi Arabici,
Spicæ Nardi Indicæ, ana drachmam vnam.
Santali Citrini drachmas duas semis.
Ligni Aloes,
Cardamomi maioris,
Amyli,
Camphoræ, an. scrupul. duos.
Sacchari albissimi,
Mannæ, ana drachmas tres.
Mucilaginis Sem. Psyllij cum aqua Rosarum factæ q. s. ad formandos Trochiscos.

TROCHISCI DE CAPPARIBVS, MES.

℞ Corticum radicum Capparum.
Sem. Agni Casti, ana drachmas sex.
Gum. Ammoniaci,
Sem. Nigellæ,
Calaminthæ,
Acori,
Succi Eupatorij, i. Agerati inspissati,
Amygdalarum amararum,
Folior. Rutæ,
Radic. Aristolochiæ rotundæ.
Sem. Nasturtij, ana drachmas duas.
Scolopendrij, id est, Ceterach,
Cyperi rotundi, ana drachmam vnam.
Ammoniaco in aceto acerrimo soluto pulueres cæteri misceantur, & formentur Trochisci f. a.

TROCHISCI CYPHEOS, DAMOCRATIS.

℞ Pulpæ vuarum passarum pinguium.
Therebinthinæ coctæ, ana vncias tres.
Myrrhæ,
Schœnanthûs, ana vnciam vnam semis.
Calami Aromatici drachmas nouem.
Cinnamomi vnciam dimidiam.

Vnguium Bdellij,
Spicæ Indicæ,
Caſiæ ligneæ,
Cyperi,
Baccarum Iuniperi, ana drachmas tres.
Aſpalathi, ſiue Ligni Aloes drachmas duas ſemis.
Croci drachmam vnam.
Mellis deſpumati q. ſ.
Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad craſſitudinem liquidi Mellis; poſteà Mel addatur, cum Pulpa Paſſul. contritum, poſtremò reliqua omnia læuigata, ſicque fiant Trochiſci ſ. a. ſiccentur in vmbra.

TROCHISCI DIARHODON.

MES.

℞ Folior. Roſarum rubrarum drachmas ſex,
Spicæ,
Ligni Aloes, ana drachmas duas.
Glycyrrhizæ drachmas tres.
Spodij drachmam vnam.
Croci drachmam dimidiam.
Maſtiches drachmas duas.

Cum vino albo fiant Trochiſci ſecundùm artem.

TROCHISCI DE EVPATORIO,

MES.

℞ Mannæ,
Succi Eupatorij, i. Agerati inſpiſſati, ana vnciam vnam.
Roſarum rubrarum vnciam dimidiam.
Spodij ex Ebore drachmas tres ſemis.
Spicæ Indicæ drachmas tres.
Rhabarbari,
Aſari,
Aniſi, ana drachmas duas.

Cum aqua Cuſcutæ fiant Trochiſci.

Manna autem cum ſucco eſt ſoluenda: deinde pulueres cæteri paulatim ſucco adijciantur: in vmbra exiccati reponantur.

TROCHISCI DE GALLIA MOSCHATA, *MES.*

℞ Ligni Aloes crudi drachmas quinque.
Ambræ griſeæ drachmas tres.
Moſchi drachmam vnam.

Cum Mucilagine Tragacanthæ extracta cum ſufficienti quantitate aquæ Roſarum, fiant Trochiſci, ſiccentur in vmbra.

TROCHISCI GORDONII.

℞ Semin. 4. frigidorum, {maiorũ, minorũ,} {mundatorum.}

Sem.

Sem. Papaueris albi,
Maluæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,
Gum. Tragacanthi,
Arabici,
Pinearum mundatarum,
Pistaciarum,
Sacchari Candi,
Penidiorum,
Glycyrrhizæ mundatæ,
Hordei mundati,
Mucilaginis Psyllij,
Amygdalarum dulcium, ana vnciam vnam.
Boli Armeni,
Sanguinis draconis,
Spodij,
Rosarum,
Myrrhæ, ana vncias duas.
Conficiantur cum Hydromelite.
Fiant Trochisci s. a.

TROCHISCI HEDYCHROI ANDROMACHI EX GALENO.

℞ Mari,
Asari,
Amaraci,
Aspalathi, siue Santali Citrini, ana drachmas duas.
Schœnanthûs,
Calami odorati,
Phu Pontici,
Xylobalsami, aut Ligni Aloes,
Opobalsami, aut olei Nucis Moschatæ per expressionem,
Cinnamomi,
Costi ana drachmas tres.
Myrrhæ,
Folij Malabathri vel Macis,
Nardi Indicæ,
Croci,
Casiæ ligneæ, ana drachm. sex.
Amomi, aut Cardamomi minoris, vnciam vnam semis.
Mastiches drachmam vnam.
Vini Hispanici optimi q. s.

Primùm Crocus puluerisatus in pila studiosè teratur cum Vino, deinde Myrrha & Mastiche probè trita adijciantur, dein Opobalsamum, postremò reliqua pulueris formâ inspergantur, simulq; permisceantur, vino subinde affuso, & tenues Pastilli formentur s. a. & in vmbra siccentur.

TROCHISCI HYSTERICI, RENODAEI.

℞ Asæ fœtidæ,
Galbani, ana drachmas duas semis.
Myrrhæ drachmas duas.
Castorei drachmã vnam semis.
Asari,
Aristolochiæ,
Sabinæ,
Matricariæ,
Nepetæ, ana drachmam vnam.
Dictamni drachmam dimidiam.

Cum ſucco aut decocto Rutæ fiant Trochiſci ſ. a.

TROCHISCI DE LACCA, MES.

℞ Laccæ mundatæ.
Succorum Glycyrrhizæ,
Eupatorij,(i)Agerati.
Abſinthij.
Berberorum.
Rhabarbari.
Ariſtolochiæ longæ,
Coſti,
Aſari.
Amygdalarum amararum.
Rubiæ tinctorum.
Aniſi,
Apij.
Schœnanthûs, ana drachmam vnam.

Cum decocto Ariſtolochiæ & Schœnanthûs, vel ſucco Eupatorij aut Abſinthij, fiant Trochiſci ſecundùm artem.

TROCHISCI DE TERRA LEMNIA, MES. ſec. FERN.

℞ Sanguinis Draconis,
Gummi Arabici aſſati,
Trochiſcorum Ramich,
Roſarum rubrarum.
Sem. Roſarum,
Amyli aſſati,
Spodij,
Acaciæ,
Hypociſtidis,
Lap. Hæmatitæ,
Balauſtiorum,
Boli Armeni,
Terræ Lemniæ,
Corallij rubri,
Succini,ana drachmas duas.
Margaritarum,
Tragacanthæ,
Sem. Papaueris nigri,an. drachmam vnam ſemis.
Sem. Portulacæ parum toſt.
Cornu Cerui vſti,
Thuris,
Nucum Cupreſſi,
Croci, ana drachmas duas.

Cum ſucco, aut aqua Plantaginis fiant Trochiſci ſ. a.

TROCHISCI è MYRRHA RHASIS.

℞ Myrrhæ drachmas tres.
Farinæ Lupinorum drachmas quinque.
Foliorum Rutæ,
Mentaſtri,
Pulegij,
Sem. Cymini,
Radic. Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis, ana drachmas duas.

Diſſoluantur gummi in aceto Scillitico, & cum ſucco Artemiſiæ fiant Trochiſci.

TRO-

TROCHISCI POLYDÆ SPHRAGIS, ANDROMACHI EX *GALENO.*

℞ Florum Mali Punici, id eſt, Balauſtiorum drachmas duodecim.
Aluminis Sciſſilis drach. tres.
Thuris.
Myrrhæ, an. vnciam dimidiam.
Chalcanthi drachmas duas.
Fellis Taurini drachmas ſex.
Aloes vnciam vnam.
Vini auſteri q. ſ. fiant Trochiſci ſecundùm artem.

PASTILLI ANDRONIS, *GALENI.*

℞ Cytinorum Balauſtior. drach. decem.
Chalcanthi drach. duodecim,
Gallæ omphacit,
Ariſtolochiæ,
Thuris, an. vnciam.
Aluminis Sciſſilis,
Myrrhæ ana ſemunciam.
Miſy, drachmas duas.
Cum vini auſteri heminis duabus fiant Trochiſci, ſ. a.

TROCHISCI MVSÆ, *GALEN.*

℞ Aluminis ſciſſi,
Aloes,
Chalcanthi,
Myrrhæ, ana drachmas ſex.
Crocomagmatis,
Croci, ana drachmas tres.
Cytinorum ſemunciam.
Vini odorati.
Mellis, ana q. ſ. vt formentur Paſtilli, ſ. a.

CROCOMAGMA DAMOCRATIS. *GALENI.*

℞ Croci drachmas centum,
Roſarum rubrarum,
Myrrhæ, ana drachmas quinquaginta,
Amyli,
Gummi, ana drachmas triginta.
Vini q. ſ. fiant Trochiſci, ſ. a.

TROCHISCI DE LIGNO ALOES, *MES.*

℞ Xyloaloes,
Roſarum rubr. ana drachmas duas.
Maſtiches,
Cinnamomi,
Caryophyllorum,
Nardi Indicæ,
Nucis Moſchatæ,
Cardamomi maioris,
minoris,
Cubebarum,
Galliæ Moſchatæ,
Paſtinacæ,
Cortic. Citri,

Macis, ana ſeſquidrachmam.
Ambræ griſeæ,
Moſchi, ana ſemiſcrupulum,
Cum Melle Paſſularum fiant Trochiſci.

TROCHISCI RAMICH, *MES.*

℞ Succi Acetoſæ vncias ſedecim.
Foliorum Roſarum rubrarum vnciam vnam.
Baccarum Myrti vncias duas.
ſemel ferueſiant & colentur, adde colatis
Gallarum recentium accuratè tritarum vncias tres.
Coque iterum aliquantiſper, deinde inſpergatur ſequentium ſpecierum minutiſſimus & optimè commixtus Puluis.

℞ Roſarum rubrarum vnciam vnam.
Santali Citrini drachmas decem.
Gummi Arabici vnciam vnam ſemis.
Sumach,
Spodij, ana vnciam vnam.
Granorum Myrti vncias quatuor.
Ligni Aloes,
Caryophyllorum,
Macis,
Nucis Moſchatæ, ana vnciam dimidiam.
Omphacij ſeu Agreſtæ drachmas ſeptem.

Miſce omnia ſimul, & extende in ſcutella lapidea, dum exiccentur, exiccata rurſus in tenuiſſimum puluerem terantur, & formentur Trochiſci parui cum Camphoræ drachma vna, & q. ſ. aquæ Roſarum, & Trochiſcos hos aromatizant Moſchi grana quindecim.

TROCHISCI DE ROSIS, *MES.*

℞ Roſarum rubrarum vnciam dimidiam.
Ligni Aloes drachmas duas.
Maſtiches drachmam vnam ſemis.
Abſinthij Rom.
Cinnamomi,
Nardi Indicæ,
Caſiæ ligneæ,
Schœnanthûs, ana drachmam vnam.
Vini veteris, & decocti quinque radicum aperitiuarum an. q.ſ. fiant Trochiſci ſ. a.

TROCHISCI DE SCILLA, *GALENI.*

Scillam initio Iulij collectam mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore, cui radiculæ adhærent abiecta, farinâ tritici ſubactâ inuolues, & eouſque in clibano coques, donec farina probè ſiccata

cata ſit,& ea perforata,ſtilo ligneo (vel potiùs feſtucâ) tentabis an Scilla vndique tenera ſit. Eâ exemptâ, ipſam in mortario diligenter teres, cui admiſcebis farinæ Erui albi, vel eius loco Ciceris rubri tenuiſſimè cribrati vncias octo ad ſingulas Scillæ libras, & formabis in Trochiſcos ponderis drachmarum duarum (manibus roſaceo inunctis) & ſiccabis in ſuperiore parte ædium meridiem ſpectante, in vmbra, ſæpiùs obvertendo, donec probè ſiccati ſint, deinde repone in vaſe ſtanneo puro, vel vitreo vitatis plumbis.

TROCHISCI DE SPODIO, MES.

℞ Roſarum rubrarum drachmas duodecim.
Spodij drachmas decem.
Sem. Acetoſæ drachmas ſex.
Portulacæ.
Coriandri in aceto maceratorũ & torrefactorum.
Pulpæ Sumach, ana drachmas duas ſemis.
Amyli toſti,
Balauſtiorum.
Berber. ana drachmas duas.
Gummi Arabici aſſati drachm. vnam ſemis.
Agreſtæ q. ſ. fiat Trochiſci.

TROCHISCI DE SANTALIS MAI. MES.

℞ Santalorum trium, ana vnciam
Sem. Cucumeris,
Cucurbitæ,
Citruli,
Portulacæ,
Spodij, ana ſemunciam.
Roſarum drachmas ſeptem.
Succi Berber. drachmas ſex.
Boli Armeni drachm. quatuor.
Camphoræ drach. vnam.
Cum aqua Portulacæ fiant Trochiſci.

TROCHISCI DE VIPERA ANDROMACHI EX GALENO.

℞ Carnis Viperinæ detractâ cute, exemptis interaneis & adipe, abiectis capitibus & caudis, cum Anetho, ſale pauco & aquâ coctæ vnciar octo.
Panis tritici puriſſimi, aut potiùs biſcocti triti & cribrati vncias duas.
Formentur Trochiſci, cum iure in quo decoctæ fuerint carnes Viperinæ, ſi opus ſit liquore, & inungantur Opobalſamo vel Oleo Nucis Moſchatæ per expreſſionẽ. Siccentur loco vmbroſo libero, ventoque perflabili per dies quindecim, aut eo ampliùs, ſæpe autem ſunt conuertendi, donec pro-

bè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitreatam, benè obturatam reponendi. Annũ integrum perſeuerent, quanquam longè meliùs fuerit haud multo poſtquam ipſos confeceris Theriacam adornare. Qui porro diutiùs conſeruare velit, ſubinde eos à puluiſculo abſtergat, qui illis obnaſci conſueuit, qui ſi diutiùs inhæreat Paſtillos perforabit; hoc modo conſeruari poſſunt integri ad tertium annum.

TROCHISCI VITICIS Siue AGNI CASTI, *RENODAEI.*

℞ Sem. Viticis, ſeu Agni caſti,
Lactucæ,
Roſarum,
Balauſtiorum, ana drachmam vnam.
Scobis Eboris,
Electri, ana drachmam vnam ſemis.
Boli Armeni in Aquâ Centinodij loti drachmas duas.
Sem. Plãtaginis ſcrup. quatuor.
Saſſafras ſcrupulos duos.
Cum Mucilagine ſem. Cydoniorum in Aqua Nenupharis extracta fiant Trochiſci ſ. a.

TROCHISCI ALBI, *RHASIS.*

℞ Ceruſſæ aquâ Roſarum lotæ drachmas decem.
Sarcocollæ craſſioris drachmas tres.
Amyli drachmas duas.
Gum. Arabici,
Tragacanthi, ana drachmam vnam.
Caphuræ,
Opij, ana drachm. dimidiam.
Lacte excipiantur ſingula, & fiant Trochiſci ſ. a.

Parari etiam poſſunt hi Trochiſci ſine Opio.

TROCHISCI ALKAKENGI, *MES.*

℞ Baccarũ Alkakengi drach. tres.
Sem. Melonum.
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres. ſemis.
Gum. Arabici,
Tragacanthi,
Thuris maſculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem. Papaueris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachm. ſex.
Sem. Apij,
Hyoſcyami,
Carabes,
Terræ ſigillatæ,
Opij, ana drachmas duas.

Cum

Cum ſucco recentium Baccarum Halicacabi, aut decocto earundem fiant Trochiſci ſ. a.

Parantur etiam ſine Opio.

TROCHISCI DE CARABE,

MES.

℞ Carabes drachmas ſex.
Cornu Cerui vſti,
Gum. Arabici aſſati,
Corallij rubri vſti,
Tragacanthi,
Acaciæ,
Hypociſtidos,
Balauſtiorum,
Maſtiches,
Laccæ lotæ,
Sem. Papaueris nigri aſſat. ana drachmas duas.
Thuris,
Croci,
Opij, ana drachmam vnam ſemis.

Mucilaginis Sem. Pſyllij q. ſ. formentur Trochiſci ſecundum artem.

TROCHISCI DIACORALLIV.

GALENI.

℞ Boli Orientalis,
Corallij rubri, ana vnciam vnam.
Balauſtiorum,
Amyli,
Terræ Lemniæ, ana vnciam dimidiam.
Hypociſtidos,
Sem. Hyoſcyami,
Opij, ana drachmas duas.

Succi Plantaginis quantitatem ſufficientem : formentur Trochiſci, ſecundùm artem.

TROCHISCI DIASPERMATΩN,

GALENI.

℞ Sem. Apii,
Ammeos, ana vnciā vnā.
Aniſi,
Fœniculi, ana vnciam dimidiam.
Opii,
Caſiæ ligneæ, ana drachmas duas.

Cum aqua pluuiali fac Paſtillos ſecundùm artem.

HÆMOPTOICI PASTILLI,

GALEN.

℞ Amyli,
Balauſtiorum,
Terræ Samiæ,
Succi Hypociſtidos,
Gummi,
Croci,
Opii, ana drachmas duas,

Excipe ſucco Plantaginis, fiant Trochiſci ſ. a.

SIEF DE PLVMBO,

MES.

℞ Plumbi vſti & loti,

Æris

Æris vſti,
Antimonij,
Tutiæ lotæ,
Gum. Arabici,
Tragacanthi, ana vnciam vnā.
Opii drachmam dimidiam.
Aquæ pluuiæ quantitatem ſufficientem. fiant Trochiſci.

TROCHISCI è SVCCINO, *GALENI.*

℞ Iridis Illyricæ,
Ramentorum Succini,
Maſtiches,
Croci, ana drachmas duas.
Opii drachmas quinque.
Excipiantur omnia Mucilagine ex Sem. Pſyllii. fiant Paſtilli.

SIEF DE THVRE RHASIS.

℞ Cadmiæ,
Pompholigos,
Thuris, ana drachmas decem.
Ceruſſæ drachm. quadraginta.
Gum. Arabici,
Opii, ana drachmas ſex.
Aquæ pluvialis q. ſ. fiant Paſtilli, ſiccandi & ſeruandi.

AGARICVS TROCHISCATVS, *MES.*

℞ Agarici electi vncias quatuor.
Infuſionis Zingiberis in vino generoſo factæ, quantitatem ſufficientem. fiant Trochiſci.

TROCHISCI DE AGARICO.

℞ Agarici electi vncias tres.
Salis gem. drachmas ſex.
Zingiberis drachmas duas.
Cum Oxymelite ſimplici q ſ fiant Trochiſci ſecundùm artem.

TROCHISCI ALHANDAL, *MES.*

℞ Pulpæ Colocynthidos albæ, leuis, à ſeminibus repurgatæ vncias decem.
Forcipibus incide & frica aliquoties cum olei roſati vnciâ vnâ, & Trochiſcos finge, cum parte,
Mucilaginis, Gum. Arabici,
Tragacanthi,
Bdellii, ana drachmis ſex.
Macerentur per quatriduum in aqua Roſarum. Siccati in vmbra denuò terantur, & cum reliqua Mucilagine refingantur ſecundùm artem.

TROCHISCI DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas decem.
Succi Eupatorii, i. Agerati condenſati.

Amygdalarum amararum, ana vnciam vnam.
Roſarum drachmas tres.
Spicæ Indicæ,
Abſinthij,
Sem. Aniſi,
Apij,
Rad. Rubiæ tinctorum,
Aſari, ana drachmam vnã.

Cum aqua Cuſcutæ vel eius loco ſucci Eupatorij depurati fiant Trochiſci ſecundùm artem.

TROCHISCI è VIOLIS SOLVTIVI, MES.

℞ Violarum modicè ſiccatarum drachmas ſex.
Turpeti optimi ſemunciam.
Succi Glycyrrhizæ,
Scammonij,
Mannæ, ana drachmas duas.

Cum Syrupo violarum formentur Trochiſci.

O OLEA

OLEA SIMPLICIA PER EXPRESSIONEM.

OLEVM AMYGDALARVM DVLCIVM.

MES.

℞ Amygdalarum dulcium ſiccarum, ſed non rancidarum confricatarum q. v. terantur optimè, & è prælo exprimatur oleum ſine vi caloris.

OLEVM AMYGDALARVM AMARVM.

MES.

Eodem modo fit, vt Amygdalarum dulcium.

OLEVM AVELLANARVM

MES.

℞ Auellanarum mundatarum quantitatem ſufficientem, terantur optimè, & relinquantur per horas quinque vel ſex in Balneo tepido, deinde torculari exprimatur oleum.

Et eodem modo fiunt,

OLEVM BALANINVM vel DE BEEN,

EX BALANO MYREPSICA,

M. E. S.

Oleum
- Macis,
- Nucis Indicæ,
- Nucis Moſchatæ.
- Nucum Iuglandium Caryinon.
- ex Nucleis
  - Ceraſorum.
  - Mali Armenij, Chryſomelinum.
  - Mali Perſici.
  - Pinearum.
  - Prunorum.
  - Piſtaciarum.
  - Strobylorum.
- ex Seminibus
  - Aurantiorum.
  - Cannabis.
  - Carthami & dicitur Cnicinum.
  - Citri.
  - Cucumeris.
  - Cucurbitæ.
  - Citruli.
  - Ebuli.
  - Hyoſcyami,
  - Lactucæ,
  - Lini,
  - Melonum.
  - Papaueris.
  - Petroſelini,
  - Raphani,
  - Rapi,
  - Ricini, & dicitur Oleum de Cherua Cicinum, Ricininum.
  - Seſami, dicitur Seſaminum.
  - Sinapi,
  - Ex Vuarum acinis.

OLEVM

OLEVM LAVRINVM, MES.

℞ Baccarum Lauri maturarum & recentium q. ſ. contundantur, & cum aquæ quantitate ſufficienti coquantur, donec pingue ſupernatauerit, deinde exprimatur torculari, & oleum ſupernatans aquæ ſeparetur ſ. a.

OLEVM OLIVARVM COMMVNE.

Exprimitur ex Oliuis maturis.

OLEVM OLIVARVM OMPHACINVM.

Ex Oliuis immaturis fit per expreſſionem.

OLEVM EX VITELLIS OVORVM, MES.

℞ Vitellorum ouorum ad duritiem in aqua coctorum, & poſteà in vaſe vitreato ad lentum ignem probè calefactorum quantum vis. Cauendo ne inter calefaciendum adurantur, è quibus deinde prælo exprimatur oleum.

Obſeruandum, quòd ſi irrorentur aromatico & calido Vino dum calefiunt & ſubiguntur, commodius elicietur oleum.

OLEA SIMPLICIA PER INFVSIONEM VEL DECOCTIONEM.

OLEVM ROSACEVM OMPHACINVM.

℞ Olei Omphacini libram vnam.
In qua infunde,
Roſarum rubr. immaturarum contuſarum vncias quatuor.

Pone in vaſe vitreo, vel vitreato, & diligenter obtura, & expone Soli per dies ſeptem, & quotidie agita, ita vt vndequaque incaleſcat: deinde leuiter decoque in duplici vaſe: poſteà exprime & illas Roſas abjice, & ſecundò alias Roſas infunde, & vt priùs expone Soli per dies ſeptem, rurſum decoque: iteretur infuſio Roſarum tertiâ vice, & decoquatur leuiter ſecundùm artem, & reponatur oleum & vſui ſeruetur.

OLEVM ROSATVM COMPLETVM, *MES.*

Fit eodem modo, ex oleo dulci & maturo ſæpe loto, & Roſis rubris expanſis, contuſis, & Soli expoſitis, & leuiter decoctis in duplici vaſe, ita tamen vt tertia infuſio ſit per quadraginta dies; quibus peractis (ſi placet) reponatur Oleũ cum Roſis ſine expreſſione.

Eodem modo fiunt

Oleum Abſinthites, ex comarum Abſinthij vnciis quatuor & Olei libris tribus, ter repetendo comarum infuſionem, & vltimâ infuſione addendo Succi Abſinthij vncias quatuor, & coquendo leuiter ad Succi conſumptionem.

Oleum Anethinum, ex Olei completi libra vna, florum & frondium Anethi vnciis quatuor, cum triplici infuſione.

Oleum de Caſtoreo, ex Caſtorei vncia vna, Olei libra vna, Vini q. ſ. coctis ad Vini conſumptionem.

Oleum Chamæmelinum, ex oleo completo & floribus q. ſ. per 40. dies inſolentur.

Eodem modo & Oleum è Meliloti Summitatibus.

Oleum Cheirinum, ex floribus Leucoij Lutei i. Keiri, & oleo veteri claro, vt oleum Anethinum.

Oleum Cydoniorum, ex carnis immaturæ cum cortice, & Succi Cydoniorum, ana vnciis ſex. Olei Omphacini libris tribus. Inſolentur in vaſe vitreo per dies quindecim: tum coque vaſe duplici per horas quatuor: poſt fiat permutatio carnis & ſucci eorum ter: demùm cola, & reconde.

Oleum Enulatum, ex Enulæ radicum contuſarum, & Succi eiuſdem, & Olei Amygdalarũ, ana libra dimidia, Vini dulcis vnciis tribus, coctis ad Vini conſumptionem.

Oleum Euphorbij, ex Euphorbij vncia dimidia, Olei Cheirini, Vini odoriferi, ana vnciis quinque, coctis in duplici vaſe ad vini conſumptionem.

Oleum Formicarum *Nic.* ex Formicarum alatarum vnc. ij. & olei vnc. viij. maceratis, inſolatis per dies 40. excolatis, repoſitis.

OLEVM

OLEVM HYPERICI.

℞ Summitatum Hyperici vncias quatuor : Macerentur in Olei Oliuarum veteris libra vna , & Vini odoriferi vnciis sex, per triduum ad Solem vel in Balnei calore,& exprimantur : Eodem modo renovetur infusio summitatum Hyperici secundâ & tertiâ vice : Vltima infusio coquatur ad vini ferè consumptionem,& exprimatur; Expressioni adde Terebinthinæ vncias tres , Croci scrupulum vnum. Parum iterum coquatur & reponatur.

Oleum Iasminum.
Ex floribus & oleo veteri claro, vt Rosaceum.

OLEVM IRINVM.

℞ Radicum Iridis Flor. libram vnam.
Florum Liliorum alborum libram dimidiam.
Aquæ cui incoctæ sunt aliæ Iridis Flor. radices q. s.
Olei dulcis libras sex.

In vase duplici coque, radices & flores recentes iterum immitte,prioribus expressis & abiectis , vt in oleo Rosato.

OLEVM LVMBRICORVM.

℞ Lumbricorum terrestrium libram dimidiam.
Probè lauentur in vino , deinde adde
Olei Oliuarum libras duas.
Vini vncias octo.
Coque in duplici vase ad Vini consumptionem.

Oleum Sampsuchinum vel Maioranæ simplex, Ex herbæ vnciis quatuor , infusis in Vini vnciis sex , & olei libra vna , cum insolatione & duabus aliis infusionibus repetitis , & tandem euaporatione Vini in Balneo.

OLEVM MASTICHINVM.

℞ Olei Rosati Omphacini libram vnam.
Masstiches vncias tres.
Vini odoriferi vncias quatuor.
omnia in vase vitreato imposita, coquantur in duplici vase ad Vini consumptionem.

Oleum Menthæ.Ex herbis & oleo Omphacino, vt Rosaceum.

Oleum Myrtillorum , ex Baccarum Myrtillorum confractarũ & vino adstringẽte aspersarum

libra vna (vt Myrtinũ è foliis)
Olei Omphacini libris tribus.
Macerentur & insolentur per octiduum; dein coquantur & repetatur tertiò Baccarum noua infusio, & insolatio, & coctio in vase duplici: tum exprimatur Oleum & reseruetur vsui.

OLEVM MYRRHÆ.

Aliquot oua recentia coquantur donec indurnerint, per mediam longitudinem incidantur, vitelli eximantur, cauitates Myrrhâ tritâ ad medietatem impleantur; & denuò coniungantur albumina, filoque parum constringantur, & craticulæ inter duas paropsides collocandæ superponantur. Tum in cella vinaria, vel alio loco subterraneo & humido ponantur. Sic enim Myrrhæ liquatus humor in paropsidem inferiorem destillabit.

Oleum Narcissinum, Ex floribus & oleo, vt Rosaceum.

Oleum Nardinum simplex, Ex
Spicæ Nardi vnciis tribus.
Olei dulcis libra vna semis.
Vini, & aquæ, ana vnciis duabus cum semisse, coctis in duplici vase ad humoris consumptionem.

Oleum Nenupharinum, ex
Olei Omphacini libra vna.
Florum Nymphææ alb. recent. vnciis quatuor, ter repetitis, vt in oleo Rosato.

Oleum Papaueris, ex floribus, capitibus, & foliis Papaueris satiui, & oleo Omphacino, vt Anethinum.

Oleum Rutaceum simplex, ex herbis contusis & oleo maturo, vt Rosatum.

Oleum Sabinæ eodem modo fit vt Rosaceum.

Oleum Sambucinum, ex floribus & oleo, vt Rosatum.

Oleum Scorpionum simplex, ex
Scorpionibus numero triginta.
Olei Amygdalarum amararum libris duabus.
Macerentur per dies quadraginta loco calido, in vase vitreo insolentur, colentur, reponantur.

Oleum Sicyonium, ex radicum Cucumeris agrestis, & succi eiusdem, ana vnciis sex.

Olei Oliuarum maturarum libra vna, coctis in duplici vase ad succi consumptionem.

Oleum Solani, ex baccarum Solani maturarum vnciis quatuor, coctarum in olei libra vna.

Oleum de Styrace, ex olei Oliuarum libra vna.
Styracis vnciis tribus.
Vini q. s. coque post sufficientem macerationem ad vini consumptionem.

Oleum Verbenaceum, ex herba & oleo, vt oleum Menthæ.

Oleum Violaceum, ex oleo Oliuarum Omphacino, & floribus Violarum, vt Rosatum.

OLEA COMPOSITA.

OLEVM APARICII BENEDICTVM. Hier. Fabr. ab Aq. pentateuch. l. 2. c. 7.

℞ Olei vetustissimi vncias tres.
Terebinthinæ puræ vncias octo.
Tritici puri sesquivnciam.
Flor. Hyperici vncias duas.
Rad. Cardui benedicti.
Valerianæ, ana vnciam.
Thuris puluerizati vncias duas.
Radices & herbæ crasso modo contundantur, in olla ponantur, tantum Vini albi superfundatur, vt Vino mergantur omnia: factâ per biduum infusione, Oleum & Triticum adjiciuntur, & coquuntur omnia ad vini consumptionem. Factâ forti expressione additur Terebinthina & Thus; sinuntur parum bullire iterum; seruantur vase vitreo.

OLEVM DE CAPPARIBVS.

℞ Corticum Radicum Capparum vnciam vnam.
Cortic. Tamarisci.
Folior. Tamarisci,
Sem. Agni Casti,
Cetrach siue Aspleni,
Radic. Cyperi, ana drachmas duas.
Rutæ drachmam vnam.
Olei Oliuarum maturi libram vnam.
Aceti albi fortis,
Vini albi, ana vncias duas.
Trita & macerata aliquandiu, leuiter coquantur in duplici vase vsque ad consumptionem Vini & Aceti: exprimantur, colentur, reponantur.

OLEVM DE CASTOREO, *IACOBI de MANLIIS.*

℞ Caſtorei,
Styracis Calamitæ,
Galbani,
Euphorbij,
Caſiæ ligneæ,
Croci,
Opopanacis,
Carpobalſami, ſive Cubebarũ,
Spicæ Nardi,
Coſti, ana drachmas duas.
Cyperi,
Schœnanthûs,
Piperis longi,
nigri,
Sabinæ,
Pyrethri, ana drachmas duas ſemis.
Olei libras tres.
Vini Hiſpanici libras duas.

Galbanum, & Opopanax in Vino ſeorſim diſſoluantur, deinde reliqua omnia contuſa, cum oleo & vino coquantur in duplici vaſe, poſteà colentur, ac diſſolutum expreſſumq; Galbanum cum Opopanace, oleo affundãtur, & iterum coquantur, ſæpiùs miſcendo, vt Galbanum & Opopanax in vaſis fundo ſubſidentia oleo commiſceantur. Styrax autem per ſe diſſoluatur in vino. Adde poſteà Terebinthinæ drachmam vnam ſemis, quò meliùs Styrax oleo commiſceri poſſit.

OLEVM COSTINVM, *M. E. S.*

℞ Coſti amari vncias duas.
Caſiæ ligneæ vnciam vnam.
Summitatum Sampſuchi vncias octo.

Trita macerentur biduo in Vini q. ſ. deinde cum olei oliuarum. Vino loti libris tribus coquantur in duplici vaſe ad conſumptionem Vini ſ.a.

OLEVM CROCINVM, *M. E. S.*

℞ Croci vnciam vnam.
Myrrhæ puræ vnciam dimidiam.
Cardamomi drachmas nouem.
Calami aromatici vnciam vnã.

Infundãtur omnia in aceto, (præter Cardamomũ) diebus quinque, ſexto projiciatur ſuper ea Cardamomum, & ſtent ſimul per diem vnum: mane ſequenti adde libram vnam ſemis olei, & coquantur lento igne ad aceti conſumptionẽ ſecundùm artem. Sunt qui ponunt Vinum loco Aceti.

OLEVM DE EVPHORBIO COMPOS. *NIC.*

℞ Staphidis agriæ,
Struthii, vel Saponariæ, ana vnciam

ciam dimidiam.
Pyrethri drachmas ſex.
Calaminthes montanæ ſiccæ vnciam vnam ſemis.
Coſti drachmas decem.
Caſtorei drachmas quinque.
Trita, triduoque macerata in Vini odori libris tribus ſemis coquantur cum olei Leucoij lutei libra vna ſemis, ad Vini ferè conſumptionem, tunc inſperge
Euphorbij recentis & albi tenuiſſimè triti vnciam dimidiam. & miſcendo coque ad perfectionem.

OLEVM EXCESTRENSE, vulgò EXCETER dictum.

℞ Folior. Abſinthij,
Centaurij minoris,
Eupatorij,
Fœniculi,
Hyſſopi,
Lauri,
Maioranæ,
Meliſſæ,
Nepetæ,
Pulegii,
Sabinæ,
Saluiæ,
Thymi,
Flor. Chamæmeli,
Geniſtæ,
Liliorum alborum,
Sambuci,
Sem. Cymini,
Fœnugræci,
Radicum Hellebori albi,
nigri,
Corticum Fraxini,
Limonũ, ana vncias quatuor.
Foliorum Abrotoni,
Betonicæ,
Iuæ arthriticæ, i. Chamæpityos,
Lauendulæ, ana vncias ſex.
Roriſmarini libram vnam.
Euphorbii,
Sinapeos,
Caſtorii,
Pyrethri, ana vnciam vnam.
Olei libras ſedecim.
Vini libras tres.

Contuſis herbis, floribus & ſeminibus, & Euphorbio, & inciſis radicibus, corticibus & Caſtorio affuſis Vino & Oleo, ſtent per duodecim horas ad Balnei calorem, poſteà coquantur igne lento ad Vini & humoris conſumptionem; Coletur & ſeruetur vſui Oleum.

OLEVM HYRVNDINVM.

℞ Hirundinum integrarum numero ſedecim.

Chamæmeli,
Rutæ,
Plantaginis maioris,
minoris,
Folior. Lauri,
Pulegij,
Anethi,
Hyſſopi,
Roriſmarini,
Saluiæ,
Hyperici,
Balſamitæ, ana manipulum vnum.
Olei communis libras quatuor.
Vini Hiſpanici libram vnam.

Confice ſ. a. Si vero tantum Butyri Maialis accipiatur quantum olei, & prædicta cum eo coquantur, Vnguenti & nomen, & conſiſtentiam acquiret.

OLEVM HYPERICI COMP.
Seu
BALSAMVM MAGISTRALE FLORENT.

℞ Vini albi potentis libras tres.
Summit. Hyperici maturarum manipulos quatuor.

Tere, Macera in vaſe vitreo, obturato eius orificio per duos dies, coque in duplici vaſe, & fortiter exprime; in Colaturam injice alios flores, vt dictum eſt, & tertiò idem facito, dein colato, & ad ſingulas collaturæ libras, adde

Olei veteris libras quatuor.
Terebinthinæ vncias ſex.
Olei Abſinthij vncias tres.
Dictamni,
Gentianæ,
Cardui benedicti,
Tormentillæ,
Carlinæ, vel Cardui Mariæ,
Calami aromatici, ana drachmas duas.
Lumbricorum pluries in Vino lotorum vncias duas.

Terantur craſſiuſculè terenda, & inſolentur triginta aut quadraginta diebus, & benè obturatum reponas.

OLEVM IRINVM COMPOSIT.
NICOL. ALEX.

℞ Olei veteris libras quindecim.
Aquæ libras quatuor & dimidiam.
Radic. Iridis Flor. libras tres & vncias quatuor.
Flor. Liliorum alborum vncias quindecim.
Radic. Cyperi recentium vncias ſex.
Helenij vncias tres.
Anchuſæ vncias duas.
Cinnamomi,
Spicæ Nardi,

Aſæ odoratæ, ſeu Benzoini, ana vnciam vnam.

Contundantur radices & aliæ ſpecies, & macerentur in oleo & aqua diebus quinque ad Solem vel loco calido, poſteà in duplici vaſe coquito, donec aqua conſumpta fuerit, refrigeſcere ſinito, colato, exprimito, & reponito.

OLEVM MAIORANÆ Seu SAMPSVCHI COMPOS. ACTVARII.

℞ Foliorum Sampſuchi manipul. quatuor.
Serpylli manipul. duos.
Fol. Myrti vel Baccarum manipulum vnum.
Abrotoni,
Siſymbrij ſeu Mēthæ aquaticæ, ana manipul. dimidium.
Caſiæ ligneæ veræ vncias duas.
Olei Omphacini libras tres.

Concidantur & contundantur omnia, ac imponantur in vitrum, ac Oleum affundatur: tum obſtructo vaſis orificio, macerentur ad Solem, vel in æſtuario diebus octo. Tandem exprimantur, & Oleo expreſſo infundantur recentes ſpecies, quod tertiò eſt repetendum.

OLEVM MANDRAGORÆ, NICOLAI.

℞ Olei communis libras duas.
Succi Pomorum Mandragoræ, vel (eius defectu) foliorum vncias quatuor.
Succi Hyoſciami albi vncias duas.
Succi capitum Papaueris nigri vncias tres.
Succi Violarum,
Cicutæ, ana vnciam vnā.
Opij,
Styracis Calamitæ, ana vnciam dimidiam.

Succi cum Oleo decem diebus ad ſolem macerentur, deinde coquantur in duplici vaſe ad ſuccorum conſumptionem; Cola; Opium diſſoluatur in ſuccis, & Styrax diſſoluatur cum modico Terebinthinæ, probè miſce ſ. a.

OLEVM MOSCHELINVM.

℞ Nuces Moſchatas numero duas.
Moſchi drachmam vnam.
Folij, ſeu Macis,
Spicæ Nardi,
Coſti,
Maſtiches, ana drachmas ſex.
Styracis Calamitæ,
Caſiæ Ligneæ,

Myrrhæ,
Croci,
Cinnamomi,
Caryophyllorum,
Carpobalſami, vel Cubebarũ,
Bdellij, ana drachmas duas.
Olei puri libras tres.
Vini generoſi vncias tres.

Terenda ex arte trita, atque confusè miſta, bulliant ad Vini diſſipationem. Percolatum oleum vſui reſeruetur.

OLEVM NARDINVM,
MES.

℞ Spicæ Nardi vncias tres.
Sampſuchi vncias duas.
Xyloaloes,
Enulæ,
Folij Indi vel Macis,
Calami aromatici,
Folior. Lauri,
Cyperi,
Schœnanthûs,
Cardamomi, an. vnciam vnam ſemis.

Craſſiuſculè terantur, deinde in Vini & Aquæ ana vnciis quatuordecim, & Olei Seſamini, vel Oliuarum libris quatuor ſemis macerentur per horas viginti quatuor deinde coque in vaſe duplici igne lento horis ſex, perſæpe mouendo.

OLEVM NICODEMI,
Fallop. mat. med. in prim. Dioſcorid. c. 19.

℞ Sem. (ſeu ſummit.) Hyperici,
Terebinthinæ antiq. ana librã vnam.
Lithargyri drachmas ſex.
Aloes hepaticæ,
Tutiæ Alex. ana drach. tres.
Croci vnciam vnam.
Vini albi optimi libras quatuor.
Olei antiqui libras duas.

Bulliant omnia ſimul in duplice vaſe, donec pars quarta conſumatur, demùm ſepeliantur in arena diebus Canicularibus per dies decem: poſteà per pannum candidum cola, ſepara Vinum ab Oleo, & vtrumque ſeparatim ſerua.

OLEVM NICOTIANÆ.

℞ Succi Peti, ſeu Nicotianæ,
Olei communis, ana libram vnam.

Macerentur, & coquantur ad ſucci conſumptionem.

OLEVM

OLEVM DE PIPERIBVS, *MES.*

℞ Piperis longi,
nigri,
albi, ana drachmas tres.
Myrobal. { Chebularum,
Belliricarum,
Emblicarum,
Indarũ, ana drachmas quinque.
Radic. Apij,
Fœniculi, ana drachmas tres.
Sagapeni,
Opopanacis,
Ammoniaci,
Hyoſcyami albi, ana drachmas duas ſemis.
Turpeti drachmas duas.
Zingiberis drachmas tres.
Surculorum Thymi recentium,
Rutæ viridis, ana manipulum vnum.

Macerentur ſecundùm artem in ſ. q. Aquæ vitæ & Olei Cheirini libris duabus, deinde coque ad conſumptionem Aquæ vitæ.

OLEVM POPVLEVM, *NICOL.*

℞ Gemmarum Populi recent. libras tres.
Vini libras quatuor.
Olei com. libras ſeptem vncias duas.

Terantur diù Gemmæ Populi; diebus ſeptem in Oleo & Vino macerentur; demùm coquantur vaſe duplici ad Vini conſumptionem: ſi ſecundò & tertiò, eſt efficacius. Tandem exprimatur Oleum & reponatur.

OLEVM VVLPINVM, *MES.*

℞ Vulpem (quâ fieri poteſt) pinguem, ætatis mediæ, venatu defatigatam, recenterque occiſam, mox & exenteratam, detractâque pelle, nec non oſſibus diligenter confractis, in partes plures conſciſſam. Decoque in
Vini albi &
Aquæ Fontanæ ana libris ſex

Ad medietatem vſque, nec ſine diligenti deſpumatione in coctura principio: tùm demùm admiſce
Olei antiqui dulciſſimi libras quatuor.
Salis communis vncias tres,
Florum Saluiæ,
Thymi, ana libram vnam.

Procedatque coctio ad totius aquæ ferè conſumptionem, mox affundantur

Aquæ impregnatæ,
(Anethi,
Thymi, an. manipulo vno pleno incocto,) libræ octo.
Denuò inuicem coquantur omnia lento igne ad consumptionem aquæ : Oleumque ab aquositate post colaturam, infundibulo separatum, vsui reseruetur.

VNGVEN-

VNGVENTA SIMPLICIORA.

VNGVENTVM ALBVM *RHASIS.*

℞ Olei Rosacei vncias nouem.
Cerussæ bonæ in aqua Rosarũ lotæ vncias tres.
Ceræ albæ vncias duas.
Fiat vnguentum secundùm artem.
Adde Camphoræ drachmas duas, & erit Camphoratũ.

VNGVENTVM ÆGYPTIACVM, *MES.*

℞ Æruginis drachmas quinque.
Mellis drachmas quatuordecim.
Aceti fortis drachmas septem.
Coquantur omnia simul, donec fiat vnguentum spissum & colore subrubeum.

VNGVENTVM ANODYNVM, EX *CORDO.*

℞ Olei Liliorum alborum vncias sex.
Anethini,
Chamæmelini, ana vncias duas.
Amygdalarum dulcium vnciã vnam.
Pinguedinis Anatis,
Gallinæ, ana vncias duas.
Ceræ albæ vncias tres.
Misce secundùm artem.

VNGVENTVM Siue LINIMENTVM, *ARCEI.* l. 1. c. 4.

℞ Gummi Elemni,
Terebinthinæ Abietinæ, ana vnciam vnam semis.

Seui Veruecini antiqui,
& liquefacti, vncias duas.
Pinguedinis Porcinæ,
antiquæ, & liquefactæ,
vnciam vnam.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM AVREVM.

M E S.

℞ Ceræ Citrinæ libram dimidiam.
Olei libras duas ſemis.
Terebinthinæ vncias duas.
Reſinæ pineæ,
Colophoniæ, ana vnciam vnam ſemis.
Thuris,
Maſtiches, ana vnciam vnam.
Croci drachmam vnam.
Conſice ſecundùm artem.

VNGVENTVM BASILICON MAIVS,

M E S.

℞ Ceræ albæ,
Reſinæ Pini,
Seui Vaccini,
Picis Græcæ,
Terebinthinæ,
Olibani,
Myrrhæ, ana vnciam vnam.
Olei libram vnam, aut quantitatem ſufficientem.
Miſce, fiat vnguentum.

VNGVENTVM BASILICON MINVS,
Seu
TETRAPHARMACVM.

M E S.

℞ Ceræ flauæ,
Reſinæ pinguis,
Picis Græcæ, ana libram dimidiam.
Olei libras duas, vncias quatuor.
His duntaxat liquatis & permixtis fiat vnguentum iuſtæ conſiſtentiæ.

VNGVENTVM ex BDELLIO.

M E S.

℞ Bdellij drachmas ſex.
Euphorbij,
Sagapeni, ana drachmas quatuor.
Caſtorei drachmas tres.
Ceræ drachmas quindecim.
Olei Sambucini, vel Cheirini drachmas decem.
Bdellium & Sagapenum in aq. Rutæ agreſtis diſſoluantur: cætera cum aq. calida vniantur.
Fiat vnguentum ſ. a.

VN-

VNGVENTVM DE CALCE.
FOESII.

℞ Calcis ſepties ſaltem ablutæ ſelibram.
Olei Roſati libram.
Agitentur probè in mortario plumbeo, adde Ceræ tres vncias.

VNGVENTVM DIALTHÆÆ SIMPLEX.
NICOLAI.

℞ Radic: Althææ recentium, & contuſarum libras duas.
Sem. Lini,
Fœnugræci contuſorum, ana libram vnam.
Macerétur in aquæ libris octo.
Deinde leuiter coquantur, & exprimatur Mucilago, cuius
℞ Libras duas, & Olei libras quatuor.
Bulliant ſimul, dum Mucilago ſit abſumpta, ac tum adde
Ceræ libram vnam.
Reſinæ libram dimidiam.
Terebinthinæ vncias duas.
Percoquantur in vnguenti conſiſtentiam.

VNGVENTVM DIALTHÆÆ COMPOSITVM,
NICOLAI.

℞ Radic. Althææ libras duas.
Sem. Lini,
Fœnugræci, ana libram vnã.
Scillæ pulpæ libram dimidiam.
Olei libras quatuor.
Ceræ libram vnam.
Terebinthinæ,
Gum. Hederæ,
Galbani, ana vncias duas.
Colophoniæ,
Reſinæ, ana libram dimidiam.
Radices benè abluantur & terantur; ſimiliter Fœnugrecum, Sem. Lini & Scilla, & cum benè trita fuerint, poſteà in libris octo aquæ per tres dies macerentur, quarto die ſuper ignem bulliant, & extrahatur Mucilago, cuius
℞ Libras duas: & cum oleo ſimul bulliant ad ſucci conſumptionem. Poſteà addãtur, Cera, Reſina, & Colophonia, quæ cum liquefacta fuerint, adde Terebinthinam, poſteà Galbanum, & Gum. Hederæ in aceto diſſoluta.
Coque parumper, & ab igne remoueatur, tamdiù agitando donec infrigeſcat, & vt benè incorporentur omnia.

VNGVENTVM ENVLATVM.

℞ Radic. Enulæ, dum emolleſcant in aceto coctarum, tri-

tarum, cretarum, libram vnam.
Axungiæ Porcinæ, vet. falitæ, libram vnam.
Olei communis vncias quatuor.
Ceræ nouæ vncias duas.
Salis communis vnciam vnam.
Hydrargyri faliuâ vel fuc. limonum extincti,
Terebinthinæ refiduo coct. Enulæ lotæ, ana vncias duas.
Simul Axungia, Cera, & Oleum liquefiant. His adde pulpam Enulæ, & Salem puluerizatum: tandem Hydrargyrum cum Terebinthina, & pauca Axungia in mortario agitatione multâ re extinctũ. Fiat vnguentum f. a.
Parari etiam debet fine Mercurio.

VNGVENTVM DIAPOMPHOLYGOS NIHILI, NICOLAI.

℞ Olei Rofacei vncias fedecim.
Succi Solani vncias fex.
Bulliant ad Succi confumptionem, adde
Ceræ albæ vncias quinque.
Ceruffæ lotæ vncias duas.
Plumbi vfti & loti,
Pompholygos præparatæ,
Thuris puri, ana vnciam vnam.
Redigantur in Vnguenti formam fecundùm artem.

VNGVENTVM REFRIGERANS, GALENI.

Ceratum etiam dicitur.

℞ Ceræ albæ vncias quatuor.
Olei Rofati Omphacini libram vnam.
Liquentur in duplici vafe, & tranffufa in vas aliud, fenfim affusâ aquâ frigidiffimâ, ac fubinde mutatâ, diù fubigantur donec albefcant, poftremò lauabis in Aqua Rofarum, & addes
Aceti Rofacei & aq. Rofaceæ parùm.

VNGVENTVM DE MINIO Seu RVBRVM CAMPHORATVM.

℞ Olei Rofacei libram vnam. femis.
Minij vncias tres.
Lithargyri vncias duas.
Ceruffæ fefquivnciam,
Tutiæ drachmas tres,
Camphoræ drachmas duas.
Ceræ in æftate vncias duas,
in Hyeme vnciam vnam.
Fiat Vnguentum in pila plumbea cum piftillo plumbeo; Cerâ priùs in Oleo liquatâ ad lentum ignem, poftea reliquis adiectis tenuiffimè tritis.

VNGVENTVM NICOTIANÆ seu PETI, IOVBERTI.

℞ Folior. Nicotianæ libras duas.
Axungiæ Porcinæ recentis diligenter lotæ libram vnam.
Herba trita maceretur per noctē in Vino rubro; manè bulliat igne lento cum Axungia ad Vini consumptionem, Cola & colaturæ adde
Succi Nicotianæ depurati libram dimidiam.
Resinæ abiegnæ vncias quatuor.
Coquantur ad succi consumptionem, addendo circa finem,
Radic. Aristolochiæ rotundæ puluerisatæ vncias duas.
Ceræ nouæ q.s. fiat Vng.

NVTRITVM seu CRVDVM, seu è LITHARGYRO seu TRIPHARMACVM, *MES.*

℞ Lithargyri auri tenuissimè læuigati libram dimidiam.
Olei Rosati libram vnam.
Aceti vncias quatuor.
Affunde vicissim modo Oleum, modò Acetum, & agita in mortario tamdiù donec totum liquorem ebiberit Lithargyrus. Fiatque consistentia Vnguenti albidi.

VNGVENTVM OPHTHALMICVM,

℞ Boli Armeni in aqua Rosarum loti vnciam vnam.
Lapidis Calaminaris in aqua Euphragiæ abluti,
Tutiæ præparatæ, ana drachm. duas.
Margaritarum tenuissimè læuigatarum drachmam dimidiam.
Caphuræ scrupulum dimidiū.
Opij grana quinque.
Vnguenti Rosacei vncias quinque. Et Olei Rosacei q. s.
Fiat Vnguentum s. a.

LINIMENTVM GVIL. PLACENTINI SIMPLEX.

℞ Cerusæ lotæ vncias octo.
Ceræ albæ vncias septem.
Lythargyri loti,
Succi Solani, ana vncias quinque.
Thuris puluerisati drachmas decem.
Olei Rosacei pluries in aqua simplice loti libras duas.
Misce, fiat Linimentum.

VNGVENTVM è PLVMBO, *FOES.*

℞ Plumbi vſti cum Sulphure,
Lythargyri, ana vncias duas.
Ceruſæ,
Antimonij, ana vnciam vnam.
Olei Roſati q. ſ.
Fiat Vnguentum.
Elimatam Plumbi ſcobem in olla Sulphure exurito.

POMATVM, SEVVM CONFECTVM. Amat. Luſitan. ſine Speciebus.

℞ Adipis Ceruini, vel Hædini ad renes, libras duas.
Pinguedinis Suillæ recentis libram ſemis.
Pomorum Camuſiorũ mund. inciſ. numero octo,
Pinguedines membranis purgatas Vino albo abluito, panno lineo exprimito; in olla vitreata aquâ Roſaceâ ſemiplena infundito, prunis lenibus admoueto, bacillis agitato, feruere permittito, aquoſitas dum ferè conſumatur. Reſiduum in vaſe fictili Roſaceâ inſperſo per rarum linteum percolato. Colatis addito
Olei Amygdalarum dulcium vncias ſex.
Ceræ albæ vncias quatuor.
Ad ignem liqueſacta recolato; Roſaceâ abluta reſeruato.

VNGVENTVM POTABILE EX *FOES.*

℞ Butyri recentis ſine ſale libram vnam ſemis.
Rubiæ tinctorum,
Caſtorei,
Spermatis Ceti,
Radic. Tormentillæ, ana vnciã dimidiam.
Bulliant ſimul in Vini odorati q. ſ. ad Vini conſumptionem, & fiat Vnguentum.

VNGVENTVM AD PRVRITVM SCABIOSORVM, *RENODAEI.*

℞ Axungiæ Suillæ in ſucco Scabioſæ ſæpiùs lotæ libram dimidiam.
Radicis Oxylapathi in aceto ad putrilaginem coctæ, & per ſetaceum traiectæ,
Sulphuris in ſucco Limonum abluti, ana vnciam vnã ſemis.
Vnguenti Populnei in ſucco Enulæ nutriti vnciam dimidiã.
Omnibus in mortario ſubactis fiat Vnguentum ſ. a.

VN-

VNGVENTVM ROSATVM, *MES.*

℞ Axungiæ Porcinæ, membranis expurgatæ, libram vnam, lauetur nouies aquâ calidâ, & deinde toties aquâ frigida, deinde additâ
Rosarum rubrarum recentium contusarum librâ vnâ,
sinatur marcescere per dies septem, deinde coquatur lento igne & coletur: rursus cum pari admistione Rosarum recentium contusarum totidem dies marcescat: tum coquatur & coletur vt antè, tandem affunde succi rosarum rubrarum vncias sex.
Coque igne lento ad succi consumptionem: coletur: fiat Vnguentum secundùm artem.

VNGVENTVM RVBRVM, DESICCATIVVM, *NICOLAI.*

℞ Olei Rosati Omphacini libram vnam semis.
Ceræ albæ vncias quinque.
Liquatis insperge, in plumbeo mortario
Terræ Lemniæ, vel Boli Armeni,
Lapidis Calaminaris, tritorum exquisitè, ana vncias quatuor.
Lithargyri auri,
Cerussæ, ana vncias tres.
Caphuræ drachmam vnam.
Fiat Vnguentum s. a.

VNGVENTVM TVTIÆ VVLGARE.

℞ Tutiæ præparatæ vncias duas.
Lapidis Calaminaris sæpiùs vsti, & in aqua Plantaginis extincti vnciam vnam.
Puluerisentur tenuissimè, & cum Axungiæ Porcinæ sæpiùs in aqua rosacea lotæ libra vna semis
Fiat Vnguentum.
Paratur etiam cum Vnguento rosaceo, loco Axungiæ.

VNGVENTA MAGIS COMPOSITA.

VNGVENTVM ADSTRINGENS. *FERNELII.*

℞ Olei Rosati in aqua aluminosa sæpiùs loti libram vnam semis.
Ceræ albæ vncias quatuor.

Gallarum immaturarum.
Nucum cupressi,
Baccarum Myrti,
Balaustiorum,
Malicorij,
Corticum glandium,
Acaciæ,
Rhois,
Mastiches, ana vnciam vnam.

Omnia exquisitissimè trita macerentur in succis Mespilorum & Sorborum immaturorum per dies quatuor, deinde siccentur igne non acri, sicque cum Oleo & cera fiat Vnguentum secundùm artem.

VNGVENTVM AGRIPPÆ, *NICOLAI.*

℞ Radic. Bryoniæ libras duas.
Radic. Cucumeris Agrestis libram vnam.
Scillæ laminarum libram dimidiam.
Radic. Ireos recentis vncias tres.
Radic. Filicis maris.
Ebuli,
Tribuli aquatici; vel ari ana vncias duas.

Tusa omnia recentia macerentur diebus sex vel octo in Olei albissimi non rancidi libris quatuor.

Coquantur deinde igne lento, donec radices incipiant marcescere, posteà exprimantur, & in expresso oleo, Ceræ albissimæ vnciæ quindecim liquefiant, & reducantur in Vnguenti consistentiam.

VNGVENTVM DE ALABASTRO. BEN. VICT. FAVENT.

℞ Succi Chamæmeli vncias quatuor.
Succi { Rosarum rubrarum vncias duas. Rutæ recentis. Betonicæ, ana vnciam vnam semis. }
Succi. Radic. Althææ vncias duas.
Olei Rosacei Omphacini librã vnam semis.
Alabastri puri subtilissimè puluerisati vncias tres.

Infundantur per noctem, deinde coquantur ad succorum consumptionem, & cum Ceræ albæ vnciis sex fiat Vnguentum secundùm artem.

VNGVENTVM APOSTOLORVM, *AVICEN.*

℞ Terebinthinæ,
Resinæ,
Ceræ albæ,
Ammoniaci, ana drachmas quatuordecim.
Radic. Aristolochiæ longæ;

Thuris

Thuris maſculi,
Bdellij, ana drachmas ſex.
Myrrhæ,
Galbani, ana vnciam dimidiã.
Opopanacis,
Floris æris, ana drachmas duas.
Lithargyri drachmas nouem.
Olei (ſi æſtas fuerit) libras duas,
(Sin Hyems) libras tres.
Aceti q. ſ. ad Ammoniacum, Opopanacem, & Galbanum diſſoluenda.
Confice ſecundùm artem.

VNGVENTVM AREGON, ADIVTORIVM. NICOLAI.

℞ Roriſmarini,
Maioranæ,
Serpylli,
Rutæ,
Radic. Ari,
Radic. Cucumeris Agreſtis, ana vncias quatuor ſemis.
Fol. Lauri;
Saluiæ,
Sabinæ,
Radic. Bryoniæ,
Pulicariæ, i. Conizæ maioris. & minoris, (& in defectu minoris accipe duplũ maioris) ana vncias quatuor.
Laureolæ vncias nouem.
Fol. Cucumeris Aſinini,
Nepetæ, ana libram dimidiam.
Omnia Menſe Maio Collecta & expurgata tundantur recentia, & macerentur diebus ſeptem in olei optimi libris ſex, affuſâ aquæ Vitæ librâ vnâ: deinde coquantur dum contabeſcant, & dum conſumpta ſit aqua. Oleum percoletur, in quo liquentur,
Ceræ vnciæ ſedecim.
Adipis Vrſini,
Olei Laurini, ana vnciæ tres.
Olei Moſchelini vncia dimidia.
Petrolei vncia vna.
Butyri vnciæ quatuor.
Coagitatis demùm hi pulueres inſpergantur,
Maſtiches,
Olibani, ana drachmæ ſeptem.
Pyrethri,
Euphorbij,
Zingiberis,
Piperis, ana vncia vna.
Omnia in Vnguenti formam redigantur ſecundùm artem.

VNGVENTVM è SVCCIS APERITIVIS PRIMVM, FOESII.

℞ Succi Apij,
Endiuiæ,
Menthæ,
Abſinthij,
Petroſelini vulgaris,
Valerianæ, ana vncias tres.
Olei Abſinthij,
Menthæ, ana libram dimidiam.

Ceræ Citrinæ vncias tres.
Miſce, & ad ignem fiat Vnguentū
Additur quandoque Pulueris
Calami Aromatici,
Spicæ Nardi, ana drachma vna.
Olei Capparum aliquid.

VNGVENTVM APERITIVVM SECVNDVM, *FOESII.*

℞ Succi Ebuli vncias octo.
Apij,
Petroſelini, ana vncias quatuor.
Succi Abſinthij,
Ireos, ana vncias quinque.
Olei communis libram dimidiam.
Olei Liliorum alborum vncias decem.
Olei Abſinthij,
Chamæmeli, ana vncias ſex.
Pingued. Anatis,
Gallinæ, ana vncias duas.
Coquantur omnia ſimul ad conſumptionem Succorum; poſteà colentur, & cum Ceræ albæ vnciis ſeptem, & pauxillo Aceti paretur Vnguentum ſ. a.

VNGVENTVM DE ARTANITA MAIVS, *MES.*

℞ Succi Artanitæ, id eſt, Cyclaminis, vel eius defectu decocti radicum fortis libras tres.
Succi Cucumeris agreſtis,
Butyri vaccini, ana libram vnā.
Olei Irini libras duas.
Pulpæ Colocynthidos vncias quatuor.
Polypodij vncias ſex.
Euphorbij vnciam dimidiam.
Contundenda terantur, & macerentur in ſuccis, & oleis per dies octo in vaſe vitreato bene obturato: poſteà coquantur in duplici vaſe ad ſuccorum ferè conſumptionem: Cola, colaturæ adde
Ceræ vncias quinque,
Fellis Taurini drachmas ſeptem ſemis.
Feruefiant ſimul, donec Cera liqueſcat, & adde
Sagapeni drachmas ſeptem ſemis.
Myrrhæ drachmas tres.
In aceto diſſoluta agitentur ſimul, donec parùm infrigeſcant, & tunc inſperge paulatim puluerem ſubſequentium medicamentorum ſimul mixtorum,
Scammonij,
Aloes,
Colocynthidos,
Mezeræi foliorum, vel baccarū.
Turpeti, ana drachmas ſeptem ſemis.
Salis gemmæ drachmas quatuor ſemis.
Euphorbij,
Piperis longi,

Zingiberis,
Chamæmeli, ana drachm. tres.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM CATAPSORAS.

℞ Ceruſſæ, in aqua Portulacæ priùs lotæ, deinde in aceto, radicum Raphani ſylueſtris infuſarum ſuccis imprægnato, & ab iiſdem expreſſo:
Lapidis Calaminaris,
Chalciteos, ana drachmas ſex.
Lithargyri plumbi vncias duas.
Plumbi vſti,
Sanguinis Hirci, ana ſemiunciam.
Argenti viui ſublimati vnciam vnam.
Succor. Semperuiui,
Solatri,
Plantaginis, ana vncias duas.
Axungiæ Porcinæ à pelliculis mundatæ libras tres.
Oleorum Violarum,
Papaueris,
Mandragoræ, an. vnciam vnam.
Miſceantur, & benè incorporentur priùs Sublimatũ & Axungia, deinde addantur Olea cum Succis, & poſtremò pulueres, vt ex omnibus diligenter inuicem commiſtis, fiat ſ. a. Vnguentum.

VNGVENTVM CITRINVM, Seu CITRIVM. *NICOLAI.*

℞ Boracis vnciam vnam.
Caphuræ drachmam vnam.
Corallij albi vnciam dimidiam.
Amenti vel Gypſi, vel Aluminis plumoſi vnciam vnam.
Vmbilici marini, ſeu belirici,
Tragacanthæ albiſſ.
Amyli, ana drachmas tres.
Cryſtalli,
Entalis,
Dentalis,
Olibani, i. Thuris albiſſ.
Nitri,
Marmoris albi, ana drachmas duas.
Gerſæ Serpent. ex radic. Dracuntij factæ vnciam vnam.
Ceruſſæ vulgaris vncias ſex.
Adipis Suilli recentis, non ſaliti, mundi, libram vnam ſemis.
Seui Caprini præpar. vnciam vnam ſemis.
Adipis Gallinacei vncias duas ſemis.
Redigantur puluerizanda in puluerem ſubtiliſſimum ſ. a. plurima verò per ſe. Conficiatur Vnguentum ſic: Adipem Suillum & Gallinaceum mundatum, immitte in ollam fictilem vitreatam ſtricti orificij, quibus imponantur Citria mala duo, mediæ magnitudinis, vnà cum pulpa & ſucco interiori

fruſtulatim inciſa: cooperiatur vas & collocetur in Balneo calido per dies ſepté, deinde excolentur Citria, liquefactoque Seuo Caprino ſenſim inſpergantur pulueres, Caphura verò & Borax vltimo injicienda erunt, probè agitando donec Vnguenti formam acquirat.

VNGVENTVM COMITISSÆ, *VARIGNANAE.*

℞ Cortic. medianorum,
Glandium,
Caſtanearum,
Quercus arboris.
Fabarum,
Baccarum Myrti,
Caudæ Equinæ,
Gallarum,
Acinorum Vuarum,
Sorborum immatur. ſiccorum,
Meſpillorum immaturorũ ſicc.
Folior. Pruni ſylueſtris,
Radic. Biſtortæ,
Tormentillæ ana vnciam vnam ſemis.

Terantur craſſiuſcule & coquantur in Aquæ Plantaginis libris octo, donec pars media conſumpta fuerit, colentur. deinde,

℞ Ceræ citrinæ nouæ vncias octo ſemis, diſſolue cum Olei Myrtini ſimplicis libris duabus ſemis, & lauetur nouies cum decoctione prædicta ſemper nouã decoctionem affundendo quotieſcunque laueris. Poſteà inſperge ſequentium, tenuiſſimũ puluerem.

℞ Corticum Medianorum,
Glandium,
Caſtanearum,
Quercus arboris,
Gallarum, ana vnciam vnam,
Succi Hypociſtidos,
Cineris oſſium cruris bubuli,
Baccarum Myrti,
Acinorũ Vuarũ immaturarum.
Sorborum immat. ſiccorum, ana vnciam dimidiam.
Trochiſcorum de Carabe vncias duas.

Miſce & cum prædicta Cera & Oleo Myrtino lotis, addendo Olei Maſtichini non loti q. ſ. fiat Vnguentum bonæ conſiſtentiæ ſ. a.

VNGVENTVM AD HÆMORRHOIDAS.

℞ Amyli albiſſ.
Ceruſſæ lotæ,
Lithargyri præparati,
Plumbi vſti,
Tragacanthæ, ana drachmam vnam & dimidiam.
Opij Thebaici,
Cãphoræ, ana ſcrupulum vnũ.
Albuminis oui vnius,
Olei Roſacei,
Violacei, ana vnciam vnã & dimidiam.
Ceræ q. ſ. fiat vnguentum.

VN-

VNGVENTVM HÆMORRHOIDALE SAXONIÆ, pag. 154.

℞ Mucilag. è sem. Psyllij,
Cydoniorũ,
extractæ aquâ Solani, ana semunciam.
Olei Rosacei completi vnciam.
Vitellum vnius Oui.
Agitentur simul in mortario plumbeo, pistillo plumbeo, addendo Ceræ liquatæ parum.
Misce, fiat Vnguentum s. a.

VNGVENTVM LAVRINVM VVLGARE.

℞ Foliorum Lauri libram vnam.
Baccarum Lauri libram dimidiam.
Foliorum Brassicæ vncias quatuor.
Olei ex pedibus Bouinis libras quinque.
Seui Bouini libras duas.
Contundantur herbæ, & baccæ, & coquantur cum oleo & seuo ad humoris consumptionem, & colentur.

VNGVENTVM MARTIATVM,
NICOLAI.

℞ Folior. Lauri,
Rorismarini, ana vncias octo.
Rutæ vncias septem.
Fol. Tamarisci vncias sex.
Ebuli,
Esbrij, vel Maioranæ,
Sabinæ,
Balsamitæ, vel Menthæ aquaticæ,
Saluiæ,
Ocimi,
Polij Montani,
Calaminthæ,
Artemisiæ,
Enulæ,
Betonicæ,
Brancæ Vrsinæ,
Spargulæ vel Aparines,
Herbæ venti, i. Anemones syluestris, vel Parietariæ in eius defectu.
Pimpinellæ, i. Sanguisorbæ,
Agrimoniæ,
Absinthij,
Herbæ Paralyseos,
Herbæ sanctæ Mariæ, i. Costi hortensis,
Cymarum Sambuci,
Crassulæ Maioris, Semperuiui minoris,
Semperuiui, i. Sedi Maioris,
Millefolij,
Chamædryos,
Centaurij minoris,
Quinqueneruiæ, i. Plantaginis maioris,
Fragariæ,
Tetrahit, vel eius loco Virgæ aureæ,
Quinquefolij, ana vncias quatuor semis.

Radic. Althææ.
Sem. Cymini,
Myrrhæ, ana vncias tres.
Fœnugræci vnciam vnam ſe-
mis.
Sem. Vrticæ maioris,
Violarum,
Papaueris rubri, i. erratici,
Mentaſtri, ſeu Menthæ agreſtis,
Menthæ ſatiuæ,
Acetoſæ,
Polytrichi, i. Adianthi albi,
Carduncelli, i. Cardui benedi-
cti,
Matriſyluæ, i. Periclymeni,
Maturellæ, i. Valerianæ maio-
ris.
Herbæ Moſchatæ, vel Geranij
Moſchati,
Alleluiæ, i. Trifolij acetoſi,
Linguæ Ceruinæ,
Criſpulæ, i. Buphthalmi,
Camphoratæ, i. Abrotoni,
Medullæ Ceruinæ,
Styracis Calamitæ, ana vnciam
dimidiam.
Butyri drachmas decem.
Adipis Vrſini,
Gallinacei,
Maſtiches,
Thuris, ana vnciam vnam.
Olei Nardini vncias duas.
Ceræ libras duas.

Herbæ recentes inciſæ Vino odo-riſero cum Olei libris octo, diebus ſeptem infundantur, octauo die omnia ſimul decoquantur ad vini ferè conſumptionem. Amotum ab igne coletur, atque rurſus in lebetem Oleum injiciatur, cui lento igne parum calefacto injice butyrum, Medullam, Adipes, Oleum Nardinum, & Ceram; deinde Styracem, diſſolutam in Vino & paulo Terebinthinæ mixtam. Maſtichem verò, Myrrham, & Thus, pulueriſata poſtremò inſperge. Cumque fuerint omnia probè mixta, agitatione continuâ in vaſe reconde.

MVNDIFICATIVVM EX APIO. Guid. tr. 7. do. 1. c. 5.

℞ Succi Apij libram vnam.
Mellis vncias nouem.
Farinæ Tritici vncias tres.

Coquantur ad ignem vſque ad ſpiſſitudinem.
Fiat vnguentum ſ. a.

VNGVENTVM NEA-POLITANVM.

RENODAEI.

℞ Axungiæ Suillæ ſucco Saluiæ
lot. libram vnam.
Hydrargyri per laneum traiecti,
ſaliuâ ritè extincti, vncias
quatuor.
Olei Laurini,
Chamæmelini,
Lumbricorum, ana vncias
duas.
De Spica ſeſquiunciam.
Aquæ vitæ vnciam vnam.
Ceræ flauæ vncias duas.

Tere-

Terebinthinæ in ſucco Enulæ lot. vncias tres.
Pulueris Chamæpityos,
Saluiæ, ana drachmas duas.
Fiat Vnguentum, vt artis eſt.

VNGVENTVM RESINVM.

Euſt.Rud. Morb. Gall. l. 5. c. 1. f.

℞ Reſinæ Pini optimæ,
Terebinthinæ,
Ceræ citrinæ lotæ,
Olei puri, ana p. æ. Miſce.

VNGVENTVM NERVINVM.

℞ Fol. Paralyſeos, cum flor.
Saluiæ,
Chamæpityos,
Roriſmarini,
Lauendulæ,
Lauri, cum baccis.
Chamæmeli,
Rutæ,
Apij,
Meliloti cum flore,
Abſinthij, ana manipul. vnum.
Menthæ,
Betonicæ,
Pulegij,
Petroſelini,
Centaurij Minoris,
Hyperici, ana manipulum dimidium.
Olei ex pedibus Ouinis, vel Bouinis, libras quinque.
Seui Ouini, vel Bouini, vel Medullæ eiuſdem libras duas.
Olei de Spica vnciam dimidiam.
Contuſis herbis, & coctis cum oleis, & ſeuis, fiat Vnguentum ſ. a.

VNGVENTVM PECTORALE,

NICOLAI.

℞ Butyri recentis aq. Violarum loti vncias ſex.
Olei Amygdalarum dulcium vncias quatuor.
Chamæmelini,
Violacei, ana vncias tres.
Adipis Gallinæ,
Anatis, ana vncias duas.
Radic. Ireos drachmas duas.
Croci drachmam dimidiam.
Ceræ albæ vncias tres.
Ceram & Adipes in Oleis liquato, dein ſæpiùs lauato aquâ Hordei, vel aq. Hyſſopi. His probè lotis adde Iridem & Crocum in tenuiſſ. puluerem redacta, fiat Vnguentum ſ. a.

VNGVENTVM POPVLNEVM.

NICOLAI.

℞ Oculorum Populi arboris recentium libram vnam ſemis.

Axungiæ Porcinæ recentis & insulsæ libras tres.

Oculi seu Gemmæ Populi contundantur & macerentur in Axungia, donec sequentes herbæ colligi possunt.

℞ Folior. Papaueris nigri,
Mandragoræ,
Cymarum Rubi tenerrimarum,
Folior. Hyosciami,
Solani,
Lactucæ,
Vermicularis (i) Semperuiui minoris, (non illecebræ)
Sedi, seu Semperuiui maioris.
Violarum,
Vmbilici Veneris,
Bardanæ, ana vncias tres.

Contusa omnia permisceantur Axungiæ, & Oculis Populi: exactis diebus decem, affunde aq. Rosarum libram vnam, coquantur igne lento, dum aqua, omnisq; liquor absumatur: coletur, exprimatur, & si sit opus recoquatur, dum Vnguenti temperaturam acceperit.

VNGVENTVM RESVMPTIVVM, *NICOLAI.*

℞ Axungiæ Porcinæ recentis vncias tres.
Adipis Gallinæ,
Anseris,
Anatis, ana vncias duas.
Oesypi humidæ vnciam dimidiam.
Olei Violati,
Chamæmelini,
Anethini, ana vncias duas.
Butyri recentis libram vnam.
Ceræ albæ vncias sex.
Mucilaginis Tragacanthi,
Sem. Cydonioru͂,
Lini,
Radic. Bismaluæ,
Gummi Arabici, ana vnciam dimidiam.

Mucilagines extrahantur aquâ rosaceâ, & additis reliquis, fiat Vnguentum s. a.

VNGVENTVM SPLENICVM.

℞ Olei Capparum vnciam vnam.
Olei Liliorum,
Chamæmelini,
Butyri recentis,
Succi Bryoniæ,
Cyclaminis, ana semunciam.

Bulliant Olea ad consumptionem Succorum, addendo
Ammoniaci aceto soluti drachmas duas semis.
Pinguedinis Gallinæ,
Medullæ cruris Vituli,
Oesypi, ana semiunciam.

Cortic.

Cortic. rad. Tamarisci
Capparum,
Ceterach,
Radic. Filicis, ana drachmam vnam.
Pulueris sem. Agni casti,
Genistæ, ana scrupulum.
Ceræ, q. s. Fiat in formam Vnguenti.

VNGVENTVM ALIVD SPLENICVM MAGISTRALE.

℞ Corticis radicum Capparum drachmas sex.
Radicum Bryoniæ,
Iridis Florentinæ,
Farinæ sem. Fœniculi dulcis,
Ammoniaci in aceto soluti, ana semunciam.
Comarum Absinthij,
Florum Camomillæ, an. drachmam vnam.
Vng. ex succis aperitiuis Fœsij, viz. descriptionis secundæ,
Vng. ex floribus Aranciorum, ana drachmas sex.
Olei Irini,
Capparum, ana vnciam vnam cum semissi.

Trituranda triturentur exactè, vt, per cribrum transmissa, cæterisque in mortario calido s. a. (elaboratâ contusione) admixtis, fiat Vng.

Sunt qui vnguenta non admittunt, Emplastra verò facile ferunt; His igitur (pro data occasione) Vnguenti partem in formam Emplastri redactam citissime coaptare licebit, (quod nec minus intentioni satisfacit) superaddendo Ceram, Picem naualem, & Terebinthinæ Cypriæ modicum.

VALENTIA SCABIOSÆ IOANNIS ARDERNII, ex oppido (vulgò) Newark, in Comitatu Nottingham: Chirurgi exercitatissimi: qui floruit anno 1370. tempore *Edouardi* tertij Regis Angliæ, ipsissimis verbis ex antiquo manuscripto excerpta.

℞ Succum Scabiosæ, in æstate per pannum colatum, & cum Axungia Porci à pelliculis mundatâ; in mortario benè tundatur, percutiendo sed non conterendo, & semper paulatim pone de succo, ad axungiam, vt bene imbibi possit, & vt axungia viridis fiat; Quo facto, accipe illam axungiam, & cum dicto succo, in aliquo vase ponatur, vt axungia succo cooperiatur, & sic stare permittas per nouem dies: post nonam diem iterùm accipe prædictã axungiam cum succo, & modo prædicto contunde, & aquositas quæ de eo exibit tenuis & discolorata deponatur, & sic permitte stare per quinque dies, post quintum diem iterùm accipe nouum succum Scabiosæ,

&

& iterùm (vt prædictum eſt) cum dictâ axungiâ contundatur; quo facto, iterum per quindenam in vaſe aliquo cum ſucco quieſcere permittatur; quo verò tempore tranſacto, iterum contundatur (vt prædictũ eſt) & ab aquoſitate purgetur, & in vaſe mundo reponatur, & ſic ſtet in pace per aliam quindenã cum appoſitione noui ſucci; poſt quindenam verò, iterùm contundatur, & ſi fuerit ſatis viridis coloris, poſt bonam contuſionem, in vaſe terreo vel vitreo vſui reſeruetur.

De quantitate vtriuſq; tàm axungiæ quàm ſucci, haud ambigendum: Illius enim pro ſuo arbitrio quantitatem, Pharmacopæus ſibi præparandum ſuſcipiat, quam quidem vſui futuram eſſe conjiciat: Huius autem ſucco frequenter repetito, illam imbuat, donec viridi colore ſaturo axungiam imprægnari conſpexerit. Hæc ſiquidem debet eſſe regula, pro menſura ſucci.

Hoc autem monitum eſſe volumus, quanto viridius, tanto efficacius Vnguentum reddi: ſi ergò primâ vice, vel etiam ſecundâ, copioſa ipſius Scabioſæ folia, poſt vnam vel alteram diem à collectione ſ. a. reſeruata (vt aquoſitatis excrementitiæ aliquid deponant) cum axungiâ contundantur, nec non aliorum ſuccus prælo fortiter expreſſus ſuperaffundatur, vt digitos ad minimum duos ſuperemineat, & in vaſe conuenienti obturato commixta, Soli expo-nantur, totidem vel pluribus diebus ab authore conſtitutis: deindè poſt fortem expreſſionem, ſucco ſolo fortiter (vt ſuprà) expreſſo, & ab aquoſitate modicè ſeparato, vireſcens axungia repetitis vicibus (haud neglectâ contuſione) imbuatur, colorem authoris ad mentem induci, ſimulque vires Vnguento maiores imprimi, experientia edocti atteſtamur.

TAPSIVALENCIA eiuſdem Authoris.

℞ Tapſibarbati, & cum axungiâ Porci à pelliculis mundatâ, & minutim inſciſsâ, benè in mortario vel in pelui contundantur inuicem, donec axungia benè de ſucco fuerit imbuta, & poſtquàm feceris, permittatur illa axungia cum ſucco ſimiliter ſtare, per nouem dies, aut plus, donec axungia viridis appareat; Quo viſo, iterum cum ſucco nouo benè contundatur, & quandò axungia de ſucco perfectè imbuta fuerit & colorata, quod ſuperfluum eſt de ſucco effundatur, & iterum bene ſine aliquo ſucco contundatur, & in vaſe terreo reponatur, & vſui reſeruetur. Et nota quòd iſta medicina de menſe in menſem debet ſemel contundi, & in contuſione, de Oleo Roſaceo, Violaceo, & Chamæmeli im-

ponere

ponere paulatim, vt Valentia ea competenter possit imbibere: Etsi de bono populeone prædictis addatur, efficacius erit medicinæ iuuamentum.

TAPSIMEL eiusdem.

℞ Succum Chelidoniæ, Tapsi barbati ana: Mellis despumati quantum de succis, & inuicem bulliant ad consumptionem succi, posteà ab igne deponatur, & vsui reseruetur. Cùm indè contra pruritum vti volueris, accipe de eo quantum volueris, & ei impone, de Puluere Vitrioli combusti, & Aluminis combusti, Atramenti, i. arrementi. Et si necesse fuerit, iterùm bulliant donec Vnguentum satis tenax fuerit, & inde in Anum ponatur parùm, contra pruritum, & citò cessabit pro certo, & in omni parte corporis, & hoc Vnguentum dicitur Tapsimel, à Tapsi barbato & Melle: Istud pro certo est nobile vnguentum.

Hæc ad verbum ex veteri Manuscripto, & stylo suo.

Caueat Pharmacopœus, ne Mel ex coctione contrahat empyreuma.

VNGVENTVM STOMACHICVM.
NORIMB.

℞ Olei Absinthini,
Mastichini,
Nardini, ana vnciam vnã.
Rosarum rubrarum,
Corallij rubri,
Caryophyllorum,
Cinnamomi,
Ligni Aloes,
Mastiches,
Menthæ,
Schœnanthus, ana drachmam vnam.
Ceræ q. s.
fiat Vnguentum s. a.

VNGVENTVM AD LVMBRICOS MAIVS.
FOESII.

℞ Olei Rutæ,
Sabinæ,
Menthæ,
Absinthij,
Amygdalarum amararum ana vnciam vnam semis.
Succi florum vel foliorum Persicæ.
Absinthij, ana vnciam dimidiam.
Pulueris Rutæ,
Menthæ,
Gentianæ,
Centaurij minoris,

Tor-

Tormentillæ, ana drachmam vnam.
Semin. Caulium.
Pulpæ Colocynthydos, ana drachmas duas.
Aloes hepaticæ drachmas tres.
Farinæ Lupinorum vnciam dimidiam.
Myrrhæ in aq. Graminis lotæ drachmam vnam semis.
Fellis Taurini vnciam vnam semis.
Cum Succi Limonum q. s. & Ceræ vncia vna semis, fiat Vnguentum secundùm artem.

EMPLA-

EMPLASTRA ET CERATA.

EMPLASTRVM EX AMMONIACO.

℞ Ammoniaci vnciam vnam.
Vng. Dialthææ, } ana vnciã
Emplastri Meliloti, } dimidiã.
Furfuris frumenti optimè cribrati vnciam vnam.
Pulueris radic. Bryoniæ, & Ireos, ana vnciam dimidiam.
Pingued. Anatis,
Anseris,
Gallinæ, ana drachmas tres.
Bdellij,
Galbani, ana drachmam vnam semis.
Resinæ Pini,
Ceræ, ana vncias quinque.
Olei Irini,
Terebinthinæ, ana vnciam vnam semis.

Bulliant pinguedines, & Oleum cum s. q. Mucilaginis sem. Lini, & Fœnugræci: & vt ad debitam Emplastri formam ducantur, addantur Cera & Terebinthina: mox Vng. Dialthææ, & Emplastrum de Meliloto, deinde Gummi in aceto dissoluta: postremóq; Pulueres atque resina Pini puluerizata subtiliter, omnia miscendo bene, & fiat Emplastrum s.a.

ALBVM COCTVM, DE CERVSSA, *VLMENSE.*

℞ Cerussæ subtilissimè tritæ,
Ceræ Citrinæ,
Olei Oliuarum, ana partes æquales.

Cerufsâ æneum in cacabum immifsâ, lentè addatur Oleum, & lento igne bulliant, affiduò & agitentur dum fimul defideant: dein indatur Cera minutim concifa fucceffiuè, nec ferueat, donec probe liquata: Coquantur demùm omnia f. a. dum nigricent, ad iuftam confiftentiam.

EMPLASTRVM DE BACCIS LAVRI.

MES.

℞ Baccarum Lauri vncias duas.
Thuris,
Mafliches,
Myrrhæ,ana vnciam vnam.
Cyperi,
Cofti,ana vnciam dimidiam.
Terebinthinæ vnciam vnam.
Mellis defpumati, & leuiter tantum calefacti q. f. fiat Emplaftrum fecundùm artem.

EMPLASTRVM BARBARVM MAGNVM,

Gal. comp. med. fec. gen. l. 2. f.

℞ Picis ficcæ libras octo.
Ceræ Citrinæ libras fex, vncias octo.
Refinæ Pini libras quinque, vncias quatuor.
Bituminis Iudaici, vel Mumiæ, libras quatuor.
Olei fefquilibram.
Æruginis æris,
Lithargyri,
Ceruffæ, ana vncias tres.
Thuris felibram.
Aluminis liquidi, vel Rochæ non vfti fefquiunciam.
fciffilis, vel Rochæ combufti vncias quatuor.
Opopanacis,
Squamæ æris,
Galbani, ana drachmas duodecim.
Aloes,
Opij,
Myrrhæ, ana femunciam.
Succi Mandragoræ, vel cortic. rad. ficc. drachmas fex.
Aceti libras quinque.
Lithargyrus, Ceruffa, Oleum coquantur ad mellis fpiffitudinem: Pix liquefacta, cum Puluere Bituminis, incorporetur: addantur, & coquantur alia f. a. donec Acetum confumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

EMPLASTRVM DE BETONICA, ANDERNACI.

℞ Betonicæ viridis,
Pimpinellæ,

Agrimoniæ,
Saluiæ,
Pulegij,
Millefolij,
Conſolidæ maioris,
Gallitrici, ana vncias ſex.
Thuris,
Maſtiches, ana drachmas tres.
Ireos,
Ariſtolochiæ rotundæ, ana drachmas ſex.
Ceræ albæ,
Terebinthinæ, ana vncias octo.
Gummi Oleæ Æthiopicæ. i. Gummi Elemi vncias duas.
Reſinæ Pini vncias ſex.
Olei Abietini vncias duas.
Vini albi libras tres.

Contuſæ herbæ decoquantur in Vino, deinde colentur, & colaturæ reliqua addantur, & fiat Emplaſtrum ſ. a.

EMPLASTRVM D. CAESARIS.

℞ Radic. Biſtortæ,
Nucum Cupreſſi,
Roſarum rubrarum
Santalorum omniũ,
Menthæ,
Semin. Coriandri, ana drachmas tres.
Maſtiches vnciam dimidiam.
Hypociſtidos,
Acaciæ,
Sanguinis Draconis,
Terræ Sigillatæ,
Boli veri,
Corallij rubri, ana drachmas duas.
Terebinthinæ aquâ Plantaginis lotæ vncias quatuor.
Olei Roſacei vncias duodecim.
Succor. Semperuiui,
Plantaginis,
Telephij, ana vnciam vnam.
Ceræ flauæ libram vnam ſemis.

Hypociſtis & Acacia diſſoluantur cum ſuccis, & coquantur lento igne ad conſiſtentiam, deinde commiſceantur reliqua, & fiant Emplaſtrum ſ. a.

EMPLASTRVM CATAGMATICVM, VIGONIS.

℞ Succ. Rad. Althææ vncias ſex.
Cort. rad. Fraxini, & folior. eius,
Rad. Conſolidæ maioris:
& minoris, vnà cum foliis, ana vncias duas.
Baccarum Myrti vnciam vnam ſemis.
Folior. Salicis,
Summitat. Hyperici, ana manipul. vnum ſemis.

Contuſis contundendis, bulliant ſimul in vini rubri adſtringentis, & aquæ fabrorum, ana libris dua-

bus, ad medietatis consumptionem; colentur, adde
Olei Myrtini,
Rosacei,
Omphacini, ana libram vnam semis.
Seui Hircini liquefacti vncias octo.
Lithargiri Auri,&
Argenti,
Minij, ana vncias quatuor.
Ceræ flauæ libram vnam.
Colophoniæ libram dimidiá.
Denuò bulliant ad consumptionem decocti, addendo sub finem,
Myrrhæ,
Thuris,
Mastiches, ana vnciam dimidiam.
Terebinthinæ claræ vncias duas.
Boli Armeni,
Terræ sigillatæ, ana vnciam vnam.
Baculo optimè agitentur, dum decoquuntur; & fiat Emplastrum secundùm artem.

CATAGMATICVM, RENODAEI.

℞ Rad. Symphyti minoris,
Althææ,
Visci querni, ana vncias duas.
Plantaginis,
Chamæpityos,
Hyperici, ana manip. vnum.
Fiat decoctio in æquis partibus Vini nigri, & aquæ fabrorum, ad medias: colaturæ adde
Mucilaginis sem. Cydoniorum in decocto Omazorum extractæ
Olei Mastichini,
Rosacei, ana vncias quatuor.
Ceræ Virgineæ libram vnam.
Lithargyri auri vncias duas.
Terebinthinæ vncias tres.
Balaustiorum,
Rosarum,
Myrtillorum,
Acaciæ, ana semunciam.
Mumiæ,
Granorum Androsæmi,
Colophoniæ,
Mastiches,
Succini, ana drachmas sex.
Picis naualis sesquiunciam.
Boli Armeni,
Farinæ volatilis,
Thuris, ana drachmas duodecim.
Sanguinis Draconis vncias duas.
Ad elixatas in percolato Mucilagines, aquosa humiditas cum exhalauerit, admisceantur Olea, tum Cera, pòst Lithargyrus. Coctis, vnitis, agitatis, ab igne semotis, addatur Terebinthina, deinde pulueres. Sic demũ misceantur, agitétur, subigãtur omnia, vt in Emplastrũ coeant consistentiá legitimum.

EMPLASTRVM CEPHALICVM.

℞ Resinæ claræ vncias duas.
Picis nigræ vnciam vnam.
Ladani vnciam dimidiam.
Myrrhæ,
Mastiches, ana drachmam vnam semis.
Gum. Iuniperi drachmas duas.
Terebinthinæ,
Farinæ Fabarum,
Orobi, ana vnciam dimidiam.
Nigellæ odoratæ drachm. tres.
Nucis Moschatæ drachmas duas.
Stercoris Columbini vnciam dimidiam.

Dissoluatur Myrrha in Vino Maluatico, & cum reliquis in mortario calido admistis fiat Emplastrum s. a.

Si vis fortius, adde pulueris
Euphorbij,
Pyrethri,
Piperis nigri, ana scrupulos duos.

EMPLASTRVM CEROMA Seu CERONEVM.

NICOLAI ALEXANDRINI, Cap. 286.

℞ Picis [naualis, i. ex nauibus vetustis derasæ, quæ multiplicem aquæ marinæ loturam sunt expertæ.]
Ceræ flauæ illotæ, ana drachmas septem.
Sagapeni drachmas sex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci, ana drachmas quatuor.
Aloes,
Thuris [masculi]
Myrrhæ, ana drachmas tres.
Styracis calamitæ,
Mastiches,
Opopanacis,
Galbani,
Aluminis.
Sem. Fœnugræci, ana drachmas duas.
Confitæ, i. fecis liquidæ Styracis.
Bdellij, ana drachmam vnam.
Lithargyri semidrachmam.

EMPLASTRVM EX CICVTA CVM AMMONIACO.

℞ Cicutæ manipulos quatuor.
Ammoniaci semilibram, infunde Aceto acerrimo dies octo, dein bulliant, dum Ammoniacum soluatur: hinc per pannũ lineum validè exprimatur, iterumque expressus liquor ebulliat quinquies, & adiectâ Cerâ & oleo Amygdalino dulci f. Emplast.

EMPLASTRVM DE CRVSTA PANIS.

℞ Mastiches,
Menthæ,
Spodij,
Corallij rubri,
Santalorum omnium, ana drachmam vnam.
Crustæ Panis tostæ, infusæ in aceto Rosaceo, per mediam horam vncias duas.
Olei Mastichini,
Cydoniorum, ana vnciã.
Ceræ vncias duas.
Styracis liquidæ,
Ladani, ana drachmas tres.
Farinæ Hordei q.s.
Misce, fiat Emplastrum secundùm artem.

EMPLASTRVM è CYMINO.

℞ Semin. Cymini,
Baccarum Lauri, ana libram vnam.
Resinæ Pini libras duas.
Communis libras tres.
Olei Anethini selibram.
Ceræ libram vnam.
Misce, fiat Emplastrum.

DIACHYLON SIMPLEX.
M E S.

℞ Mucilaginis Fœnugræci,
Sem. Lini,
Radic. Althææ, ana libram vnam.
Olei veteris clari, libras tres.
Lithargyri libram vnam semis.
Lithargyrus tenuissimè teratur, & cum Oleo subigatur, posteà igne lento coquatur, spatha semper agitando, donec probè permixta sint: ab igne deposita paulatim frigescant: posteà mucilagines affundantur, permisceantur & decoquantur ad iustam crassitiem secundùm artem.

DIACHYLON IREATVM

Adde Pulueris Ireos vnciam vnam singulis libris Diachyli simp. & erit Ireatum.

DIACHYLON MAGNVM.
M E S.

℞ Lithargyri auri tenuissimè puluerisati libram vnam.
Olei Irini,
Anethini,
Chamæmelini, ana vncias octo.
Mucilaginis Radic. Althææ,
Sem.

Sem. Lini,
Fœnugræci,
Vuarum passarum,
Caricarum pinguium,
Icthyocollæ,
Succi Ireos,
Scillæ,
Oesypi, vel Olei ex pedibus Ouillis, ana drachmas duodecim semis.
Terebinthinæ vncias tres.
Resinæ Pini,
Ceræ flauæ, ana vncias duas.
Misce : fiat Emplastrum s.a.

DIACHYLON MAGNVM CVM GVMMI EX RENODAEO.

℞ Bdellij,
Sagapeni,
Ammoniaci, ana vnciam vnam.
Diachyli magni massæ addantur Vino dissoluta priùs, colata, & ad mellis crassitiem cocta: & sic fit Diachylon cum gummi.

DIACHYLON COMPOSITVM, Siue EMPLASTRVM DE MVCILAGINIBVS. MES.

℞ Mucilaginis Radic. Althææ,
Sem. Lini.
Fœnugræci,
Cortic. Mediani Vlmi, ana vncias quatuor semis.
Olei Chamæmelini,
Liliorum,
Anethini, ana vnciam vnam semis.
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni, ana vnciam dimidiam.
Ceræ nouæ vncias viginti.
Terebinthinæ vncias duas.
Croci drachmas duas.
Vino soluantur Gummi,
Fiat Emplastrum s. a.

DIAPALMA Seu DIACHALCITEOS, GALENI.

℞ Axungiæ Porcinæ insulsæ, vetustæ, à membranis purgatæ, libras duas.
Olei veteris,
Argenti spumæ, (i.) Lithargyri, tritæ, & cretæ, ana libras tres.
Chalcitidis vstæ, læuigatæ, seu Vitrioli albi vsti, & puluerisati vncias quatuor.
Conficitur autem in hunc modum.
Primùm Lithargyrum tenuissimè læuigatum lento igne cum oleo, & axungia diutissimè coquunt, ac nutriunt semper agitando ridicu-

 lâ,

lâ, ſeu ramo Palmæ, vel aliûs arboris aſtringentis, vt Quercus, Buxi, vel Meſpili, qui recenter ſit inciſus, atque vt ſpatulæ vis medicamentoſa meliùs Emplaſtro communicetur, eius extremitatem ſubinde præſcindunt, & ſuperficiem abradunt, ad humiditatem vſque natiuam: mixturæ ſic coctione & agitatione incraſſatæ, & igni ſubſtractæ Vitriolum album, Chalcitidis veræ penuriâ, pulueriſatum injiciunt & ſubigunt, ſicque maſſam habent laudabilem pro Emplaſtro.

EMPLASTRVM DIAPHOENICON CALIDVM,

M. E S.

℞ Ceræ vncias duas.
Olei Roſacei,
Nardini, ana vncias quatuor.
Simul liquentur, deinde
℞ Dactylorum ſiccorum numero quadraginta.
Panis biſcocti vnciam vnam.
Macerentur in Vino odorato per biduum, deinde
℞ Carnis Cydoniorum in Vino rubro coctorum vnciā vnam.
Contundatur & permiſceatur ſuperioribus; & adde ſequentia in mortario benè contuſa.
℞ Maſtiches,
Thuris,
Abſinthij Romani, ana drachmas duas ſemis.
Ligni Aloes,
Macis,
Myrrhæ,
Aloes lotæ,
Spicæ Nardi,
Acaciæ,
Galliæ Moſchatæ.
Trochiſcorum Ramich,
Calami Aromatici, ana drachmam vnam.
Ladani drachmas duas.
Miſce, & fiat Emplaſtrum ſ. a.

DIAPHOENICON FRIGIDVM,

M. E S.

℞ Dactylorum maturitati proximorum in Vino auſtero coctorum vncias quinque.
Panis biſcocti vnciam vnam.
Carnis Cydoniorum in Vino auſtero coctorum vnciam vnam.
Styracis Calamitæ,
Maſtiches,
Ladani,
Acaciæ,
Omphacij, id eſt, ſucci Vuarum immaturarum.
Flor. Labruſſæ, vel Vitis ferentis vuas acidas vel auſteras.
Roſarum rubrarum,
Santali Citrini,
Trochiſcorum Ramich,

Myrrhæ,
Ligni Aloes, ana vnciam dimidiam.
Ceræ vncias quatuor.
Terebinthinæ aquâ Rosaceâ lotæ vnciam vnam semis.
Olei Rosacei vncias decem.
Vini austeri q. s.
Fiat Emplastrum s. a.

EMPLASTRVM DIVINVM, *NICOLAI.*

℞ Magnetis vncias quatuor.
Ammoniaci vncias tres, & drachmas tres.
Bdellij vncias duas.
Galbani,
Myrrhæ, an. drachmas decem.
Olibani drachmas nouem.
Opopanacis
Mastiches,
Aristolochiæ longæ,
Viridis æris, ana vnciam vnam.
Lithargyri libram vnam semis.
Olei communis libram vnam semis.
Ceræ nouæ vncias octo.

Misce s. a. Lithargyrus cum Oleo diù agitetur posteà coquantur ad spissitudinem, tum Cera addatur, ea liquatâ, ab igne auferantur, & adjiciantur Gummi in aceto, aut vino dissoluta, cocta, & colata, deinde puluis Myrrhæ, Mastiches, Thuris, Aristolochiæ, & Magnetis, postremò Æruginis, ne diutiùs cocta Emplastrum faciat rubrum, & sic fiat Emplastrum secundùm

EMPLASTRVM DE GVMMI ELEMI

Pet. Apon. Conciliat. sec. Vig. Antid. cap. 16.

℞ Gum. Elemi vncias tres.
Resinæ Pini,
Ceræ puræ,
Ammoniaci vncias duas.
Terebinthinæ tres vncias & mediam.

Vino Maluatico q. s. ad consumptionem Vini coquantur cætera: tum Ammoniacum aceto dissolutum adjiciatur.

EMPLASTRVM GRACIA DEI. *NICOLAI.*

℞ Terebinthinæ libram dimidiam.
Resinæ libram vnam.
Ceræ albæ vncias quatuor.
Mastiches, vnciam vnam.
Betonicæ, Verbenæ, Pimpinellæ, recentium, ana manipul. vnum.

Tusæ herbæ in vino albo coquantur dum tabescant, liquor exprimatur, in quo Cera & Resina coquantur

quantur ad liquoris consumptionem: ab igne sublatis, Terebinthina permisceatur, & postremò Mastiche in puluerem redacta; & sic fiat Emplastrum, s.a.

EMPLASTRVM GRISEVM DE LAPIDE CALAMINARI.

℞ Lapidis Calaminaris præparati vnciam vnam.
Lithargyri vncias duas.
Cerussæ vnciam dimidiam.
Tutiæ drachmam vnam.
Terebinthinæ drachmas sex.
Ceræ albæ vnciam vnam semis.
Seui Ceruini vncias duas.
Thuris electi drachmas quinque.
Mastiches drachmas tres.
Myrrhæ drachmas duas.
Camphoræ drachmam vnam semis.
Ceræ, & Seui Ceruini, ana q. s.
Confice s. a.

EMPLASTRVM AD HERNIAM. *FERNELII.*

℞ Gallarum,
Nucum Cupressi,
Psidiæ, siue Malicorij,
Balaustiorum,
Acaciæ,
Sem. Plantaginis,
Psyllij,
Nasturtij,
Cupularum Glandium,
Fabarum torrefactarum,
Aristolochiæ longæ, & rotundæ,
Myrtyllorum, ana vnciam dimidiam.

Hæc omnia puluerisentur, & in aceto Rosato macerentur per dies quatuor, deinde torrefiant & exiccentur, tum
℞ Consolidæ maioris & minoris.
Caudæ equinæ,
Glasti,
Scolopendrij, i. Ceterach,
Radic. Osmundæ regalis,
Filicis, ana vnciam vnam.
Thuris,
Myrrhæ,
Mastiches,
Mummiæ, ana vncias duas.
Boli Armeni loti in aceto,
Lapidis Calaminaris præparati,
Lithargyri Auri,
Sanguinis Draconis, ana vncias tres.
Picis Naualis libras duas.
Terebinthinæ vncias sex, vel q. s.
Vt fiat Emplastrum secundùm artem.

EMPLA-

EMPLASTRVM HYSTERICVM,
NICOLAI.
Præpar. sec.
RENODAEVM.

℞ Radic. Bistortæ libram vnam.
Ligni Aloes,
Santali Citrini,
Nucis Moschatæ,
Berberis acinorum,
Antheræ, ana vnciam vnam.
Cinnamomi,
Caryophyllorum,
Schœnanthûs,
Flor. Chamæmeli, ana vnciam dimidiam.
Thuris,
Mastiches,
Aliptæ Moschatæ,
Galliæ Moschatæ,
Styracis Calamitæ rubri, ana drachmam vnam.
Moschi optimi drachmam dimidiam.
Ceræ libram vnam semis.
Terebinthinæ libram dimidiã.
Olei Moschelini vncias quatuor.
Ladani libras quatuor.
Picis Naualis libras tres.

Cerâ cum Pice liquatâ, Ladanum & Terebinthinæ addantur, dein Styrax, postremò reliqua trita & creta, & fingatur Emplastrum secundùm artem.

EMPLASTRVM DE IANVA.
Siue
DE BETONICA.
NICOLAI.

℞ Succi Betonicæ,
Plantaginis,
Apij, ana libram vnam.
Ceræ,
Picis,
Resinæ,
Terebinthinæ, ana libram dimidiam.

In succis Cera, & Resina lento igne coquantur, & continenter moueantur ad succorum consumptionem; postremò Terebinthina & Pix addantur bone agitando, & sic fiat Emplastrum s. a.

EMPLASTRVM DE MASTICHE,
RENODAEI.

℞ Mastiches vncias tres.
Boli Armeni in Vino nigro loti vnciam vnam semis.
Rosarum rubrarum drachmas sex.
Scobis Eboris,
Corallij rubri, ana vnciam dimidiam.
Terebinthinæ vncias duas.
Ceræ flauæ,
Olei Myrtillorum, ana libram dimidiam.

fiat Emplaſtrum ſ. a. addendo
Colophoniæ, vel Tacamahacæ,
Ladani, ana vncias duas.

EMPLASTRVM DE MELILOTO.
MES.

℞ Florum Meliloti vncias ſex.
Flor. Chamæmeli,
Sem. Fœnugræci,
Baccarum Lauri,
Radic. Althææ,
Maioranæ,
Com. Abſinthij, ana drachmas tres.
Sem. Apij,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi,
Caſiæ ligneæ,
Sem. Ammeos, ana drachmam vnam ſemis.
Ammoniaci drachmas decem.
Styracis calamitæ,
Bdellij, ana drachmas quinque.
Terebinthinæ vnciam vnam ſemis.
Ficuum pinguium numero duodecim.
Seui Hircini,
Reſinæ, ana vncias duas ſemis.
Ceræ vncias ſex.
Olei Sampſuchini,
Nardini, ana q. ſ.

Tum ℞ Meliloti noui, & Fœnugræci, & Chamæmeli, ana q. ſ. & coquantur in aquæ libris duabus ad medias, deinde in colaturam immiſſis triturandis ſubtiliſſimè pulueriſatis cum radicibus & ficubus coctis & cribratis, rurſum coquantur optime ſemper mouendo; ne comburantur, & additis Oleis, Terebinthinâ, Cerâ, Seuo, & Reſinâ ſimul liquatis, gummiſque in aceto diſſolutis, fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM DE MINIO COMPOSITVM,
VIGONIS.

℞ Olei Roſacei odorati libram vnam ſemis.
Olei Myrtini,
Vnguenti Populei, ana vncias quatuor.
Pinguedinis Gallinæ vncias duas.
Seui Caſtrati, i. Veruecis,
Vaccini, ana libram dimidiam.
Axungiæ Porcinæ vncias ſeptem.
Lithargyri Auri,
Argenti, ana vncias tres ſemis.
Ceruſſæ vncias quatuor.
Minij vncias tres.
Terebinthinæ vncias decem.
Ceræ q. ſ.

fiat Emplastrum f. a. tendens ad nigredinem.

ALIVD DE MINIO SIMPLICIVS, LONDINENSIVM.

℞ Minij vncias nouem.
Olei Rosarum rubrarum librã vnam semis.
Aceti vini albi vncias sex.
Coquantur in perfectam Emplastri consistentiam.

Paratur etiam sine aceto in hunc modum.

℞ Minij libram vnam.
Olei Rosacei libram vnam semis.
Ceræ libram dimidiam.
fiat Emplastrum f. a.

EMPLASTRVM ISIS EPIGONI Gal. comp. med. gen. l. 5.

℞ Ceræ luteæ drachmas centum.
Terebinthinæ drachmas ducentas.
Squamæ Æris rubei,
Æruginis rasæ,
Aristolochiæ rotundæ,
Thuris,
Salis Ammoniaci,
Guttæ Ammoniacæ,
Æris vsti, ana drachmas octo.
Aluminis combusti drachmas sex.
Aloes,
Myrrhæ,
Galbani, ana sesquiunciam.
Olei antiqui libram vnam.
Aceti acris q. s.

Metallicis Aceto sub Sole dissolutis, mox affunduntur liquabilia, deinde pulueres; demum ex omnibus fiunt magdaleones.

EMPLASTRVM DE MASTICHE, *NIC. AL.*

℞ Mastiches,
Picis naualis,
Sagapeni,
Ceræ, ana drachmas sex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci,
Aloes,
Thuris,
Myrrhæ, ana drachmas tres.
Opopanacis,
Galbani,
Styracis calamitæ,
Aluminis (Rondeletius substituit, & nos ex eo) Bituminis,
Fœnugræci, ana drachmas duas
Comphittæ, i. fæcis Styracis liquidæ,

 Bdellij,

Bdellij,
Lithargyri, ana ſemidrachmâ.
Lithargyrus in puluerem redactus cum ſufficienti aqua decoquatur, deinde Pix, quâ liquefactâ, adde Ceram, Ammoniacum, poſteà Sagapenum, Opopanax, Galbanum infundantur & liquentur, & percolata injiciantur: mox Styracem, Comphittâ, Terebinthinam ſpatulâ miſce: poſtremò Colophoniæ, Maſtiches, Thuris, Bdellij, Aluminis, Myrrhæ, Fœnugræci pulueres paulatim inſperge: coquatur: coctum in aqua fundatur, & forma magdaleones.

EMPLASTRVM ΜΗΤΡΟΠΡΟΠΤΩΤΙΚΟΝ.

℞ Maſtiches vnciam vnam cum ſemiſſe,
Galbani purioris in Vino rubro diſſoluti, & à fœcibus poſt colaturam expurgati, drachmas ſex.
Terebinthinæ Cypriæ drachmas duas.
Nucum Cupreſſi,
Gallarum, ana ſeſquidrachmam.
Olei Nucis Moſchatæ per expreſſionem, drach. vnam.
Picis ex nauibus vetuſtis deraſæ drach. duas cum ſemiſſe.
Moſchi grana duo cum ſemiſſe.
Contundantur leuiter Maſtiche, Pix, Galbanum, & Terebinthina, cum calido piſtillo in mortario calido, ſub finem admiſcendo Nucis Moſchatæ Oleum. Tum demum per vices adjiciantur pulueres, nec non Moſchus ſuper marmore cum modico Olei Maſtichini diſſolutus, & poſt exactam miſtionem fiat Emplaſtrum.

EMPLASTRVM NIGRVM, AVGVSTAN. STICHPFLASTER.

℞ Colophoniæ,
Reſinæ,
Picis naualis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ, ana vncias octo.
Olei Roſacei vncias ſeptem.
Ol. Iuniperi ex granis vncias tres.
Ol. Ouorum vncias duas.
Ol. De Spica vnciam vnam.
Vitrioli albi,
Corallij rubri,
Mumiæ, ana vncias duas.
Terræ ſigillatæ,
Maſtiches,
Sang. Draconis, ana vnciam vnam.
Adipis Ardeæ vnciam vnam.
Thymalli vncias tres.
Lap. Magnetis præpar. vncias duas.
Lumbricorum præparatorum,
Cam-

Camphoræ, ana vnciam vnam.
Fiat Emplaſtrum ſ. a.

EMPLASTRVM NERVINVM, *VIGONIS.*

℞ Olei Chamæmelini,
Roſacei, ana vncias duas.
Olei Maſtichini,
Terebinthini,
Lini, ana vnciam vnam ſemis.
Terebinthinæ coctæ vncias quatuor.
Seui caſtrati Vituli,
Hircini, ana vncias duas ſemis.
Herbarum Roriſmarini,
Betonicæ,
Caudæ Equinæ,
Centaurij minoris, ana manip. vnum.
Vermium terreſtrium lotorũ & purgatorum in vino vncias tres.
Hyperici fol. & ſem. eius, ana manipul. vnum.
Maſtiches pulueriſatæ,
Gummi Elemi, ana drachmas decem.
Radicũ Rubiæ tinctorũ drachmas decem.
Picis naualis,
Reſinæ, ana vnciam vnam ſemis.
Lithargyri Auri,
Argenti, an a vncia duas ſemis.
Minij vncias duas.
Galbani,
Sagapeni,
Ammoniaci, ana drachmas tres.
Coquantur Herbæ, Radices, & Vermes in Vini libra vna ſemis ad medietatis conſumptionem, deinde exprimantur, & expreſſum bulliat iterum cum Oleis, Seuis, Lythargyro, & Minio ad Vini conſumptioné: deinde adde Gummi in Vino odorifero diſſoluta: poſtremò Terebinthinam, Reſinam, Picem, & Maſtichem in puluerem redacta, & fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM OXYCROCEVM, *NICOLAI.*

℞ Croci,
Picis Naualis,
Colophoniæ,
Ceræ, ana vncias quatuor.
Terebinthinæ,
Galbani,
Ammoniaci,
Myrrhæ,
Olibani,
Maſtiches, ana vnciam vnam drachmas tres.
Modus conficiendi hic ſit; Cera, Colophonia, & Terebinthina ſimul liquentur; auferendo ab

igne : mox Picem puram adde,dū adhuc feruet; tum Galbanū, Ammoniacum, Thus, & Myrrham diſſoluta in aceto, injice: poſteà Maſtichem in puluerem redactam & Crocum puluerisatum in aceto probè humectatum: & ſic fiat Emplaſtrum ſ. a.

VIGONIS OXYCROCEUM
(in quo nil Croci) præſtantius
NOR. AUG.

℞ Ol. Myrtini,
Roſacei,
Omphacini,ana ſeſquilibrā.
Succi Rad. Althææ, libras duas.
Rad. & fol. Fraxini,
Conſolidæ minoris,
Fol. Myrti, ana manipulum.
Omnia priùs aliquantulum contuſa bulliant in Vino nigro, q. ſ. ad conſumptionem medietatis, cum
Myrrhæ,
Thuris, ana ſemunciā.
Colentur inde Fortiter: addantur colaturæ
Seui Hircini ſelibra,
Terebinthinæ vnciæ ß,
Maſtiches vncia.
Iterum cum prædictis Oleis bulliant, ad conſumptionem decoctionis. Colentur poſtmodùm addendo
Lithargyri Auri,
Argenti, ana vncias tres.
Boli Armeni,
Terræ Sigillatæ, ana vncias duas.
Minij drachmas decem.
Coquantur igne lento, & cum Cera noua ſufficiente, ſemper agitando, fiat Emplaſtrum.

EMPLASTRUM DE RANIS.
VIGONIS.

℞ Olei Chamæmelini,
Anethini,
Spicæ,
Liliorum,ana vncias duas.
Olei de Croco vnciam vnam, vide pag. 132. col. 2.
Axungiæ Porcinæ libram vnā.
Pinguedinis Vituli libram dimidiam.
Euphorbij drachmas quinque.
Thuris drachmas decem.
Olei Laurini vnciam vnā ſemis.
Adipis viperæ, vel (eius defectu) Colubri, vncias duas ſemis.
Ranarum viuentium numero ſex.
Lumbricorum in vino lotorū vncias tres ſemis.
Succi Radic. Ebuli,
Enulæ, ana vncias duas.
Schœnanthûs,
Stœchados,
Artemiſiæ,ana manipul. vnum.
Vini odoriferi libras duas.
Lithargyri Auri libram vnam.
Terebinthinæ claræ vncias duas.

Ceræ

Ceræ flauæ q. s.
Styracis liquidæ vnciam vnam semis.
Argenti viui saliuâ hominis ieiuni, vel succo Limonum extincti, vncias quatuor.

Modus conficiendi hic sit.

Coquantur simul Ranæ, Lumbrici, & herbæ cum succis, & oleis Chamæmeli, Anethi, Liliorũ, Axungiâ, pinguedine, & librâ vnâ semis vini odorati; Colaturæ adde Lithargyrũ, Ceræ vncias quatuor, & residuum Vini(i)librã dimidiã. Coquantur simul ad consumptionem totius Vini, & dum digitis non adhæreat, tum adde Oleum deCroco, Laurinum de Spica, & Adipem: posteà puluerem Thuris & Euphorbij, postremò Argẽtum viuum probè commixtum cum Styrace liquidâ, & Terebinthina, simul omnia cum spatula agitando vt simul incorporentur. Cauendum tamen ne imponatur Argentum viuum, cum nimis feruet Massa, ne euolet.

EMPLASTRVM SANCTVM *ANDR.* à CRVCE.

℞ Resinæ Pini rec. claræ odor. vncias duodecim.
Olei Laurini puri,
Terebinthinæ optimæ, ana vncias duas.
Gum. Elemi transparentis, grauis, vncias quatuor.

Resina & Gummi in caciola ænea, super ignem clarum debilem, assiduò rudiculâ arundineâ, vel spatulâ æneâ coagitentur, donec liquescant. Inde addantur Laurinum & Terebinthina, iterum parum bulliant, mouendo itidem. Cum incrassatum, per stamineam, aut tamisium percoletur: quod extillauerit, in vase vitreato terreo operto asseruetur.

SPARADRAPVM Seu TELA *GALTERI ex RENO D.*

℞ Olei Rosacei libram dimidiam.
Seui Arietini vncias quatuor.
Ceræ vncias decem.
Lithargyri,
Resinæ Pini,
Thuris,
Mastiches, ana vncias duas.
Boli Armeni,
Farinæ volatilis, ana vnciam vnam.

Coquantur simul Oleum, Seuum, & Lithargyrus, donec Lithargyrus sit incorporatus; deinde ex arte fiat Emplastrum, in quod adhuc liquatum, & calidum, tela parùm attrita immergatur.

EMPLASTRVM ΣΤΕΦΑΝΙΑΤΟΝ.

℞ Ladani semunciam.
Styracis calamitæ gummosæ & colatæ,

Sandaracæ Arabum, i. gummi Iuniperi, ana drachmas duas.
Succini,
Terebinthinæ Cypriæ, ana drachmam vnam.
Coralliorum rub.
Mastiches, an. semidrachmam.
Florum Saluiæ,
Rosarum rubrarum,
Iridis Florentinæ, ana scrupulū.
Resinæ, ex aqua Rosacea lotæ semunciam.

Resina, Ladanum, & Mastiche, cum Styrace, Sandaracâ & Terebinthinâ, in mortario calido leuitèr contundantur, eò vsque s. a. cum pistillo calido (Vini rub. guttas aliquot aspergendo) donec inuicem coiuisse videantur: Tum demùm Pulueres per vices immittantur, ità vt diligenti agitatione continuò factâ, ex omnibus exactè commixtis fiat Emplastrum.

EMPLASTRVM SINE PARI,

ANONYMI ex manuscripto excerptum.

℞ Thuris Libani,
Bdellij,
Styracis gummosæ, ana drachmas tres.
Ammoniaci,
Galbani, ana drachmam vnam cum semisse.
Picis naualis drachmas sex.
Medullæ Ceruinæ,
Adipis Gallinæ,
Anseris, ana drachmas duas.
Sulphuris viui ex lacte loti,
Pulueris Hermodactylorum, ana sesquidrachmam.

Dissoluantur Gummi in Vino albo tenui (non autem in aceto, quod neruosis & membranosis partibus est inuicem) & cum Olei Rosati completi partibus duabus, Olei Ouorum parte vna, & Olei Terebinthinæ modico fiat s. a. Emplastrum.

STICTICVM PARACELSI.

℞ Olei oliuarum vncias sex.
Ceræ vnciam vnam semis.
Lithargyri triti vncias quatuor semis.
Ammoniaci,
Bdellij, ana vnciam dimidiam.
Galbani,
Opopanacis,
Olei Laurini,
Lap. Calaminaris,
Aristolochiæ vtriusque.
Myrrhæ,
Thuris, ana drachmas duas.
Resinæ abietis, vel Terebinthinæ puræ vnciam vnam.

Oleum, Cera, & Lithargyrus simul coquantur, dum digitis non adhæreant; deinde massa ab igne remota paulùm frigescere sinatur addendo gummi dissoluta in aceto Vini albi, quod recoquendo euaporet,

euaporet; & coletur ſtrenuè, poſtremò pulueres & Terebinthinā & Oleum Laurinum adjice, & fiat Emplaſtrum ſ. a.

EMPLASTRVM STOMACHICVM, MES.

℞ Ligni Aloes,
Abſinthij,
Gummi Arabici,
Maſtiches,
Cyperi,
Coſti,
Zingiberis, ana vnciam dimidiam.
Calami Aromatici,
Olibani,
Aloes, ana drachmas tres.
Caryophyllorum,
Macis,
Cinnamomi,
Spicæ Nardi,
Nucis Moſchatæ,
Galliæ Moſchatæ,
Schœnanthûs, ana drachmam vnam ſemis.

Excipe Miuâ Cydoniorum, & fiat Emplaſtrum, vſus tempore extendatur ſuper pannum, & ſuffumigetur ligno Aloes, & ſuperponatur ſtomacho.

EMPLASTRVM STOMACHICVM MAGISTRALE.

℞ Menthæ,
Abſinthij,
Stœchados,
Fol. Lauri, ana drachmam vnam:
Maioranæ,
Roſarum rubrarum,
Santali Citrini, ana drachmas duas.
Calami Aromatici,
Ligni Aloes,
Florum Lauendulæ,
Nucis Moſchatæ,
Cubebarum,
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Maſtiches drachmas tres.
Caryophyllorũ drachmas duas ſemis.
Olei Menthæ vnciam vnam ſemis.
Olei Nardini vnciam vnam.
Olei Spicæ drachmam vnam.
Reſinæ,
Ceræ, ana vncias quatuor.
Ladani vncias tres.
Styracis liquidæ vnciam ſemis,

Fiat Emplaſtrum.

DE

DE CERATIS.

CERATVM AMMONIACVM.

℞ Ammoniaci diſſoluti in aceto vnciam vnam.
Vng. Dialthææ,
Empl. de Meliloto, ana ſemunciam.
Furfuris Frumenti optimi cribrati vnciam.
Pulu. radic. Bryoniæ ſicc.
Ireos ſicc. ana ſemunciam.
Pinged. Anatis,
Anſeris,
Gallinæ, ana drachmas tres.
Olei Irini ſeſquiunciam.
Bulliant leuiter in mucilaginibus Sem. Lini.
Fœnugræci, ana q. ſ.
Adde Ceræ vncias quatuor.
Fiat Ceratum ſ.a.

CERATVM DE GALBANO.

℞ Galbani præparati vnciam vnã ſemis.
Aſæ fœtidæ vnciam dimidiam.
Sem. Dauci ſcrupulum vnum.
Myrrhæ rubeæ drachmas duas.
Bdellij drachmam vnam.
Matricariæ,
Artemiſiæ, ana drachmam dimidiam.
Gummi diſſoluantur in aceto, & fiat Ceratum ſ. a. addita Ceræ q. ſ.

CERATVM OESYPATVM, *GALENI.*

℞ Oeſypi vncias decem.
Olei Chamæmelini,
Irini, ana librã dimidiam.
Ceræ flauæ libras duas.
Reſinæ libram vnam.
Maſtiches.
Terebinthinæ, ana vnciam vnam.
Spicæ Nardi drachmas duas ſemis.
Croci drachmam vnam ſemis.
Ammoniaci vnciam vnam.
Styracis Calamithæ vnciam dimidiam.
fiat Ceratum ſ.a.

CERATVM SANTALINVM, *MES.*

℞ Roſarum drachmas duodecim.
Santali rubri drachmas decem.

Santali

Santali albi,
citrini, ana drachmas sex.
Boli Armeni drachmas septem.
Spodij ex Ebore drachmas quatuor.
Camphoræ drachmas duas.
Ceræ albæ lotæ drachmas triginta.
Olei Rosacei vncias sex.
fiat Ceratum s. a.

CERATVM STOMACHICVM, *GALENI.*

℞ Rosarum rubrarum,
Mastiches, ana drachmas viginti.
Fol. Absinthij sicc. drachmas quindecim.
Spicæ Nardi drachmas decem.
Ceræ mundæ vncias quatuor.
Aquæ Rosaceæ q. s.
Olei Rosati libram vnã semis.
& sic Vnguenti instar liquescit & fluit ad extrema. tum adde
Olei Rosati vncias octo.
Ceræ vncias quatuordecim.
Pulueres vt supra (præter Mastichem quæ liquatur Oleo Rosato.)

EMPLASTRVM à NOSTRATIBVS, FLOS VNGVENTORVM DICTVM.

℞ Resinæ,
Resinæ Pini,
Ceræ,
Seui ouini, ana libram dimidiã.
Olibani vncias quatuor.
Terebinthinæ vncias duas semis.
Myrrhæ,
Mastiches, ana vnciam vnam.
Caphuræ drachmas duas.
Vini albi libram dimidiam.
Coque simul in formam Cerati.

OLEA

OLEA CHYMICA.

OLEA EX HERBIS.

OLEVM ABSINTHII.

℞ Absinthij sicci libram vnam.
Aquæ fontanæ libras viginti.

Macerentur per horas viginti quatuor, & fiat distillatio per Alembicum magnum cum suo Refrigeratorio. Oleum cum aqua extrahes, quod separabis per infundibulum. Aqua, quæ exstillârit, ab Oleo separata seruetur ad nouam distillationem.

Eodem modo parantur,

Olea Ex floribus Chamæmeli,
Chelidonij,
Hyssopi,
Lauendulæ,
Maioranæ,
Menthæ,
Nasturtij,
Origani,
Pulegij,
Rosarum,
Rorismarini,
Rutæ,
Sabinæ,
Saluiæ,
Satureiæ,
Thymi,
Verbasci,

Et ex omnibus aliis floribus; & herbis calidis.

OLEA EX SEMINIBVS.

OLEVM SEM. ANETHI.

℞ Semin. Anethi contusorum libras duas.
Aquæ fontanæ libras sedecim.

Macerentur

Macerentur per viginti quatuor horas, deinde diſtillentur per Alembicum magnum cum ſuo refrigeratorio, extrahes Oleum, & aquam, quod ſeparabis per infundibulum.

Eodem modo paratur

Oleum ex Seminibus { Aniſi, Carui, Cymini, Dauci, Fœniculi, Frumenti, Petroſelini, Rutæ, Saxifragiæ, &c.

OLEA EX BACCIS.

OLEVM EX BACCIS IVNIPERI.

℞ Baccarum Iuniperi recentium libras quinquaginta.

Contunde & pone in vaſe ligneo cum aquæ libris viginti quatuor. Addendo fermenti acrioris libram vnam: ſtent in Cellario, benè clauſo vaſe, per tres menſes: deinde diſtillentur per Alembicum cum conuenienti quantitate aquæ, poſt ſeparationem Olei, reſerua aquam, ad aliam diſtillationem.

Eodem modo fit,

Oleum ex Baccis { Hederæ, Lauri,

OLEA EX AROMATIBVS.

OLEVM CINNAMOMI.

℞ Cinnamomi contuſi libras quinque.

Aquæ fontanæ libras quinquaginta.

Macerentur per horas viginti quatuor, & diſtillentur per Alembicum magnum cum refrigeratorio.

Eodem modo paratur

Oleum { Caryophyllorum, Macis, Nucis Moſchatæ, Piperis,

OLEA EX CORTICIBVS.

Olea ex Corticibus ſiccis,
Aurantiorum,
Citri,
Limonum,
Parantur eodem modo, quo Olea ex Herbis.

EX LIGNIS.

OLEVM EX GVAIACO.

Oleum ex ligno Guaiaco fit per retortam in reuerberatorio clauſo: ſeparetur tenuior & ſuauior pars à fœtidiore, craſſiore; & rectificetur cum Sale, vel Tartaro calcinato, vel Colcothare, vel arena. Eodem modo fit Oleum è Buxo, Quercu, & aliis lignis ſolidioribus.

EX LIGNO SASSAFRAS.

Oleum Saſſafras fit ſicut Oleum Cinnamomi: Et ſic fit
Oleum ex Ligno Rhodio,
Iuniperi,
Roriſmarini,
Hederæ.

OLEA EX FVSILIBVS.

OLEVM CERÆ.

℞ Ceræ flauæ libram vnam.
Liqua, & adde pulueris Tegularum libras tres.

Miſce, & pone in retortam, & extrahe Oleum igne conuenienti, rectificetur per retortam ſine tegulis, additâ aquâ: Conueniens ignis eſt, qui primò extruitur ſupra retortam vſque dum exibilare deſierit, dein infra retortam: Et hoc modo parantur
Olea ex Pinguedinibus.

OLEA EX GVMMIS ET RESINIS.

OLEVM MYRRHÆ.

℞ Myrrhæ contuſæ libras ſex.
Aquæ fontanæ libras triginta.
Salis nigri libras ſex.

Miſceantur, & diſtillentur per Alembicum.

OLEVM TEREBINTHINÆ.

℞ Terebinthinæ Venetæ libras viginti octo.
Aquæ communis libras nonaginta ſex.

Imponantur in vas cupreum amplum cum ſuo cooperculo, & refrigeratorio: ſic exſtilletur Oleum tenue, & album, & in fundo reſtabit Colophonia, ſi ignis augeatur. Oleum iſtud album, inſtar aquæ, commodè extrahetur ſine empyreumate in B. M. in vaſe vitreo; ſi verò flauum & rubrum velis, opus eſt validiori igne, vt cinerum aut arenæ ſine aqua in vaſe vitreo.

OLEVM

OLEVM BALSAMI
Pet. Apon. Concil.

℞ Myrrhæ,
Aloes,
Spicæ Nardi,
Sanguinis Draconis,
Thuris,
Mumiæ,
Opopanacis,
Carpobalſami, vel cubebarum,
Bdellij,
Ammoniaci,
Sarcocollæ,
Croci,
Maſtiches,
Gummi Arabici,
Styracis liquidæ, ana drachmas duas.
Ladani,
Caſtorei, ana drachmas duas ſemis.
Moſchi ſemidrachmam.
Terebinthinæ ad pondus omnium.

Terenda terantur, miſceantur omnia, & diſtillentur in Alembico ſecundùm artem.

OLEVM LATERICVM, PHILOSOPHORVM
quod dicitur,
DIVINVM SANCTVM, MAGISTERII,
MES.

℞ Lateres è terra rubente antiquatos, in fruſta comminutos ad pomi magnitudinem; quæ fruſtula in prunis ignita tota excandeſcant; exempta extinguantur oleo Roriſmarini, vel claro veteri, dum ſe impleuerint: exempta iterum terantur tenuiſſimè. Puluis in vitream iniiciatur Retortam ſeu Cucurbitam, fornaci ritè adaptatam, luto concluſam chymico, per ſublimationem diſtillandus. Oleum eliciatur prunis, excipiatur phialâ ſubiectis: & quo antiquius, eo valentius obſeratum recondatur.

Oleum Liguſtrinum, Cyprinum, ſeu de Alcanna, Meſuæ, Ex florum Liguſtri vnciis quatuor, Olei veteris vnciis decem.

Oleum Liliorum alborum, Ex floribus, & oleo veteri claro, vt Roſaceum, ſed abijciantur vngues crocei.

Et ſimplex è flor. Liliorum Conuallium adſimile.

OLEVM THVRIS.

℞ Thuris q. ſ. pone in retortam: extrahe Oleum igne conuenienti: poſt rectificetur per ſe, vel addito ſale, vel arenâ.

Eodem modo fiunt

Olea { Ammoniaci,
Benioini,
Carannæ,
Gagatis,
Maſtiches,
Opopanacis,
Sagapeni,
Styracis liquidæ,
Tacamahaccæ, &c.

OLEA EX MINERALIBVS, ET LAPIDOSIS.

OLEVM ANTIMONII.

℞ Antimonij crudi, Mercurij ſublimati, ana libram vnam.

Fiat puluis indendus retortæ vitreæ, cuius collum ſit latum, detur ignis per gradus in reuerberatorio clauſo. Stillabit in vas recipiens pinguedo, cuius pars collo retortæ adhærens ſuppoſito leui igne liquetur. Iſta pinguedo in Alembico paruo rectificetur, vel in retortula, & ſeruetur hoc coagulum; quod ſi liquidum velis, phiala aperta relinquatur in cella, abibit in aquam ſiue oleum diligenter aſſeruandum vaſe probè obturato.

OLEVM ARSENICI.

Cryſtallinum Arſenicum (priùs ſublimatũ cum ſolo Colcothare) commiſce cum æquali pondere Salis Tartari, & Salis Petræ: & inter vrceolos duos (quorum ſuperior ſit perforatus) calcinentur, vſq; dum nullus fumus aſcenderit. Materiam ſic calcinatam in aqua calida ſolues, vt inde Salem extrahere poſſis; puluerem, qui ſubſiderit, imbibe liquore Tartari, & exicca ad ignem; idque ter facias. Rurſus materiam in calida diſſolue, vt Salem eximas; & remanebit puluis candidiſſimus, & fixus; qui in loco humido ſoluetur in oleum pingue butyri inſtar.

OLEVM SALIS.

℞ Salis nigri Gallici (calore Solis, non vi ignis, facti) quantum vis.

Exiccetur ſupra ignem, cui adde

Terræ luteæ calcinatæ tantundem.

Contundantur ſimul in Mortario, priuſquam penitus refrixerint, deinde impleatur retorta cum collo longiori, benè lutata, & ponatur in fornace anemia, cum recipiente capaci benè lutato cum argilla temperata: ignem auge per gradus

gradus ; & intra duodecim vel quatuordecim horas habebis Oleum in recipiente: vbi fornax refrixerit, & fumi probè ſedati fuerint, effunde oleum; & ſeruetur in vaſe optimè clauſo, ne aeris vim ſentiat: Et rectificetur à phlegmate.

Melius parabitur Oleum Salis, ſi Sal fuſus diſſoluatur in aqua pluuia, atq; ex his paretur muria, quæ ſupernatãs ouum ſuſtineat, deinde Laterum candentium fruſtula in iſta muria extinguantur, donec ſalſus liquor planè abſorbeatur, terantur lateres craſſiuſculè; indatur puluis retortæ luto exactiſſimè obductæ tenaci, & detur ignis apertus ad ſummum gradum vſque & rectificetur à phlegmate.

OLEVM SVCCINI.

℞ Succini flaui vncias duodecim,

Fiat puluis cui in phiala ampla vel retorta affunde tantundem aceti vini albi acerrimi, digerantur in fimo per octiduum, mox addito arenæ ſicciſſimæ vel ſilicum fluuiatilium in puluerem tritorum duplo per retortam fiat diſtillatio in arena ſubdito igne per gradus.

Oleum rectificetur ex arena, vel Sale, vel Tartaro calcinato ſemel, & tandem cum aqua pluuia.

OLEVM SVLPHVRIS.

℞ Campanam vitream ſexdecim ad minus librarum capacem (quò enim largior, eò melior) ponatur ſupra metretam terream, cum tribus, vel quatuor ſuſtentaculis, quibus campana commode aptari poterit; deinde impoſitâ Sulphuris quantitate ſufficienti in ollam terream ſic mutinam, vt poſſit ignis vim ſuſtinere, vratur Sulphur ſub campana, ſuperinjiciendo nouum Sulphur, vbi priùs conſumptum fuerit; fiat autem hæc operatio in cœlo & loco obſcuro, cum nec venti vigent, nec Sol ſplendet.

Maior habetur Olei quantitas, ſi vas Sulphur continens fornaculæ imponatur ſubdito igne, ita vt Sulphur perpetuò ſit in fuſione. Quidam tigillis Sulphur continentibus, ad fundum vſque indunt ellychnia Sulphure fuſo imbuta, quibus accenſis flamma non extinguitur.

Paretur autem loco ſubterraneo, vt in cella, vdo & pluuio cœlo.

Antequam Sulphur accenſum campanæ ſupponatur, ſuffumigetur campana fumo Saluiæ.

OLEVM TARTARI.

℞ Tartari q. v. imponatur in retortam amplam, eâ proportione

vt tertia pars vaſis impleatur, diſtilletur in arena igne forti, pòſt (ſeparato priùs Oleo ab Aqua ſiue ſpiritu Tartari) cum multa aqua rectificetur, cuius fœtor aliquatenus corrigetur, ſi in vaſe aperto ſub dio diù relinquatur, præſertim ad Solem: Quoniam tamen Salis diſſoluti liquor vulgò proſtat, pro Oleo Tartari ità paretur.

LIQVOR TARTARI, vulgò OLEVM TARTARI dictum.

℞ Tartari vini albi q.ſ. imple propemodum eo vas terreum non vitratum, in fornace anemia calcinetur per horas duodecim, vbi refrixerit ponatur in Manicam Hippocratis, quæ ſuſpendatur in cella humidiori vt diſſoluatur, ſuppoſito recipiente conuenienti. Reſiduum quod manicæ poſt ſolutionem adhæſerit, diſſoluatur in aqua communi, deinde filtretur, poſteaque euaporetur, quoad incipiat aſſimilari Alumini.

OLEVM VITRIOLI.

℞ Vitrioli Vngatici, vel etiam Angelici optimi q. v. liquetur in cacabo, mox diuidatur in craſſiora fruſta, quæ impoſita prunis vrantur ad flauum vſque colorem ad rubedinem aliquantulùm accedentem. Fiat Puluis irrorandus optimo ſpiritu vini, ponatur in retortas Wallemburgias, vel ſimiles fictiles ignis patientes, & detur ignis per gradus ad ſummum vſque, per triduum, donec recipientia, quæ antea tumultuantibus fumis obſcurabantur, clara euadant. Liquor ſtillatitius rectificetur; & ſeparentur ab inuicem, Vini ſpiritus, Vitrioli ſpiritus acidulus, & validiſſimum ac valdè ponderoſum Oleum.

AQVA MELLIS.

℞ Mellis puriſſimi libras quatuor.
Arenæ ſicciſſimæ libras duas.

Ponantur in cucurbitam tam capacem, vt materia quintam ſaltem vaſis partem occupet, atque in Balneo phlegma in cineribus paulò intenſiore gradu ignis aqua acida flaua proliciatur.

AQVA FORTIS.

℞ Vitrioli exſiccati libras duas: Satis petiæ repurgati libram vnâ: tere ſimul & retortæ optimo Luto Loricatæ impone & collocâ in fornace reuerberij, appoſitoq; recipiente amplo diſtilla per gradus, ſpacio viginti horarum: aquam exemptam clarifica cum drachm. 1. argenti ſ. artem.

PRÆ-

PRAEPARATIONES CHYMICÆ MAGIS VSVALES.

CHALYBS PRÆPARATVS PER INSOLATIONEM.

℞ Chalybem per Magnetem à ſordibus repurgatum : humectetur toties aceto vini albi acerrimo,& ſiccetur ad Solem,donec poſſit in porphyrite teri in puluerem impalpabilem , affusâ paucâ aquâ Cinnamomi.Sufficiet autem duodecies irrorare, & ſiccare,mox in mortario ferreo terere, tandem læuigare, & ſeruetur ad vſum.

CHALYBS PRÆPARATVS PER VSTIONEM.

℞ Chalybem(vt ſuprà) mundatũ: extinguatur candens duodecies in aceto albo acerrimo,& toties in vino Canarino aut Maluatico generoſiſſimo,ſiccetur,&(vt ſupra) tritus in porphyrite cum aqua Cinnamoni læuigetur, & ſeruetur ád vſum.

CREMOR SIVE SAL TARTARI.

℞ Tartari vini albi, aut Rhenani quantum volueris, teratur ſubtiliſſimè, & tranſmittatur per ſetacum , puluis abluatur ter quaterve aqua frigida ad eluendas ſordes, deinde bulliat in aqua fontis clara, in ampla patina, vel olla fictili vitriata, lento ſaltem fremitu ; ſpuma prima tollatur. Cruſtæ autem ſupernatantes , quæ ſucceſſiuè concreſcẽt in aquæ ſuperficie, poſtquàm totam ſuperficiem occupauerint, colligantur cochleari ligneo perforato, & extendantur in charta bibula, Abluantur denuò aquâ frigidâ, ſiccentur optimè, & in porphyrite leuigentur in Alkool. Seruetur Puluis in ampulla vitrea , & nullum attingat metallum.

CROCVS MARTIS.

℞ Laminas ferri vel Chalybis, quæ candentes aut ſcintillantes condantur Magdaleone , vel fruſto magno Sulphuris, ſubiectâ pelui aquæ plenâ , fluet inſtar ceræ ferrum, quod à ſulphure ſeparatum teratur in mor-

mortario ferreo in puluerem subtilissimum. Extendatur puluis in quadratis conchis fictilibus, quæ transuersum digitum altitudine non superent: Pone ad flãmam reuerberij, quæ valido flamine materiam lambat per tres vel quatuor dies; commodissimè id fiet in fornace vitrariorum; Materia instar spongiæ eleuabitur rubicundissima, cuius superficies instrumento ferreo lato colligatur, reliquum (vt supra) ignis flammâ vrgeatur, donec totum ferrum sit conuersum in pollinem tenuissimum, instar farinæ volatilis. Poterit etiam parari ex limatura ferri in igne reuerberij sine Sulphure.

CROCVS METALLORVM.

℞ Antimonij per longas venas scintillantis, Salis petræ purissimi, ana partes æquales, reducantur in puluerem seorsim, mox commisceantur; Ponantur in mortarium æneum ferreumue, mox iniectâ prunâ materia incendatur, quæ cum fragore & strepitu exuretur; superponatur (relicto tamen triũ digitorum interuallo) tegula, aut patella ferrea, donec stridor cessauerit: Materia Matellina instar vitri fusi fusce rubens separetur à crusta albicante, & seruetur ad vsum: deinde dulcoretur aquâ simplici destillatâ ter affusâ.

FLORES SVLPHVRIS.

℞ Sulphuris flaui, quod, si manibus contrectetur stringendo, auribus admotũ crepitat, quantum volueris: teratur cum p.æ. Colcotharis Vitrioli, ex Olei destillatione residui: ponantur in bocciam oblongam, seu vesicam fictilem, superposito capitello vitreo satis amplo, atque in arena dato igne per gradus, pellantur flores in Alembicum, pede leporino deturbandi.

Subtiliores euadent, si denuò cum eadem Colcotharis noui quantitate sublimentur.

LAPIS INFERNALIS, SEPTICVS.

℞ Lixiuium, è quo Sapo niger coquitur: id sartagine exceptum, in lapidem vrito. Caueas tamen, ne omnis liquor absumatur & arescat. Cum refrixerit, in formam tesserarum scindidatur, & vitro rectè obturato seruatur.

Aliter.

℞ Vitrioli ad rubedinem calcinati vncias duas.

Salis

Salis Ammoniaci vnciam vnam.
Tartari ad albedinem calcinati,
Calcis viuæ, ana vncias tres.

Tritis affundatur Lixiuium Ficulneum, vel Tithymallinum, vel Saponis, sæpiúsque transcoletur, donec materia tota ferè dissoluatur. Colatura coquatur in vase æneo ad liquoris consumptionem: quod relinquitur seruatur in vitro ad vsum.

LAPIS PRVNELLÆ, Seu NITRVM SVLPHVRE, PVRGARVM.

℞ Salis petræ purissimi, & in stirias Crystallinas coagulati libram vnam. Ponatur in crucibulum, vndique admotis & suppositis prunis, non accendetur, sed fluet instar metalli: huic fuso, per frustula (instar minorum auellanarum) injiciantur vnciæ duæ flor. Sulphuris, quod postquam consumptum fuerit, nitrum instar aquæ fluidum effundatur in peluim æneam, & postquàm concreuerit, seruetur in vase vitreo probè clauso, ne subeat aer, cuius appulsu dissoluitur.

MAGISTERIVM PERLARVM ET CORALLIORVM, IN QVO ETIAM SALES EORVM CONTINENTVR.

℞ Perlarum, vel Coralliorum, quantum volueris, terantur, & læuigentur in puluerem subtilissimum; Pulueri affundatur ea quantitas spiritus aceti radicati, quæ supernatet tribus digitis vel quatuor, fiat digestio in cineribus, donec fiat dissolutio; Cessante ebullitione decantetur liquor à corpore, & nouus affundatur ad omnimodam vsq; dissolutionem. Liquor trajiciatur per chartem emporeticam, huic colato affundatur paulatim Oleum Tartari, ex sale per deliquium paratum. Præcipitabitur puluis albus, per inclinationem à dissoluente separandus, & ad dulcedinem, seu incipiditatem aquâ pluuiâ, tandem aquis cardiacis abluendus.

Acetum radicatum fit, si aceti spiritus ex sale marino decrepitato eleuetur in arena.

MERCVRIVS DVLCIS SVBLIMATVS.

℞ Sublimati, præparati cum Sale & Vitriolo vncias duas, Mercurij crudi, purificati cum Sale & Aceto & triti in marmore, sesquiunciam. Teratur Subli-

matum in puluerem tenuissimum, quem crudo pòst exactè admiscebis, eodem in marmore. His ità mixtis, puluerem impone phialæ pedalis longitudinis. Locetur phiala (gossypio obturata) ad eius medietatem in arena tùm primùm adde ignem lentum; dein paulatim prunis accensis, per gradus ignis augeatur, per sex horas. Quod sublimatum ascenderit in regionem mediam, id colligatur: quod in supremam, venenatæ admodùm est qualitatis, vlceribus solummodò externis aptum: quod residet in ima vasis parte, nulli est vsui. In medio quod sublimatum si dulce sine acrimoniâ, res rectè habet, sin minùs, secundò opus iteretur, Mercurius (vt anteà) iterum sublimetur, vt viuum crudum ascendentem separes, & sic deinceps. Nam quò sæpiùs reiteratur opus, eò perfectius euadit medicamentum.

MERCVRIVS DVLCIS PRÆCIPITATVS.

℞ Mercurij crudi ex Sale marino per retortam pulsi, vel ex Cinnabari vulgari reuiuificati, partem vnam, Aquæ fortis (ex partibus duabus Vitrioli calcinati, & parte vna Salis Petræ desiccati paratæ partes duas, fiat dissolutio in phiala super cineribus tepidulis: Paretur muria ex aqua pluuia, & salis marini tanta quantitate, quantam ipsa aqua poterit dissoluere, filtretur, vel per chartam emporeticam agatur: In hanc muriam, quæ ouum immissum sustineat, effundatur Mercurij solutio: Illicò præcipitabitur puluis albus, ad insipiditatem abluendus aquâ pluuiâ tepidulâ, deinde etiam aquis cardiacis, & recondendus post exiccationem vase vitreo.

MERCVRIVS VITÆ.

℞ Oleum Antimonij ex eius & Mercurij sublimati æquis partibus destillatum in pinguedinem ad aerem in aperto vase, dissolubilem. Projiciatur in aquam purissimam, quæ illico lactea euadet, atq; præcipitabitur puluis niueus multiplici ablutione aquæ pluuiæ tepētis dulcorandus, & seruandus ad vsum.

SACCHARVM SATVRNI.

℞ Minij quantum volueris cui in phiala affunde tantum aceti distillati (spiritus videlicet ab omni phlegmate separati) quantum satis, vt supernatet quatuor digitis: fiat digestio in B. vel fimo per horas viginti quatuor

quatuor : ſepara acetum dulce, nouumq; affunde toties, donec nulla dulcedo ampliùs extrahahatur. Liquores omnes mixtos in vaſe fictili lapideo non poroſo, quod ignem ferre valeat : impone igne lento, & fiat exhalatio donec in ſuperficie concreſcat pellicula. Vas relinquatur in cella, & quæ congelabuntur Cryſtalli à reſiduo liquore ſeparentur. Liquor iterum exhalet ad pelliculam, & fiat vt ſuprà, donec nullæ ampliùs Cryſtalli concreſcant. Tandem fiat diſſolutio in aqua pluuia diſtillata, filtratio & coagulatio Sacchari Criſtallini dulciſſimi.

SAL VITRIOLI.

Carneus.

℞ Vitrioli Vngarici, vel Anglici quantum volueris : ponatur in Crucibulum amplum circumpoſito igne, donec fiat puluis violaceus, ſiue obſcurè purpureus. Calx iſta Vitrioli per partes projiciatur in phialam amplam vitream, in qua ſit aqua communis deſtillata, continuò agitando baculo, donec aqua, quæ primò valdè incaleſcit, denuò refrigeſcat. Sinantur omnia per horas viginti quatuor; filtretur liquor per chartam griſeam bibulam : tandem in ſcutella vitrea fiat exhalatio ad ſiccitatem, & ſeruetur Sal roſei ſeu carnei Sal vitrioli albus coloris.

Item Vitriolum album diſſoluatur in aqua diſtillata, diſſolutio agatur per filtrum chartaceum, & vel cryſtallizetur vt Plumbi Saccharum, vel per omnimodam exhalationem reducatur in Salem album, ſeu Vitriolum depuratum.

TVRBITH MINERALE.

℞ Mercurij crudi puriſſimi, Olei Vitrioli ab omni phlegmate ſeparati, ana partes æquales : ponantur in phialam, quæ imponatur primò cineribus calidis; deinde pedetentim ipſis prunis, dato igne per gradus, donec totum Vitrioli Oleum abierit in auras, reſtante in fundo vaſis maſsâ albâ, quæ ſeparata à portiuncula Mercurij crudi, projiciatur in aquam diſtillatam, vel pluuiam. Illico flaueſcit, abluatur ſæpiùs aquâ tepidâ ad dulcedinem, mox etiam aquis cardiacis, & ſiccetur.

VI-

VITRVM ANTIMONII.

℞ Antimonij ſplendidi & ſcintillantis quantum volueris: tritum ſubtiliſſimè conjiciatur in vas fictile amplum, & ſuccenſis carbonibus vrgeatur ſub dio continuò agitando rudiculâ ferreâ, donec in glebas concreſcat: tunc iterum teratur in puluerem, fiatque vt ſuprà donec concreſcat iterum, & tamdiu iteretur labor, donec ſplendor omnis euanuerit, vapor nullus eleuetur, & Stibium ſit inſtar cineris albicantis: nullumque edat fumum, puluis in laminam candentem proiectus.

℞ Huius calcis libram ſemiſſem, Boracis, ſeu Chryſocollæ factitiæ ſemunciam: vel accipe Calcis Antimonij vncias tres, Salis gemmæ ſemidrachmam. Ponantur in fictile vas fuſoriũ aurifabrorum, crucibulum dictum, quod tegulâ tectum igni validiſſimo exponatur, donec materia fluat inſtar aquæ: projiciatur in peluim tonſoris, & vitrum hyacinthinum reſeruetur.

TARTARVM VITRIOLATVM.

℞ Liquoris Tartari (vt priùs) præparati vncias quatuor. Olei Vitrioli optimè rectificati vncias duas; illudque guttatim ſuprà Tartari liquorem in vitro capaci inſtilla: ſic fiet coagulum albiſſimum; humiditas ſupernatans euocetur lento calore ad ſiccitatem Salis: & ſeruetur ad vſum.

NEPENTES OPIATVM.

℞ Tincturæ Opij cum aceto diſtillato primò, deinde cum ſpiritu vini paratæ. Extracti Croci per Vini ſpiritum, ana vnciam vnam.
Salis Perlarum & Coralliorum, ana vnciam dimidiam.
Tincturæ Specierum Diambræ drachmas ſeptem.
Ambræ griſeæ drachmam vnam.
Miſce coagula ad form. pilul. lento balnei calore.

EXTRAC-

EXTRACTORVM
CONFICIENDORVM
RATIO.

QVoniam multi Extractorum laudes mirificè prædicant, licèt illa effectui, vti continua exploratum habemus experientia, minimè respondeant, ne aliorum votis penitùs deesse videamur, hîc generalem ipsorum conficiendorum modum & rationem subiungere potiùs, quàm futilem & inutilem hinc inde desumptam Receptorum farraginem congerere, & rudioribus vana ostentatione imponere visum est.

℞ Massæ cuiusuis pilularum, siue specierum, puluerumue quorumlibet, quantum vis: infundantur ista, siue istorum quodlibet, in aquæ stillatitiæ intentioni Medici præscribentis accommodatæ, quantitate sufficienti: stent in calore balnei biduò, aut si duriora fuerint triduò, donec omnis materiæ infusæ tinctura extrahatur: quòd si experiri placuerit, sitne tota educta, primus liquor per manicam Hippocratis transeat, aut chartam emporeticam; affundatur reliquijs liquor nouus, rursus diregendo vt priùs, quo tincto, procedendum est vt anteà. Liquores sic collecti, modo tincti, in balneo M. positi

lento calore euocentur; materia in fundo ad mellis consistentiam redacta, reseruetur ad vsum: vt diuturniore tempore maneat humecta. Salis proprij aut alterius idonei momentum adjicere conuenit: videlicet cuilibet vnciæ extracti scrupulos duos vel drachmam dimidiam Salis.

Aquis stillatitiis addi solet, Olei Vitrioli, aut Sulphuris, liquorisue cuiusuis acidi vt Olei Salis, ea quantitas, quæ gustui non futura est ingrata, vt altiùs & expeditiùs in partes rerum solidarum durarumque intimas penetret, & effrænam medicamenti purgantis vim operationemque retundat: his intentionibus Vini spiritus abunde satisfacit, sed eius tum potissimùm vsus est, cum medicamentorum cordialium humidum radicale & primigenium desideramus, vel medicamenta purgantiora fortiora, vel opiata, præparare volumus.

SALIVM

SALIVM EX OMNI GENERE VEGETABILIVM CONFICIENDORVM MODVS.

QVI ex plantis elicitur, ſal duplex eſt: vnus volatilis, qui ignis violentia facillimè diſcutitur & euaneſcit, (quem & eſſentialem vocant) alius fixus, qui ignis intentiorem gradum ſuſtinet, & in cineribus relinquitur.

MODVS CONFICIENDI SALIS VOLATILIS Siue ESSENTIALIS.

Sal volatilis ſic paratur,

℞ Plantæ alicuius conuenientis, recentis, & ſucculentæ amplam ſatis quantitatem; contunde in mortario ligneo vel lapideo, & affuſâ aqua pluuiali depuratâ vel fontanâ clara, multâ, coquatur ad medietatis conſumptionem. Decoctum exprime fortiter, & cola. Colaturam iterum coque vſque ad ſpiſſitudinem mellis liquidi. Quod reliquum eſt decocti, ponatur in vaſe vitreo vel fictili vitreato in locum frigidum per octiduum ſaltem, & ſal cryſtallinus concreſcet in modum ſalis gemmæ. Effuſo decocto colligitur, & propriâ aquâ abluitur, & ſiccatur. Hoc modo conficitur Sal ex Abſinthio, Carduo benedicto,

Artemifiâ,& ex aliis etiam herbis amarulentis facillimè ; ex dulcioribus autem non item, vel cum fummâ difficultate.

MODVS CONFICIENDI SALIS FIXI Siue ELEMENTALIS.

Salis huius præparandi ratio his quatuor conftat,

Calcinatione,
Solutione,
Filtratione,
Coagulatione,

Vt ritè igitur conficiatur,primò omnium cineres albi calcinatione procurandi funt; vbi tamen cautio fit, ne nimiâ combuftione vel in vitrum abeant, vel auolet fubtilior pars falis,quod fæpè accidit in calcinatione Cochleariæ, & aliarum etiam eiufdem naturæ plantarum. Deinde ex cineribus (affusâ aquâ clarâ, purâ, ebulliente, donec omnis falfedo extracta fuerit) lixiuium fiat. Lixiuium filtra, & in vafe fictili ad carbones lento igne coque vt aqua exhalet, & fal relinquatur, cui depuratio vlterior neceffaria eft: foluatur igitur denuò, filtretur & demùm coaguletur: repetitâ enim,& crebrâ filtratione, ac folutione fal omnem impuritatem deponit, ac planè albus ac mundus euadit: & hic modus generalis eft. Sic enim parantur fales ex herbis, fruticibus, & arborum cuiufcunque generis particulis in cineres albos redactis, quod verum etiam eft de partibus animalium calcinatis, & aliquibus etiam lapidibus: fed hæc obiter. Inter fales fixos excellunt, Sal Abfinthij,Thymi,Rorifmarini, Centaurij minoris, Artemifiæ, Cardui benedicti, Imperatoriæ, Petrofelini, Ononidis; Fraxini, Ebuli, Guaici,Bucci, Chamæmeli, Hyperici, Cichorij,Chelidoniæ,Cochleariæ, Betonicæ,Eupatorij,Meliffæ, Ceterach, &c.

MEDI-

MEDICAMENTORVM QVORVNDAM PRÆPARATIONES PHARMACOPOEIS APPRIME NECESSARIÆ.

ÆRIS VSTIO.

AVG.

ÆRis bracteæ in fictile immittantur, interpoſito inter ſingulas lamellas Salis communis, aut Sulphuris puluere, atque ſic ſtratum ſuper ſtratum paretur, quod igne vratur ad ſufficientiã; cinis relictus aquâ calidâ ſæpiùs affusâ dulcoretur, qui rubicans euadit à Sale vel nitro, Niger ſi per Sulphur præparetur.

ALOEN ABLVENDI MODVS.

℞ ALoes ſubtiliter tritæ q. v. imponatur in ollam vitreatam cum aquæ bullientis quantitate ſufficienti, vt duobus aut tribus digitis ſupernatet aqua ſpatulâ agitando, vt partes Aloes puriores aquæ commiſceantur, quâ effusâ alia aqua ſuperinjiciatur calida, & ſimiliter agitetur & effundatur, vt ſordes parteſque impuriores ſegregari poſſint, puriſſimæ autem aquæ ſimul collectæ, euaporatione humiditatis redigantur in Maſſam vſui aſſeruandam.

ANTISPODII PRÆPARATIO.

℞ EBoris electi, ſecti in fruſta haud parua q. v. cõburantur in olla vel patina aperta in fornace figulina, donec penitus albeſcant; quæ poſteà, ſubtiliſſimè trita lauentur aqua Roſacea, (ſint libræ duæ ad lib. 1. eboris)

eboris) & denuò ſiccata abluantur eadem quãtitate roſaceæ, & tertiò, cum Cãphoræ drach. quatuor, in libra roſaceæ diſſolutis; tum læuigata in marmore formentur in Trochiſcos vſui aſſeruandos.

Simili modo ex cornu Cerui fieri poteſt.

BOLI ARMENI PRÆPARATIO.

HVius præparatio à multis Aquâ Roſaceâ perficitur, ab alijs verò Aceto, à nonnullis cum Vino; Bolum autem læuigatum ſoluunt toties, dum ſordes & arenulæ auferantur, dein ſiccatus in aere vel Sole, tectus reponitur.

BRYONIÆ FOECVLA.

℞ RAdicum Bryoniæ q. v. cultello abradantur, & ſuccus prælo forti exprimatur, qui in vaſculis ſine motu detentus poſt paucas horas, fœces albiſſimas inſtar Amyli deponet, àqua turbida ſupernatante, qua per inclinationem ſeparata, fœces deſiccentur in vitreatis vaſculis.

BVTYRVM MAIALE.

℞ BVtyrum recens ſine ſale ſub menſis Maij medio vel circa finem collectum, imponatur in vas terreum vitreatum latum, & in Sole collocetur, vt vndiquaque liquetur: quod optimè liquatum, dum Sol eſt feruentiſſimus, tranſcolètur per pannum lineum ſpiſſum, & non exprimatur; quod denuò Soli expoſitum; & tandem album factum rurſus coletur, & reſeruetur per totum annum.

CALCIS VIVÆ ABLVTIO.

TRita Calx in catino copioſâ aquâ dulci miſcetur, potiſſimum tempore Canicularium, & multum agitatur, cumque in fundo reſederit, mutatur aqua, ac commiſcetur denuò, atque id repetitur ſepties vel octies, ſingulis vicibus per filtrum colando: tandem Roſacea affunditur, & Calx ſiccata aſſeruatur.

CANCRORVM FLVVIATILIVM VSTIO.

CAncri fluuiatiles viui aſſentur in ænea patella ad ignẽ temperatum

peratum (haud vehementem) pofitâ, donec in tenuiffimum puluerem redigi queant: dein pulueri fentur, & pulus recondatur in pyxide munda; & feruetur in loco ficco, & hic puluis durat per annum.

LIMATVRÆ CHALYBIS PRÆPARATIO VVLGARIS.

℞ Limaturæ Chalybis q.v. ab omni immũditie per magnetem depuratæ, deinde lauetur aquâ dulci,& protinùs exiccetur, deinde irroretur aceto vini fortiffimo, fæpiùs vndiquaq; inuertendo, exponatur, & exiccetur in vmbra bis terue infpergendo nouum acetum, ficq; ftet per dies triginta, poftea teratur in puluerem tenuiffimum,& feruetur vfui.

In Chalybe qui præparatur ad ignem cum Sulphure, obferuandum eft, vt nifi fapor Vitriolatus remaneat in Chalybe per vftionem, vini aperiendi amiferit, & fit inutilis.

CORALLIORVM ET LAPIDVM PRETIOSORVM PRÆPARATIO.

Corallia & Lapides pretiofi, eodem modo præparentur, quo Margaritæ, folio fequente.

CORIANDORVM PRÆPARATIO.

Coriandorum femina acri Aceto horis viginti quatuor macerentur, deinde ficcata recondantur. Eodem modo præparentur femina Cymini.

ELATERII PRÆPARATIO.

℞ Cucumerum agreftium iã penè maturorũ q. v. fcindantur fupino cultro, & fuccus leuiffimè primoribus digitis exprimatur,& trajiciatur per fataceum tenuiffimum, deinde refideat dum craffiorem depofuerit partem, tunc tenuior fupernatans effundatur per inclinationem in aliud vas terreum mundum vitreatum: & linteo coopertum. Soli exponatur dum exaruerit, & feruetur ad vfum.

RADIC. ESVLÆ PRÆPARATIO.

Cortices Efulæ benè mundatos infunde per triduum in Aceto vini acerrimo, deinde exiccentur, & feruentur vfui.

 Eodem

Eodem modo præparantur

Folia Lauriolæ,
Mezerei.
Fructus Thymeleæ, i. grani Gnidij.

EVPHORBII PRÆPARATIO.

Euphorbium ſubtiliſſimè pulueriſatum in lapide, cum ſ.q. Olei Amygdalarum dulcium, inſtar Collyrij fricatur, & atteritur; Maſſa poſtmodùm pomo Cydonio excauato, vel Citrio inditur, paſtâque panis obuoluitur, & ſic in clibano coquitur. Euphorbium ſic præparatum vaſe vitreo benè obturato reconditur.

GERSÆ SEV CERVSSÆ SERPENTARIÆ FACIENDÆ MODVS.

℞ Radicum Ari primo Vere, antequã in folia abeunt, collectarum quantum vis: abluantur & mundentur ab exteriore cortice, deinde in mortario lapideo contundantur, & ſuccus prælo extrahatur, qui linteo tectus Sole exiccetur, poſteâque aquâ Roſaceâ lauetur, rurſuſq; ſiccetur, & reponatur.

HELLEBORI NIGRI PRÆPARATIO.

Radices Hellebori nigri, prout apud nos habentur, demptâ lignea medullâ, triduo macerentur in ſucco Cydoniorũ, moderato calore, poſteà benè exiccatæ reponantur.

SANGVINIS HIRCINI PRÆPARATIO.

Hircum mediocris ætatis domi alito per menſem, illi exhibendo Pimpinellã, Apium, Petroſelinum, Maluam, Leuiſticum, & ſimilia; deinde ſanguinem eius, qui ex arteriis apertis fluxerit excipito, & concreſcere ſinito, aqueum ichorem effunde, grumos verò ſanguinis in furno exicca. Mactandus autem eſt Hircus ſub finem æſtatis, circa dies Caniculares.

HIRVNDINVM VSTIO, AVG.

Pulli Hirundinũ ità iugulentur, vt ſanguis ſuper alas defluat: hi modico trito Sale aſpergantur, ac in nouo fictili vitreato probè obturato vrantur,

cinis

cinis reſeruetur ad vſum.

Eodem modo comburuntur Erinacei, Bufones, Ranæ, ſed ſine Sale.

LACCÆ PRÆPARATIO.

℞ LAccæ immūdæ (alioquin fruſtraneum eſſet opus, quod ſincerū eſt lauare) parùm fractæ, non in puluerem redactæ, quantum vis, decoquatur in aqua, cui Ariſtolochia & Schœnanthos, ana p. æ. incocta; donec purior pars ſupernatet, ſordeſque in fundo ſubſederint; purior illa pars auferatur, & in Sole tecta, vel vaporario exiccetur, & ſic reſeruetur ad vſum.

LAPIDIS LAZVLI PRÆPARATIO.

LApis Lazuli minutiſſimè confractus aquæ injiciatur, ſæpiùs agitando, deinde vbi ſubſederit, aqua effundatur; idq; toties repetatur, donec aqua pura maneat. Illud vero obſeruandum, quòd hæc præparatio ad pilulas ſatis ſit commoda; ſin verò ad Confectionem Alkermes adhibeant, vſtione præparari debet.

LVMBRICORVM PRÆPARATIO.

LVmbrici fiſſi & mundati q. v. Vino toties lauentur, donec omnem impuritatem depoſuerint; deinde ſiccentur, & reponantur.

MARGARITARVM PRÆPARATIO VVLGARIS.

MArgaritæ in mortario ex Chalybe, vel ex ferro fuſo, comminuantur, & in pollinem tenuiſſimum redigantur, tantillo interim aquæ Roſaceæ affuſo, ne partes ſubtiliores auolent, & ita ſecuriùs conſeruantur, ne earum virtus exhalatione abſumatur.

MILLEPEDVM PRÆPARATIO.

℞ MIllepedum q. v. abluito diligenter Vino albo generoſo, mox in ollam conjicito nouam vitreatam, ac poſteà in furno exiccentur, vt poſſint in puluerem redigi.

OESIPVM FACIENDI MODVS.

LAnæ ſuccidæ, hoc eſt, nondum purgatæ, quæ ex collo, coxis, & alis ouium defatigatarũ fuerit detonſa, affundatur aqua feruens pluries, & lauetur diligenter quouſque omnem pinguedinem in aquam depoſuerit. Poſteà expreſſa lana ſeponatur, & aqua illa pinguis & ſordida ex vaſculo in aliud diutiſſimè ex alto fundatur, & refundatur, donec ſpumoſa fiat, ac tum ſpuma ſinatur ſubſidere & colligatur aquæ innatans pinguedo, iterumque aqua vt priùs refundatur, donec ſpumet, ac innatans pinguedo auferatur, quod tam diù fiat donec non ampliùs appareat ſpuma, & nulla ſuper aquam cõcreſcat pinguedo. Tum collectam pinguedinem cum ſpuma in aqua purâ manu ſubigendo laua, ſordeſque immixtas, ſæpiùs immutando aquam, aufer, donec aqua pura effluat, & pinguedo linguæ admota non mordeat, deinde reponatur in fictili denſo, & mundo, in loco frigido.

PLVMBVM ELOTVM.

DIOSCORID. l. 5. c. 95.

AQua in plumbeũ mortariũ iniecta, piſtillo plumbeo laborioſè agitetur, dum nigreſcat, & limi modo craſſeſcat lutulenta. Linteolo dein coletur, aquâ ſuperaffusâ, vt quicquid diſſolutum incernatur. Id repete, dum ſit ſatis. Lotum vbi ſubſederit, effusâ priore aqua, & affusâ nouâ lauetur vt Cadmeia, nigrities dum extet nulla. Demùm in paſtillos efformatum reponatur. Modos ex illo alios non addimus, quòd iſto hodiè vtantur alij, (Norimbergenſes.)

PLVMBVM VSTVM,

DIOSCOR. l. 5. c. 96.

TEnuiſſimas in Plumbi laminas, recente ſtratas fictili, Sulphur inſpergito; & laminis adiectis aliis, ſed interiecto nouo Sulphure, & rurſum aliis, donec vas impleatur, ignem ſuccendito. Flagrante Plumbo, rude ferrea verſato, prorſus in cinerem dum redigatur, & Plumbi vſtum nihil adhæſerit. Occluſis demùm naribus eximito, ne Sulphuris aut Plumbi halitus ſit noxius. Hinc vt Ceruſſam elue. Ibidem, & aliter, præſcribit idem; ſed hic, qui vrunt hac ætate.

PLVM-

PLVMBI CRVDI PVLVIS. FERN. meth.6.c.16.f.

PLumbum in tenuiſſimas ducatur laminas : hæ concidantur minutiſſimè , acerrimo aceto immergantur per triduũ, aceto indies mutato, macerentur:exemptæ, & citrà vſtionem igne ſiccatæ, terantur in mortario laboriosè : in puluerem ſic tenuiſſimum læuiſſimumq; redigantur,puluis vſui reſeruetur.

PVLMONVM VVLPIS PRÆPARATIO.

PVlmones Vulpis recentes,exemptâ priùs aſperâ arteriâ, vino albo cui Hyſſopus & Scabioſa priùs incoctæ , diligenter laua , deinde furno temperatè calido ſicca, ità tamen vt non comburantur,poſtea reponatur inuoluti Abſinthio, Marrubio, vel Hyſſopo ſiccis.

SIMPLEX PRÆPARATIO SCAMMONII.

℞ SCammonij , electi , lacteſcentis, in puluerem redacti libram vnam.

Succi Cydoniorum vncias octo.

Commiſceantur , & poſt macerationem viginti quatuor horarum , lento calore humiditas euaporetur, reſiduum ſeruetur ad vſum. 2ª.

Vel Puluis Scammonij imponi ſolet in Cydonia excauata, quæ poſteà paſta circumliniuntur , & in furno , vel ſub cineribus aſſantur ſ. a.& poſteà eximatur Scammonium , & ſeruetur ad vſum.

SCAMMONII 3ª.

℞ SCammonij pulueriʐati vncias quatuor.

Imponantur in phialam vitream, addendo Succi Cydoniorum depurati tantum , vt ſupernatet tribus digitis vel quatuor. Stet in Balneo calido, donec lacteſcat : ſeparetur liquor per inclinationem , & repetatur ſuccus alius toties donec ampliùs non lacteſcit. Sinatur hic liquor reſidere,ponatur reſidentia in fictile vitreatum , & ſtet in Sole vel ſtupha.

SCILLÆ PRÆPARATIO AD TROCHISCOS.

Non multùm abſimile pag. 121.col.2.

℞ SCillam magnam recentem abiectis eius exterioribus aridis,

aridis tunicis, inuolue pastæ panis & assato eam in furno cum panibus, donec panes percocti fuerint. Hinc è furno exime Scillam, & sigillatim omnes tunicas detrahe, & funiculo traiectas (vt se inuicem tunicæ non contingant) in calido loco exiccato, seruatoque; abjiciatur verò medium Scillæ cor, vnde germen enasci solet. Illud etiam obseruandam est, Scillam non esse incidendum ferreo cultro, sed ligneo, osseo, aut eburneo; nam contrahit à ferreo venenosam quandam rubiginem. Ad Acetum & Vinum rectiùs præparetur, laminas separando, & exiccando in vmbra.

TEREBINTHINÆ COQVENDÆ MODVS.

℞ TEerebinthinæ Venetæ libram vnam: cui affundatur aquæ satis magna quantitas, (scilicet libræ viginti quatuor,) in qua tam diù coquatur, donec odorem amittat, inspissetur, indurescat, & Resinæ modo friabilis fiat, vitri modo dissiliat, & albida inter coquendum agitando euadat.

TVTIÆ PRÆPARATIO.

TVtia Arabũ, seu Græcorum Cadmia ter saltem in crucibulo candefacta, aquâ Rosarum toties extincta, demùm læuigata, linteo mundo inclusa, in vase aquâ limpidâ pleno, huc illuc ducatur & agitetur, vt eius tenuior & vtilior pars in aquam effluat; impurior & crassior in linteo remaneat: residere permittatur, & aqua effundatur, atque aliâ denuò affusâ, idem opus repetatur, donec in linteo nihil vtile remaneat, &c.

INDEX

INDEX COMPOSITORVM.

Diacaſſia

INDEX.

Florum

INDEX.

Oleum

INDEX.

Trochisci

The Printer to the Reader.

Reader, may it please thee to take notice, that this being the fourth Edition of this Worke, and is now freed from all errors (formerly committed either by the Transcriber or Printer) by the great labor, paines, care, and industry of that Honourable Society (the Authors of this Worke) and by them (intending onely publike good) diligently and truly corrected and amended, as also newly amplified, enlarged, and adorned with such additions as vnto them seemed most needfull.

No faults haue escaped in this Impression (except literall) and so not worthy of an Errata. Errors are more ancient then Printing, and therefore I expect them to passe the Reader without wonder, as they shall doe me without apologie. Thus much I thought needfull to aduertise thee of, and to acquaint thee with the best and last Edition, printed the 8. of April. 1632. Thy friend, I.M.

FINIS.